

Specification KWT803-S

SSC		CUSTOMER
Drawn	Approval	Approval

Contents

- 1. Description
- 2. Absolute Maximum Ratings
- 3. Electro-Optical Characteristics
- 4. Characteristic Graph
- 5. Reliability Test Item and Condition
- 6. Color & Binning
- 7. Outline Dimension
- 8. Packing
- 9. Soldering
- 10. Precaution for use
- 11. Handling of Silicone Resin LEDs



KWT803-S

1. Description

This surface-mount LED comes in PLCC standard package dimension. It has a substrate made up of a molded plastic reflector sitting on top of a bent lead frame. The die is attached within the reflector cavity and the cavity is encapsulated by epoxy or silicone.

The package design coupled with careful selection of component materials allow these products to perform with high reliability in a larger temperature range -40°C to 100°C. The high reliability feature is crucial to Automotive interior and Indoor ESS.



Features

- White colored SMT package
- InGaN/Sic material
- Suitable for all SMT assembly and soldering methods
- Pb-Free Reflow soldering application
- · RoHS compliant

Applications

- White Back-light
- Electric Signs and Signals
- Interior automotive
- Office Automation,
 Electrical Appliances,
 Industrial Equipment



2. Absolute maximum ratings*1

Parameter	Symbol	Value	Unit
Power Dissipation	P_d	111	mW
Forward Current	I_F	30	mA
Peak Forward Current	I_{FM} *2	90	mA
Reverse Voltage	V_R	5	V
Operating Temperature	T_{opr}	-40 ~ + 100	°C
Storage Temperature	T_{stg}	-40 ~ + 100	°C

^{*1} Care is to be taken that power dissipation does not exceed the absolute maximum rating of the product.

3. Electro-Optical characteristics

Parameter	Symbol	Condition	Min	Тур	Max	Unit
Forward Voltage	V_F	I_F = 20mA	2.7	3.3	3.7	V
Reverse Current	I_R	V_R =5V	-	-	10	μΑ
Luminous Intensity*1	I_V	I_F = 20mA	1200	1600	2400	mcd
Viewing Angle *2	$2\theta_{\frac{1}{2}}$	I_F = 20mA	-	115	-	deg.
ESD (HBM)		1.5kΩ; 100pF	1	-	_	KV

^{*1.} The luminous intensity IV was measured at the peak of the spatial pattern which may not be aligned with the mechanical axis of the LED package. Luminous Intensity Measurement allowance is ±10%

[Note] All measurements were made under the standardized environment of SSC.


^{*2} I_{FM} was measured at $T_W \le 1$ msec of pulse width and D $\le 1/10$ of duty ratio.

^{*2.} 2θ /₂ is the off-axis where the luminous intensity is 1/2 of the peak intensity.




4. Characteristic Graph

Forward Current vs. Forward Voltage




Relative Luminous Intensity vs Forward Current




Forward Current I_F [mA]

Forward Current Derating Curve



Radiation Diagram





5 Reliability


Item	Reference	Test Condition	Duration / Cycle	Number of Damage
Thermal Shock	Internal Reference	$T_a = -40$ °C (30MIN) ~ 100°C (30MIN)	100 Cycle	0/22
Temperature Cycle	EIAJ ED-4701	T_a = -40°C (30MIN) ~ 25°C (5MIN) ~ 100°C (30MIN) ~ 25°C (5MIN)	100 Cycle	0/22
High Temperature Storage	EIAJ ED-4701	$T_a = 100$ °C	1000 Hours	0/22
High Temperature High Humidity Storage	EIAJ ED-4701	$T_a = 85$ °C, RH= 85%	1000 Hours	0/22
Low Temperature Storage	EIAJ ED-4701	$T_a = -40^{\circ} \text{C}$	1000 Hours	0/22
Operating Endurance Test	Internal Reference	$T_a = 25$ °C, $I_F = 30$ mA	1000 Hours	0/22
High Temperature High Humidity Life Test	Internal Reference	T_a =85°C, RH=85%, I_F =15mA	1000 Hours	0/22
High Temperature Life Test	Internal Reference	$T_a = 100$ °C, $I_F = 5$ mA	1000 Hours	0/22
Low Temperature Life Test	Internal Reference	$T_a = -40^{\circ}\text{C}, I_F = 30\text{mA}$	1000 Hours	0/22
ESD(HBM)	MIL-STD- 883D	1KV at 1.5kΩ; 100pF	3 Time	0/22


☐ Criteria for Judging the Damage

Itom	Crreebal	Com dition	Criteria for Judgement		
Item	Symbol	Condition	MIN	MAX	
Forward Voltage	V_F	$I_F = 20 \text{mA}$	-	$USL^{*1} \times 1.2$	
Reverse Current	I_R	V_R =5 V	-	$USL^{*1} \times 2.0$	
Luminous Intensity	I_V	I_F = 20mA	LSL*2 × 0.5	_	

Note: *1 USL: Upper Standard Level *2 LSL: Lower Standard Level

6. Color & Binning






COLOR RANK

<IF=20mA, Ta=25℃>

k	b		е		f
X	y	X	у	X	у
0.2695	0.2615	0.2885	0.2925	0.3045	0.3205
0.2835	0.2435	0.2985	0.2705	0.3145	0.2985
0.2985	0.2705	0.3145	0.2985	0.3305	0.3265
0.2885	0.2925	0.3045	0.3205	0.3205	0.3485
٤	9	h			
X	у	X	у		
0.3205	0.3485	0.3365	0.3765		
0.3305	0.3265	0.3465	0.3545		
0.3465	0.3545	0.3625	0.3835		
0.3365	0.3765	0.3525	0.4045		



Bin Code Description










Luminous Intensity (mcd) @ I_F = 20mA			
Bin Code	Min.	Max.	
J2	1,200	1,400	
J4	1,400	1,600	
J6	1,600	1,800	
J8	1,800	2,000	
K0	2,000	2,200	
K2	2,200	2,400	


Color Rank @ I _F = 20mA
b
е
f
g
h


Forward Voltage (V) @ I _F = 20mA			
Bin Code	Min.	Max.	
Υ	2.7	3.0	
Z	3.0	3.3	
A 3.3 3.7			




7. Outline Dimension













(Tolerance: ±0.2, Unit: mm)

8. packing












(Tolerance: ±0.2, Unit: mm)

- (1) Quantity: 3000pcs/Reel, 2000pcs/Reel
- (2) Cumulative Tolerance : Cumulative Tolerance/10 pitches to be ± 0.2 mm
- (3) Adhesion Strength of Cover Tape: Adhesion strength to be 0.1-0.7N when the cover tape is turned off from the carrier tape at the angle of 10° to the carrier tape
- (4) Package: P/N, Manufacturing data Code No. and quantity to be indicated on a damp proof Package



Reel Packing Structure






9. soldering


(1) Lead Solder

Lead Solder			
Pre-heat	120~150℃		
Pre-heat time	120 sec. Max.		
Peak-Temperature	240℃ Max.		
Soldering time Condition	10 sec. Max.		



(2) Lead-Free Solder

Lead Free Solder		
Pre-heat	150~200℃	
Pre-heat time	120 sec. Max.	
Peak-Temperature	260℃ Max.	
Soldering time Condition	10 sec. Max.	



- (3) Hand Soldering conditions Do not exceed 4 seconds at maximum 315°C under soldering iron.
- (4) The encapsulated material of the LEDs is silicone. Precautions should be taken to avoid the strong pressure on the encapsulated

part. So when using the chip mounter, the picking up nozzle that does not affect

the silicone resign should be used.

Note: In case that the soldered products are reused in soldering process, we don't guarantee the products.

10. precaution for use

(1) Storage

In order to avoid the absorption of moisture, it is recommended to store in a dry box (or a desicator) with a desiccant. Otherwise, to store them in the following environment is recommended.

Temperature: 5°C ~30°C Humidity: maximum 70%RH

(2) Attention after open.

LED is correspond to SMD, when LED be soldered dip, interfacial separation may affect the light transmission efficiency, causing the light intensity to drop. Attention in followed; Keeping of a fraction

Temperature: 5 ~ 40°C Humidity: less than 10%


- (3) In the case of more than 1 week passed after opening or change color of indicator on desiccant, components shall be dried 10-12hr. at $60\pm5^{\circ}$ C.
- (4) Any mechanical force or any excess vibration shall not be accepted to apply during cooling process to normal temperature after soldering.
- (5) Quick cooling shall be avoided.
- (6) Components shall not be mounted on warped direction of PCB.
- (7) Anti radioactive ray design is not considered for the products.
- (8) This device should not be used in any type of fluid such as water, oil, organic solvent etc. When washing is required, IPA should be used.
- (9) When the LEDs are illuminating, operating current should be decided after considering the ambient maximum temperature.
- (10) The LEDs must be soldered within seven days after opening the moisture-proof packing.
- (11) Repack unused products with anti-moisture packing, fold to close any opening and then store in a dry place.
- (12) The appearance and specifications of the product may be modified for improvement without notice.

11. Handling of Silicone Resin LEDs

(1) During processing, mechanical stress on the surface should be minimized as much as possible. Sharp objects of all types should not be used to pierce the sealing compound.



(2) In general, LEDs should only be handled from the side. By the way, this also applies to LEDs without a silicone sealant, since the surface can also become scratched.



(3) When populating boards in SMT production, there are basically no restrictions regarding the form of the pick and place nozzle, except that mechanical pressure on the surface of the resin must be prevented.

This is assured by choosing a pick and place nozzle which is larger than the LED's reflector area.

(4) Silicone differs from materials conventionally used for the manufacturing of LEDs. These conditions must be considered during the handling of such devices. Compared to standard encapsulants, silicone is generally softer, and the surface is more likely to attract dust.

As mentioned previously, the increased sensitivity to dust requires special care during processing. In cases where a minimal level of dirt and dust particles cannot be guaranteed, a suitable cleaning solution must be applied to the surface after the soldering of components.

(5) SSC suggests using isopropyl alcohol for cleaning. In case other solvents are used, it must be assured that these solvents do not dissolve the package or resin. Ultrasonic cleaning is not recommended. Ultrasonic cleaning may cause damage to the LED.