ROHM


Conductive polymer chip tantalum capacitors (Bottom surface electrode type)


TCTO Series P Case

•Features (P)

- 1) Conductive polymer used for the cathode material.
- 2) Ultra low ESR
- 3) Small package, but big capacitance
- 4) Screening by thermal shock

•Dimensions (Unit : mm)





* This specification has possibility of charge, due to underdevelopment product. Please ask for latest specification to our sales.

Rated table

| | F | Rated vo | ltage (V |) |
|-----------|-----------|----------|-----------|----------|
| (μF) | 2.5 0E | 4 0G | 6.3 0J | 10 1A |
| 1.0 (105) | | | | |
| 1.5 (155) | | | | |
| 2.2 (225) | | | | |
| 3.3 (335) | | | | Ρ* |
| 4.7 (475) | | | | Ρ* |
| 6.8 (685) | | | | Ρ* |
| 10 (106) | | | | Ρ* |
| 15 (156) | | | | Ρ* |
| 22 (226) | | | Р* | Ρ* |
| 33 (336) | | Ρ* | Р* | |
| 47 (476) | Р* | Ρ* | | |
| 68 (686) | Р* | | | |
| 100 (107) | | | | |

Remark) Case size codes (P) in the above show products line-up. * Under development


• Marking

The indications listed below should be given on the surface of a capacitor.

(1) Polarity : The polarity should be shown by □ bar. (on the anode side)
(2) Rated DC voltage : Due to the small size of P case, a voltage code is used as shown below.
(3) Visual typical example (1) voltage code (2) capacitance code

| Voltage Code | Rated DC Voltage (V) | |
|-----------------|-------------------------|-----|
| е | 2.5 | |
| g | 4 | |
| j | 6.3 | |
| А | 10 | |
| | | ' ł |

| Capacitance Code | Nominal Capacitance (µF) |
|---------------------|-----------------------------|
| S | 4.7 |
| W | 6.8 |
| а | 10 |
| е | 15 |
| j | 22 |
| n | 33 |
| s | 47 |
| w | 68 |



note 2) voltage code and capacitance code are variable with parts number

• Characteristics

| erature ng no voltage /DC) e (VDC) /DC) rent | 1.6 2.5 4 | 3 10 | °C | Volta | age r | eduction when | temperature exc | ceeds +85°C | |
|--|--|---|--|---|---|--|--|---|--|
| /DC) e (VDC) /DC) | 2.5 4 6. 1.6 2.5 4 | | | | | | | | |
| e (VDC) /DC) | 1.6 2.5 4 | | | | | | | | |
| /DC) | | | | | at 85°C | | | | |
| | 00000 | 1.6 2.5 4 6.3 | | |)5°C | | | | |
| rent | 3.2 5.0 8 13 | | | at 85 | 5°C | | | | |
| | Shall be satisfied the voltage on " Standard list " | | | As p | er 4. | 9 JIS C 5101-1 5.1 JIS C 5101 Rated voltage | -3 | | |
| Capacitance tolerance | | | Shall be satisfied allowance range. ±20% | | | As per 4.7 JIS C 5101-1 As per 4.5.2 JIS C 5101-3 Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit | | | |
| Tangent of loss angle (Df, tan δ) | | | Shall be satisfied the voltage on " Standard list " | | | As per 4.8 JIS C 5101-1 As per 4.5.3 JIS C 5101-3 Measuring frequency : 120±12Hz Measuring voltage : 0.5Vrms +1.5 to 2V.DC Measuring circuit : DC Equivalent series circuit | | | |
| ESR | | Shall be satisfied the voltage on " Standard list " | | | As per 4.10 JIS C 5101-1 As per 4.5.4 JIS C 5101-3 Measuring frequency : 100±10kHz Measuring voltage : 0.5Vrms or less Measuring circuit : DC Equivalent series circuit | | | | |
| Appearance | There should be no significant abnormality. The indications should be clear. | | | | As per 4.14 JIS C 5101-1 As per 4.6 JIS C 5101-3 | | | | |
| L.C. | Less than 300% of initial limit Within ±20% of initial value | | | | Solder temp : 240±5°C Duration : 10±0.5s | | | | |
| ΔC / C | | | | | | | | | |
| Df (tan δ) | Less tha | n 3009 | % of initial limit | Afte | After the specimens, leave it at room temperature for over 24h and then measure the sample. | | | | |
| Appearance | | | | As p | As per 4.16 JIS C 5101-1 As per 4.10 JIS C 5101-3 | | | | |
| L.C. | Less tha | n 1000 | 0% of initial limit | | Repetition : 5 cycles (1 cycle : steps 1 to 4) without discontinuation. | | | | |
| ΔC / C | Within ±2 | :0% of | initial value | | | Temp. | Time | | |
| Df (tan δ) | Less tha | n 3009 | % of initial limit | | 1 | –55±3°C | 30±3min. | | |
| • | | | | | 2 | Room temp. | 3min. or less | | |
| | | | | | | 105±2°C | 30±3min. | | |
| | | | | | 4 | Room temp. | 3min. or less | | |
| Appearance | | | · · · · · · · · · · · · · · · · · · · | As per 4.22 JIS C 5101-1 As per 4.12 JIS C 5101-3 | | | | | |
| L.C. | Less tha | ר 300% ו | % of initial limit | | | | | | |
| ΔC / C | Within +3 | 0/-20 | % of initial value | 40±2 | 2°C a | and 90 to 95% I | | | |
| Df (tan δ) | Less tha | n 3009 | % of initial limit | leave it at room temperature for 24h and then measure the sample. | | | | he sample | |
| | Appearance L.C. $\Delta C / C$ Df (tan δ) Appearance L.C. $\Delta C / C$ Df (tan δ) Appearance L.C. $\Delta C / C$ | angleShall be s " StandarangleShall be s " StandarAppearanceShall be s " StandarAppearanceThere shi The indicL.C.Less thar AppearanceAppearanceThere shi The indicL.C.Less thar AppearanceAc / CWithin +3 | angleShall be satisfie " Standard list "angleShall be satisfie " Standard list "AppearanceThere should b The indicationsL.C.Less than 300° More and the indicationsL.C.Less than 100° More and the indicationsAppearanceThere should b The indicationsL.C.Less than 300° More and the indicationsL.C.More and the indicationsL.C.More and the indicationsL.C.More and the indicationsMore and the indications | angleShall be satisfied the voltage on "Standard list "AppearanceShall be satisfied the voltage on "Standard list "AppearanceThere should be no significant abnormality. The indications should be clear.L.C.Less than 300% of initial limit $\Delta C / C$ Mythin ±20% of initial valueDf (tan δ)Less than 300% of initial limitAppearanceThere should be no significant abnormality. The indications should be clear.L.C.Less than 300% of initial limitAppearanceThere should be no significant abnormality. The indications should be clear.L.C.Less than 1000% of initial limit $\Delta C / C$ Within ±20% of initial valueDf (tan δ)Less than 300% of initial limitAppearanceThere should be no significant abnormality. The indications should be clear.L.C.Less than 300% of initial limitAppearanceThere should be no significant abnormality. The indications should be clear.L.C.Less than 300% of initial limit $\Delta C / C$ Within +30/–20% of initial value | angleShall be satisfied the voltage on "Standard list "Mea Mea MeaangleShall be satisfied the voltage on "Standard list "As p Mea Mea Mea Mea Shall be satisfied the voltage on "Standard list "As p Mea Mea Mea Mea Mea MeaAppearanceThere should be no significant abnormality. The indications should be clear.As p | angleShall be satisfied the voltage on " Standard list "As per 4. As per 4. Measurin <td>Measuring frequency : 1 Measuring circuit : E Measuring circuit : E Measuring circuit : E Measuring circuit : E Measuring voltage : 0 Measuring circuit : E As per 4.10 JIS C 5101- As per 4.14 JIS C 5101- As per 4.14 JIS C 5101- As per 4.14 JIS C 5101- As per 4.15 JIS C 5101- As per 4.14 JIS C 5101- As per 4.14 JIS C 5101- As per 4.15 JIS C 5101- As per 4.14 JIS C 5101- As per 4.15 JIS C 5101- As per 4.16 JIS C 5101- Repetition : 5 cycles (1 cycle : steps 1 to 4) w MC / C Mithin ±20% of initial limitAs per 4.12 JIS C 5101- As per 4.12 JIS C 5101- Atter leaving the sample condition that the tempe L2</br></td> <td>$\begin{array}{ c c c c c c c c c c c c c c c c c c c$</td> | Measuring frequency : 1 Measuring circuit : E Measuring circuit : E Measuring circuit : E | $ \begin{array}{ c c c c c c c c c c c c c c c c c c c$ | |

| Iten | n | Performance | Test conditions (based on JIS C 5101–1 and JIS C 5101–3) | | |
|------------------|-------------|--|---|--|--|
| Temperature | Temp. | –55°C | As per 4.29 JIS C 5101-1 | | |
| Stability | ΔC / C | Within 0/-20% of initial value | As per 4.13 JIS C 5101-3 | | |
| | Df (tan δ) | Shall be satisfied the voltage on " Standard list " | | | |
| | L.C. | - | | | |
| | Temp. | +105°C | | | |
| | ΔC / C | Within +50/0% of initial value | | | |
| | Df (tan δ) | Shall be satisfied the voltage on " Standard list " | | | |
| | L.C. | Less than 1.0CV | | | |
| Surge voltage | Appearance | There should be no significant abnormality. | As per 4.26JIS C 5101-1 As per 4.14JIS C 5101-3 | | |
| | L.C. | Less than 200% of initial value | Apply the specified surge voltage every 5 ± 0.5 min. for 30 ± 5 s. each time in the atmospheric condition of $85\pm2^{\circ}$ C. | | |
| | ΔC / C | Within ±20% of initial value | Repeat this procedure 1,000 times. | | |
| | Df (tan δ) | Less than 200% of initial limit | After the specimens, leave it at room temperature for over 24h and then measure the sample. | | |
| Loading at | Appearance | There should be no significant abnormality. | As per 4.23 JIS C 5101-1 | | |
| High temperature | L.C. | Less than 400% of initial limit | As per 4.15 JIS C 5101-3 After applying the rated voltage for 1000+36/0 h without | | |
| | | Within ±20% of initial value | discontinuation via the serial resistance of 3Ω or less | | |
| | | | at a temperature of 85±2°C, leave the sample at room temperature / humidity for 24h and measure the value. | | |
| Terminal | Df (tan δ) | Less than 300% of initial limit | | | |
| strength | Capacitance | The measured value should be stable. | As per 4.35 JIS C 5101-1 As per 4.9 JIS C 5101-3 | | |
| | Appearance | There should be no significant abnormality. | A force is applied to the terminal until it bends to 1mm and by a prescribed tool maintain the condition for 5s. | | |
| | | | (See the figure below) | | |
| | | | 50 / 20 | | |
| | | | F (Apply force) | | |
| | | | | | |
| | | | thickness=1.6mm | | |
| | | | | | |
| | | | | | |
| Adhesiveness | | The terminal should not come off. | As per 4.34 JIS C 5101-1 | | |
| Aunesiveness | | The terminal should not come on. | As per 4.8 JIS C 5101-3 | | |
| | | | Apply force of 5N in the two directions shown in the figure below for 10±1s after mounting the terminal on a circuit board. | | |
| | | | | | |
| | | | product | | |
| | | | | | |
| | | | Apply force | | |
| | | | a circuit board | | |
| | | | | | |
| Dimensions | | Refer to "External dimensions" | Measure using a caliper of JIS B 7507 Class 2 or higher grade. | | |
| | | | | | |
| Resistance to so | olvents | The indication should be clear | As per 4.32 JIS C 5101-1 As per 4.18 JIS C 5101-3 | | |
| | | | Dip in the isopropyl alcohol for 30±5s, at room | | |
| | | | temperature. | | |
| Solderability | | 3/4 or more surface area of the solder coated | As per 4.15.2 JIS C 5101-1 | | |
| | | terminal dipped in the soldering bath should be covered with the new solder. | As per 4.7 JIS C 5101-3 Dip speed=25±2.5mm / s | | |
| | | | Pre-treatment (accelerated aging): Leave the sample on the boiling distilled water for 1 h. | | |
| | | | Solder temp. : 245±5°C | | |
| | | | Duration : 3±0.5s Solder : M705 | | |
| | | | Flux : Rosin 25% IPA 75% | | |
| Vibration | Capacitance | Measure value should not fluctuate during | As per 4.17 JIS C 5101-1 | | |
| | | the measurement. | Frequency : 10 to 55 to 10Hz/min. Amplitude : 1.5mm | | |
| | Appearance | There should be no significant abnormality. | Time : 2h each in X and Y directions | | |
| | | | Mounting : The terminal is soldered on a print circuit board. | | |

• Standard products list, TCTO series


| | Rated voltage 85°C | Category voltage 125°C | Surge voltage 85°C | Cap. 120Hz | Tolerance | Leakage current 25°C | | Df 120Hz (%) | | ESR 100kHz |
|-------------------|--------------------------|------------------------------|--------------------------|---------------|-----------|----------------------------|-------|--------------------|-------|---------------|
| Part No. | (V) | (V) | (V) | (μF) | (%) | 1WV.5min (μA) | –55°C | 25°C 85°C | 105°C | (mΩ) |
| * TCTO P 0E 476 🛛 | 2.5 | 2 | 3.2 | 47 | ± 20 | 11.8 | 10 | 10 | 15 | 500 |
| * TCTO P 0E 686 🛛 | 2.5 | 2 | 3.2 | 68 | ± 20 | 17.0 | 10 | 10 | 15 | 500 |
| * TCTO P 0G 336 🛛 | 4 | 3.2 | 5.2 | 33 | ± 20 | 13.2 | 10 | 10 | 15 | 500 |
| * TCTO P 0G 476 🛛 | 4 | 3.2 | 5.2 | 47 | ± 20 | 18.8 | 10 | 10 | 15 | 500 |
| * TCTO P 0J 226 🛛 | 6.3 | 5 | 8 | 22 | ± 20 | 13.9 | 10 | 10 | 15 | 500 |
| * TCTO P 0J 336 🛛 | 6.3 | 5 | 8 | 33 | ± 20 | 20.8 | 10 | 10 | 15 | 500 |
| * TCTO P 1A 335 🛛 | 10 | 8 | 13 | 3.3 | ± 20 | 3.3 | 10 | 10 | 15 | 500 |
| * TCTO P 1A 475 🛛 | 10 | 8 | 13 | 4.7 | ± 20 | 4.7 | 10 | 10 | 15 | 500 |
| * TCTO P 1A 685 🛛 | 10 | 8 | 13 | 6.8 | ± 20 | 6.8 | 10 | 10 | 15 | 500 |
| * TCTO P 1A 106 🛛 | 10 | 8 | 13 | 10 | ± 20 | 10.0 | 10 | 10 | 15 | 500 |
| * TCTO P 1A 156 🛛 | 10 | 8 | 13 | 15 | ± 20 | 15.0 | 10 | 10 | 15 | 500 |
| * TCTO P 1A 226 🗆 | 10 | 8 | 13 | 22 | ± 20 | 22.0 | 10 | 10 | 15 | 500 |

□=Tolerance(M : ± 20%) *=Under development

| Case code | A <u>+</u> 0.1 | B <u>+</u> 0.1 | t1 <u>+</u> 0.05 | t2 <u>+</u> 0.1 | | |
|-----------|----------------|----------------|------------------|-----------------|------------|------------|
| Р | 1.55 | 2.3 | 0.25 | 1.5 | | |
| Taping [I | P case] | | | | | |
| | | <u> </u> | 4.0±0.05 | eeding direc | • 1.75±0.1 | ti Chip |

• Packaging style

| Case code | Packaging | Packaging style | | Symbol | Basic ordering units |
|-----------|-----------|-----------------|-------------|--------|----------------------|
| P case | Taping | plastic taping | ¢180mm Reel | R | 3,000pcs |



| | Notes |
|---|---|
| | ng or reproduction of this document, in part or in whole, is permitted without the f ROHM Co.,Ltd. |
| The conte | nt specified herein is subject to change for improvement without notice. |
| "Products | ent specified herein is for the purpose of introducing ROHM's products (hereinafte "). If you wish to use any such Product, please be sure to refer to the specifications be obtained from ROHM upon request. |
| illustrate t | of application circuits, circuit constants and any other information contained herein he standard usage and operations of the Products. The peripheral conditions mus nto account when designing circuits for mass production. |
| However, | e was taken in ensuring the accuracy of the information specified in this document should you incur any damage arising from any inaccuracy or misprint of sucl n, ROHM shall bear no responsibility for such damage. |
| examples implicitly, other part | ical information specified herein is intended only to show the typical functions of and of application circuits for the Products. ROHM does not grant you, explicitly o any license to use or exercise intellectual property or other rights held by ROHM and ies. ROHM shall bear no responsibility whatsoever for any dispute arising from the th technical information. |
| equipmen | ucts specified in this document are intended to be used with general-use electronic t or devices (such as audio visual equipment, office-automation equipment, commu evices, electronic appliances and amusement devices). |
| The Produ | icts specified in this document are not designed to be radiation tolerant. |
| | HM always makes efforts to enhance the quality and reliability of its Products, a nay fail or malfunction for a variety of reasons. |
| against th failure of a shall bear | sure to implement in your equipment using the Products safety measures to guard e possibility of physical injury, fire or any other damage caused in the event of the any Product, such as derating, redundancy, fire control and fail-safe designs. ROHN no responsibility whatsoever for your use of any Product outside of the prescribed not in accordance with the instruction manual. |
| system wi may resul instrumen fuel-contr any of the | ucts are not designed or manufactured to be used with any equipment, device on hich requires an extremely high level of reliability the failure or malfunction of which t in a direct threat to human life or create a risk of human injury (such as a medica t, transportation equipment, aerospace machinery, nuclear-reactor controller oller or other safety device). ROHM shall bear no responsibility in any way for use o Products for the above special purposes. If a Product is intended to be used for an ial purpose, please contact a ROHM sales representative before purchasing. |
| be contro | nd to export or ship overseas any Product or technology specified herein that may lled under the Foreign Exchange and the Foreign Trade Law, you will be required to cense or permit under the Law. |



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/