

PARA LIGHT ELECTRONICS CO., LTD. 4F, No.1, Lane 93, Chien Yi Road, Chung Ho City, Taipei, Taiwan,

4F, No.1, Lane 93, Chien Yi R Tel: 886-2-2225-3733 E-mail: <u>para@para.com.tw</u> Fax: 886-2-2225-4800 http://www.para.com.tw

DATA SHEET

PART NO. : C-3001E

REV: <u>A/0</u>


CUSTOMER'S APPROVAL :

DCC : _

DRAWING NO. : DS-11-09-0075

DATE : 2009-04-02

Page:1





C-3001E

REV:A/0

FEATURES

- Û 76.00mm (3.00 inch) DIGIT HEIGHT
- $\mathbf{\hat{U}} \quad \text{COMMON CATHODE}$
- $\mathbf{\hat{U}}$ I.C. COMPATIBLE
- $\hat{\mathbf{U}}$ LOW POWER CONSUMPTION
- **Û** Pb FREE PRODUCTS
- $\boldsymbol{\hat{U}} \quad \text{ROHS COMPLIANCE}$

Raw Material : GaAsP/GaP

ABSOLUTE MAXIMUM RATING : (Ta = 25 BC)

SYMBOL	PARAMETER	HI.EFFI.RED	UNIT
PD	Power Dissipation Per Segment	500	mW
VR	Reverse Voltage Per Segment(DP)	30(10)	V
IAF	Continuous Forward Current Per Segment	20	mA
IPF	Peak Forward Current Per Segment	100	mA
	(1/10 Duty Cycle,0.1ms Pulse Width)	100	
—	Derating Linear From 25BC Per Segment	0.33	mA/ BC
Topr	Operating Temperature Range	-35BC to 85BC	
Tstg	Storage Temperature Range	-35BC to 85BC	


ELECTRO-OPTICAL CHARACTERISTICS : (Ta = 25 BC)


SYMBOL	PARAMETER	TEST CONDITION	MIN.	TYP.	MAX.	UNIT
VF	Forward Voltage, Per Segment(DP)	IF = 20mA		12.6(4.2)	16.8(5.6)	V
IR	Reverse Current , Per Segment(DP)	VR = 30 (10)V			100	mA
lΡ	Peak Emission Wavelength	IF = 20mA		632		nm
lD	Dominant Wavelength	IF = 20mA		622		nm
Δι	Spectral Line Half-Width	IF = 20mA		35		nm
I۷	Luminous Intensity Per Segment	IF = 10mA	1.6	4.0		mcd

DRAWING NO. : DS-11-09-0075

DATE : 2009-04-02

Page: 3









C-3001E

REV:A/0

-SOLDERING

OOLDENIN	.	
METHOD	SOLDERING CONDITIONS	REMARK
DIP SOLDERING	Bath temperature: 260 max Immersion time: with 5 sec	 Solder no closer than 2mm from the base of the package Using soldering flux," RESIN FLUX" is recommended.
SOLDERING IRON	Soldering iron: 30W or smaller Temperature at tip of iron: 260℃ or lower Soldering time: within 5 sec.	 During soldering, take care not to press the tip of iron against the PIN. (To prevent heat from being transferred directly to the PIN.)

1) When soldering the PIN of Display in a jig that the package is fixed with a panel (See flg.1), be careful not to stress the PIN with iron tip. When soldering Display in a condition that the package is fixed with a panel, be careful not to cling and stress the surface of Display on the panel to avoid damaging the Display.




Fig.1

Regarding solution in the tinning oven for product-tinning, compound sub-solution made of tin & copper and silver is proposed with the temperature of Celsius 260. The proportion of the alloyed solution is tin 95.5: copper 3.5: silver 0.5 by percentage. The time of tinning is constantly 3 seconds.

DRAWING NO. : DS-11-09-0075

DATE : 2009-04-02



C-3001E

REV:A/0

 Similarly, when a jig is used to solder the Display to PC board, take care as much as possible to avoid steering the PIN (See Fig.2).






Fig.2

- 3) Repositioning after soldering should be avoided as much as possible. If inevitable, be sure to preserve the soldering conditions with irons stated above: select a best-suited method that assures the least stress to the Display.
- 4) PIN cutting after soldering should be performed only after the Display temperature has returned to normal temperature.

-LED MOUNTING METHOD


1) When mounting the Display by using a case, as shown Fig.3, ensure that the mounting holds on the PC board match the pitch of the PIN correctly-tolerance of dimensions of the respective components including the Display should be taken into account especially when designing the case, PC board, etc. to prevent pitch misalignment between the PIN and board holes, the diameter of the board holes should be slightly larger than the size of the PIN. Alternatively, the shape of the holes should be made oval. (See Fig.3)





DRAWING NO. : DS-11-09-0075 DATE : 2009-04-02

Page: 8



- -CHEMICAL RESISTANCE
- 1) Avoid exposure to chemicals as it may attack the Display surface and cause discoloration.
- 2) When washing is required, refer to the following table for the proper chemical to be used.

, S 1		• •	
	SOLVENT	ADAPTABILITY	
	Freon TE	\odot	
	Chlorothene	\times	
	Isopropyl Alcohol	\odot	
	Thinner	\times	
	Acetone	\times	
	Trichloroethylene	\times	
	\odot Usable	igeeDo not use.	
DRAWING NO. : DS-11-09-0075		DATE : 2009-04-02	Page : 9



C-3001E

REV:A/0

-STORAGE

- 1) The Display should be stored at 30° C or less and 70% RH or less after being shipped from PARA and the storage life limits are 3 months.
- 2) PARA Display lead frames are comprised of a stannum plated iron alloy. The silver surface may be affected by environments which contain corrosive gases and so on. Please avoid conditions which may cause the Display to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the Display be used as soon as possible.
- 3) Please avoid rapid transitions in ambient temperature, especially, in high humidity environments where condensation can occur.

-HEAT GENERATION

- 1) Thermal design of the end product is of paramount importance. Please consider the heat generation of the Display when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of Display placement on the board, as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in this specification.
- The operating current should be decided after considering the ambient maximum temperature of Display .

-OTHERS

- 1) Care must be taken to ensure that the reverse voltage will not exceed the absolute maximum rating when using the Display with matrix drive.
- 2) Flashing lights have been known to cause discomfort in people; you can prevent this by taking precautions during use. Also, people should be cautious when using equipment that has had Display incorporated into it.
- 3) The Display described in this brochure are intended to be used for ordinary electronic equipment (such as office equipment, communications equipment, measurement instruments and household appliances). Consult PARA's sales staff in advance for information on the applications in which exceptional quality and reliability are required, particularly when the failure or malfunction of the Display may directly jeopardize life or health (such as for airplanes, aerospace, submersible repeaters, nuclear reactor control systems, automobiles, traffic control equipment, life support systems and safety devices).

DRAWING NO. : DS-11-09-0075 DATE : 2009-04-02



C-3001E

REV:A/0

- 4) User shall not reverse engineer by disassembling or analysis of the Display without having prior written consent from PARA. When defective Display are found, the User shall inform PARA directly before disassembling or analysis.
- 5) The formal specifications must be exchanged and signed by both parties before large volume purchase begins.
- 6) The appearance and specifications of the product may be modified for improvement without notice.