

Main Product Characteristics

V _{DSS}	100V	
R _{DS} (on)	3.7mΩ (typ.)	
I _D	180A 1	




TO-220



SSS1004

Marking and pin

Assignment



Schematic diagram

Features and Benefits

- Advanced Process Technology
- Special designed for PWM, load switching and general purpose applications
- Ultra low on-resistance with low gate charge
- Fast switching and reverse body recovery
- 175°C operating temperature



Description

It utilizes the latest processing techniques to achieve the high cell density and reduces the on-resistance with high repetitive avalanche rating. These features combine to make this design an extremely efficient and reliable device for use in power switching application and a wide variety of other applications.

Absolute max Rating

Symbol	Parameter	Max.	Units
I _D @ TC = 25°C	Continuous Drain Current, V _{GS} @ 10V	180 ①	
I _D @ TC = 100°C	Continuous Drain Current, V _{GS} @ 10V	130 ①	А
I _{DM}	Pulsed Drain Current 2	670	
	Power Dissipation 3	375	W
P _D @TC = 25°C	Linear Derating Factor	2.5	W/°C
V _{DS}	Drain-Source Voltage	100	V
V _{GS}	Gate-to-Source Voltage	± 20	V
E _{AS}	Single Pulse Avalanche Energy @ L=0.3mH	1045	mJ
I _{AS}	Avalanche Current @ L=0.3mH	83.5	А
T _J T _{STG}	Operating Junction and Storage Temperature Range	-55 to +175	°C



Thermal Resistance

Symbol	Characterizes	Тур.	Max.	Units
R _{θJC}	Junction-to-case ③	_	0.4	°C/W
D	Junction-to-ambient (t \leq 10s) (4)	-	62	°C/W
$R_{ extsf{ heta}JA}$	Junction-to-Ambient (PCB mounted, steady-state) ④	—	40	°C/W

Electrical Characterizes $@T_A=25^{\circ}C$ unless otherwise specified

Symbol	Parameter	Min.	Тур.	Max.	Units	Conditions
$V_{(BR)DSS}$	Drain-to-Source breakdown voltage	100		_	V	$V_{GS} = 0V, I_D = 1mA$
Р		_	3.7	4.7	mΩ	V _{GS} =10V,I _D =106A
R _{DS(on)}	Static Drain-to-Source on-resistance	_	8.4	_		T _J = 125°C
V	Coto throshold voltage	2.0	_	4.0	V	$V_{DS} = V_{GS}, I_D = 250 \mu A$
V _{GS(th)}	Gate threshold voltage	_	2.2	_	v	T _J = 125°C
1	Drain to Course lookage ourset	_	_	1		$V_{DS} = 120V, V_{GS} = 0V$
I _{DSS}	Drain-to-Source leakage current	_	_	50	μA	T _J = 125°C
1	Coto to Source forward lookage	_	_	100	nA	V _{GS} =20V
I _{GSS} Gate-to-So	Gate-to-Source forward leakage	_	_	-100		V _{GS} = -20V
Qg	Total gate charge	_	224	_		I _D = 50A,
Q _{gs}	Gate-to-Source charge	_	80	—	nC	V _{DS} =50V,
Q_{gd}	Gate-to-Drain("Miller") charge	_	55	_		$V_{GS} = 10V$
t _{d(on)}	Turn-on delay time	_	40	_		V_{GS} =10V, V_{DD} =65V,
tr	Rise time	_	141	_	nS	R _L =0.87Ω,
t _{d(off)}	Turn-Off delay time	_	95	_	15	$R_{GEN}=2.6\Omega$
t _f	Fall time	_	101	_		I _D =75A
Ciss	Input capacitance	_	5634	_		$V_{GS} = 0V$
C _{oss}	Output capacitance	_	657	_	pF	V _{DS} = 50V
C _{rss}	Reverse transfer capacitance		12.6	_		f = 1MHz


Source-Drain Ratings and Characteristics

Symbol	Parameter	Min.	Тур.	Max.	Units	Conditions
la.	Continuous Source Current		_	180 ①	А	MOSFET symbol
IS	(Body Diode)	_				showing the
I _{SM}	Pulsed Source Current		—	670	А	integral reverse
	(Body Diode)	_				p-n junction diode.
V _{SD}	Diode Forward Voltage	—	0.9	1.3	V	I_{S} =75A, V_{GS} =0V, T_{J} = 25°C



Test circuits and Waveforms


EAS Test Circuit:



Switching Time Test Circuit:

Switching Waveforms:

Gate charge test circuit:



Notes:

- ①Calculated continuous current based on maximum allowable junction temperature.
- O Repetitive rating; pulse width limited by max. junction temperature.
- ③The power dissipation PD is based on max. junction temperature, using junction-to-case thermal resistance.
- (4) The value of $R_{\theta JA}$ is measured with the device mounted on 1 in 2 FR-4 board with 2oz. Copper, in a still air environment with TA =25°C



Typical electrical and thermal characteristics






Figure 1: Typical Output Characteristics














Typical electrical and thermal characteristics



Figure 6.Typical Capacitance Vs. Drain-to-Source Voltage





Figure7. Maximum Effective Transient Thermal Impedance, Junction-to-Case



Mechanical Data:





Ordering and Marking Information

Device Marking: SSS1004	
Package (Available)	
TO-220	
Operating Temperature Range	
C : -55 to 175 ⁰C	

Devices per Unit

Package Type	Units/ Tube	Tubes/Inner Box	Units/Inner Box	Inner Boxes/Carton Box	Units/Carton Box
TO-220	50	20	1000	6	6000

Reliability Test Program

Test Item	Conditions	Duration	Sample Size
High	T _j =125℃ to 175℃ @	168 hours	3 lots x 77 devices
Temperature	80% of Max	500 hours	
Reverse	V _{DSS} /V _{CES} /VR	1000 hours	
Bias(HTRB)			
High	T _j =125℃ or 175℃ @	168 hours	3 lots x 77 devices
Temperature	100% of Max V _{GSS}	500 hours	
Gate		1000 hours	
Bias(HTGB)			





ATTENTION:

- Any and all Silikron products described or contained herein do not have specifications that can handle applications that require extremely high levels of reliability, such as life-support systems, aircraft's control systems, or other applications whose failure can be reasonably expected to result in serious physical and/or material damage. Consult with your Silikron representative nearest you before using any Silikron products described or contained herein in such applications.
- Silikron assumes no responsibility for equipment failures that result from using products at values that exceed, even momentarily, rated values (such as maximum ratings, operating condition ranges, or other parameters) listed in products specifications of any and all Silikron products described or contained herein.
- Specifications of any and all Silikron products described or contained herein stipulate the performance, characteristics, and functions of the described products in the independent state, and are not guarantees of the performance, characteristics, and functions of the described products as mounted in the customer's products or equipment. To verify symptoms and states that cannot be evaluated in an independent device, the customer should always evaluate and test devices mounted in the customer's products or equipment.
- Silikron Semiconductor CO.,LTD. strives to supply high-quality high-reliability products. However, any and all semiconductor products fail with some probability. It is possible that these probabilistic failures could give rise to accidents or events that could endanger human lives, that could give rise to smoke or fire, or that could cause damage to other property. When designing equipment, adopt safety measures so that these kinds of accidents or events cannot occur. Such measures include but are not limited to protective circuits and error prevention circuits for safe design, redundant design, and structural design.
- In the event that any or all Silikron products (including technical data, services) described or contained herein are controlled under any of applicable local export control laws and regulations, such products must not be exported without obtaining the export license from the authorities concerned in accordance with the above law.
- No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or any information storage or retrieval system, or otherwise, without the prior written permission of Silikron Semiconductor CO.,LTD.
- Information (including circuit diagrams and circuit parameters) herein is for example only; it is not guaranteed for volume production. Silikron believes information herein is accurate and reliable, but no guarantees are made or implied regarding its use or any infringements of intellectual property rights or other rights of third parties.
- Any and all information described or contained herein are subject to change without notice due to product/technology improvement, etc. When designing equipment, refer to the "Delivery Specification" for the Silikron product that you intend to use.

Customer Service Worldwide Sales and Service: Sales@silikron.com Technical Support: Technical@silikron.com Suzhou Silikron Semiconductor Corp. 11A, 428 Xinglong Street, Suzhou Industrial Park, P.R.China TEL: (86-512) 62560688 FAX: (86-512) 65160705 E-mail: Sales@silikron.com