International IOR Rectifier

IRHM7150
JANSR2N7268
100V, N-CHANNEL
REF: MIL-PRF-19500/603
RAD Hard™ HEXFET® TECHNOLOGY

RADIATION HARDENED POWER MOSFET THRU-HOLE (TO-254AA)

Product Summary

Part Number	Radiation Level	$R_{DS(on)}$	I_D	QPL Part Number
IRHM7150	100K Rads (Si)	0.065Ω	34A	JANSR2N7268
IRHM3150	300K Rads (Si)	0.065Ω	34A	JANSF2N7268
IRHM4150	500K Rads (Si)	0.065Ω	34A	JANSG2N7268
IRHM8150	1000K Rads (Si)	0.065Ω	34A	JANSH2N7268



TO-254AA

International Rectifier's RADHard™ HEXFET® technology provides high performance power MOSFETs for space applications. This technology has over a decade of proven performance and reliability in satellite applications. These devices have been characterized for both Total Dose and Single Event Effects (SEE). The combination of low Rdson and low gate charge reduces the power losses in switching applications such as DC to DC converters and motor control. These devices retain all of the well established advantages of MOSFETs such as voltage control, fast switching, ease of paralleling and temperature stability of electrical parameters.

Features:

- Single Event Effect (SEE) Hardened
- Low $R_{DS(on)}$
- Low Total Gate Charge
- Simple Drive Requirements
- Ease of Paralleling
- Hermetically Sealed
- Ceramic Eyelets
- Light Weight

Absolute Maximum Ratings — Pre-Irradiation

	Parameter		Units
I_D @ V_{GS} = 12V, T_C = 25°C	Continuous Drain Current	34	A
I_D @ V_{GS} = 12V, T_C = 100°C	Continuous Drain Current	21	
I_{DM}	Pulsed Drain Current ①	136	
P_D @ T_C = 25°C	Max. Power Dissipation	150	W
	Linear Derating Factor	1.2	W/°C
V_{GS}	Gate-to-Source Voltage	±20	V
E_{AS}	Single Pulse Avalanche Energy ②	500	mJ
I_{AR}	Avalanche Current ①	34	A
E_{AR}	Repetitive Avalanche Energy ①	15	mJ
dv/dt	Peak Diode Recovery dv/dt ③	5.5	V/ns
T_J T_{STG}	Operating Junction Storage Temperature Range	-55 to 150	°C
	Lead Temperature	300 (0.063 in. (1.6mm) from case for 10s)	
	Weight	9.3 (Typical)	g

For footnotes refer to the last page

Electrical Characteristics @ Tj = 25°C (Unless Otherwise Specified)

	Parameter	Min	Typ	Max	Units	Test Conditions
BV_{DSS}	Drain-to-Source Breakdown Voltage	100	—	—	V	V_{GS} =0 V, I_D = 1.0mA
$\Delta BV_{DSS}/\Delta T_J$	Temperature Coefficient of Breakdown Voltage	—	0.13	—	V/°C	Reference to 25°C, I_D = 1.0mA
$R_{DS(on)}$	Static Drain-to-Source On-State Resistance	—	—	0.065	Ω	V_{GS} = 12V, I_D = 21A ④
		—	—	0.076		V_{GS} = 12V, I_D = 34A ④
$V_{GS(th)}$	Gate Threshold Voltage	2.0	—	4.0	V	$V_{DS} = V_{GS}$, I_D = 1.0mA
g_{fs}	Forward Transconductance	8.0	—	—	S (℧)	V_{DS} > 15V, I_{DS} = 21A ④
I_{DSS}	Zero Gate Voltage Drain Current	—	—	25	µA	V_{DS}= 80V,V_{GS}=0V
		—	—	250		V_{DS} = 80V V_{GS} = 0V, T_J = 125°C
I_{GSS}	Gate-to-Source Leakage Forward	—	—	100	nA	V_{GS} = 20V
I_{GSS}	Gate-to-Source Leakage Reverse	—	—	-100		V_{GS} = -20V
Q_g	Total Gate Charge	—	—	160	nC	V_{GS} = 12V, I_D = 34A V_{DS} = 50V
Q_{gs}	Gate-to-Source Charge	—	—	35		
Q_{gd}	Gate-to-Drain ('Miller') Charge	—	—	65		
$t_{d(on)}$	Turn-On Delay Time	—	—	45	ns	V_{DD} = 50V, I_D = 14A, V_{GS} = 12V, R_G = 2.35Ω
t_r	Rise Time	—	—	190		
$t_{d(off)}$	Turn-Off Delay Time	—	—	170		
t_f	Fall Time	—	—	130		
$L_S + L_D$	Total Inductance	—	6.8	—	nH	Measured from drain lead (6mm/0.25in. from package) to source lead (6mm/0.25in. from package)
C_{iss}	Input Capacitance	—	4300	—	pF	V_{GS} = 0V, V_{DS} = 25V f = 1.0MHz
C_{oss}	Output Capacitance	—	1200	—		
C_{rss}	Reverse Transfer Capacitance	—	200	—		

Source-Drain Diode Ratings and Characteristics

	Parameter	Min	Typ	Max	Units	Test Conditions
I_S	Continuous Source Current (Body Diode)	—	—	34	A	
I_{SM}	Pulse Source Current (Body Diode) ①	—	—	136		
V_{SD}	Diode Forward Voltage	—	—	1.4	V	T_j = 25°C, I_S = 34A, V_{GS} = 0V ④
t_{rr}	Reverse Recovery Time	—	—	570	ns	T_j = 25°C, I_F = 34A, di/dt ≤ 100A/µs V_{DD} ≤ 50V ④
Q_{RR}	Reverse Recovery Charge	—	—	5.8	µC	
t_{on}	Forward Turn-On Time	Intrinsic turn-on time is negligible. Turn-on speed is substantially controlled by $L_S + L_D$.				

Thermal Resistance

	Parameter	Min	Typ	Max	Units	Test Conditions
R_{thJC}	Junction-to-Case	—	—	0.83	°C/W	
R_{thCS}	Case-to-sink	—	0.21	—		
R_{thJA}	Junction-to-Ambient	—	—	48		Typical socket mount

Note: Corresponding Spice and Saber models are available on the International Rectifier Website.

For footnotes refer to the last page

International Rectifier Radiation Hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at International Rectifier is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 5 and 6) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

Table 1. Electrical Characteristics @ Tj = 25°C, Post Total Dose Irradiation ⑤⑥

	Parameter	100K Rads(Si)[1]		300 - 1000K Rads (Si)[2]		Units	Test Conditions
		Min	Max	Min	Max		
BV_{DSS}	Drain-to-Source Breakdown Voltage	100	—	100	—	V	V_{GS} = 0V, I_D = 1.0mA
$V_{GS(th)}$	Gate Threshold Voltage ④	2.0	4.0	1.25	4.5		V_{GS} = V_{DS}, I_D = 1.0mA
I_{GSS}	Gate-to-Source Leakage Forward	—	100	—	100	nA	V_{GS} = 20V
I_{GSS}	Gate-to-Source Leakage Reverse	—	-100	—	-100		V_{GS} = -20 V
I_{DSS}	Zero Gate Voltage Drain Current	—	25	—	50	µA	V_{DS}=80V, V_{GS} =0V
$R_{DS(on)}$	Static Drain-to-Source ④ On-State Resistance (TO-3)	—	0.065	—	0.09	Ω	V_{GS} = 12V, I_D =21A
$R_{DS(on)}$	Static Drain-to-Source ④ On-State Resistance (TO-254AA)	—	0.065	—	0.09	Ω	V_{GS} = 12V, I_D =21A
V_{SD}	Diode Forward Voltage ④	—	1.4	—	1.4	V	V_{GS} = 0V, I_S = 34A

1. Part number IRHM7150 (JANSR2N7268)
2. Part numbers IRHM3150 (JANSF2N7268), IRHM4150 (JANSG2N7268) and IRHM8150 (JANSH2N7268)

International Rectifier radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. a and Table 2.

Table 2. Single Event Effect Safe Operating Area

Ion	LET	Energy	Range	V_{DS}(V)				
	(MeV/(mg/cm²))	(MeV)	(µm)	@V_{GS}=0V	@V_{GS}=-5V	@V_{GS}=-10V	@V_{GS}=-15V	@V_{GS}=-20V
Cu	28	285	43	100	100	100	80	60
Br	36.8	305	39	100	90	70	50	—



Fig a. Single Event Effect, Safe Operating Area

For footnotes refer to the last page



Fig 1. Typical Response of Gate Threshhold Voltage Vs. Total Dose Exposure



Fig 2. Typical Response of On-State Resistance Vs. Total Dose Exposure



Fig 3. Typical Response of Transconductance Vs. Total Dose Exposure



Fig 4. Typical Response of Drain to Source Breakdown Vs. Total Dose Exposure



Fig 5. Typical Zero Gate Voltage Drain Current Vs. Total Dose Exposure



Fig 6. Typical On-State Resistance Vs. Neutron Fluence Level



Fig 7. Typical Transient Response of Rad Hard HEXFET During $1x10^{12}$ Rad (Si)/Sec Exposure



Fig 8a. Gate Stress of V_{GSS} Equals 12 Volts During Radiation



Fig 8b. V_{DSS} Stress Equals 80% of B_{VDSS} During Radiation

Note: Bias Conditions during radiation: V_{GS} = 12 Vdc, V_{DS} = 0 Vdc



Fig 9. Typical Output Characteristics Pre-Irradiation



Fig 10. Typical Output Characteristics Post-Irradiation 100K Rads (Si)



Fig 11. Typical Output Characteristics Post-Irradiation 300K Rads (Si)



Fig 12. Typical Output Characteristics Post-Irradiation 1 Mega Rads(Si)

Note: Bias Conditions during radiation: V_{GS} = 0 Vdc, V_{DS} = 80 Vdc



Fig 13. Typical Output Characteristics Pre-Irradiation



Fig 14. Typical Output Characteristics Post-Irradiation 100K Rads (Si)



Fig 15. Typical Output Characteristics Post-Irradiation 300K Rads (Si)



Fig 16. Typical Output Characteristics Post-Irradiation 1 Mega Rads(Si)



Fig 17. Typical Output Characteristics



Fig 18. Typical Output Characteristics



Fig 19. Typical Transfer Characteristics



Fig 20. Normalized On-Resistance Vs. Temperature



Fig 21. Typical CapacitanceVs. Drain-to-Source Voltage



Fig 22. Typical Gate Charge Vs. Gate-to-Source Voltage



Fig 23. Typical Source-Drain Diode Forward Voltage



Fig 24. Maximum Safe Operating Area



Fig 25. Maximum Drain Current Vs. Case Temperature



Fig 26a. Switching Time Test Circuit



Fig 26b. Switching Time Waveforms



Fig 27. Maximum Effective Transient Thermal Impedance, Junction-to-Case



Fig 28a. Unclamped Inductive Test Circuit



Fig 28c. Maximum Avalanche Energy Vs. Drain Current



Fig 28b. Unclamped Inductive Waveforms



Fig 29a. Basic Gate Charge Waveform



Fig 29b. Gate Charge Test Circuit

Foot Notes:

① Repetitive Rating; Pulse width limited by maximum junction temperature.

② V_{DD} = 25V, starting T_J = 25°C, L= 0.86mH Peak I_L = 26A, V_{GS} = 12V

③ $I_{SD} \leq$ 26A, di/dt ≤ 190A/µs, $V_{DD} \leq$ 100V, $T_J \leq$ 150°C

④ Pulse width ≤ 300 µs; Duty Cycle ≤ 2%

⑤ **Total Dose Irradiation with V_{GS} Bias.** 12 volt V_{GS} applied and V_{DS} = 0 during irradiation per MIL-STD-750, method 1019, condition A.

⑥ **Total Dose Irradiation with V_{DS} Bias.** 80 volt V_{DS} applied and V_{GS} = 0 during irradiation per MIL-STD-750, method 1019, condition A.

Case Outline and Dimensions — Low-Ohmic TO-254AA



NOTES:

1. DIMENSIONING & TOLERANCING PER ASME Y14.5M-1994.
2. ALL DIMENSIONS ARE SHOWN IN MILLIMETERS [INCHES].
3. CONTROLLING DIMENSION: INCH.
4. CONFORMS TO JEDEC OUTLINE TO-254AA.

PIN ASSIGNMENTS
1 = DRAIN
2 = SOURCE
3 = GATE

CAUTION

BERYLLIA WARNING PER MIL-PRF-19500

Packages containing beryllia shall not be ground, sandblasted, machined or have other operations performed on them which will produce beryllia or beryllium dust. Furthermore, beryllium oxide packages shall not be placed in acids that will produce fumes containing beryllium.

International
IOR Rectifier

IR WORLD HEADQUARTERS: 233 Kansas St., El Segundo, California 90245, USA Tel: (310) 252-7105
IR LEOMINSTER : 205 Crawford St., Leominster, Massachusetts 01453, USA Tel: (978) 534-5776
TAC Fax: (310) 252-7903
Visit us at www.irf.com for sales contact information.

Data and specifications subject to change without notice. 05/2006