

# 1.2" 5x7 Bi-Color Dot Matrix Display

## FEATURES

- 1.2" 5x7 bi-color dot matrix display
- Grey surface/white epoxy color
- High efficiency red and green


## OPTO-ELECTRICAL CHARACTERISTICS (Ta = 25°C)

PART NO.	EMITTED COLOR	PEAK WAVE LENGTH (nm)	MAXIMUM RATINGS			OPTO-ELECTRICAL CHARACTERISTICS						PIN-OUT		
			F (mA)	VR (V)	PD (mW)	VF(V)			IR(μA)		IV(μcd)			
						typ.	max.	@mA	max.	@VR	typ. per seg.		@mA	
MTAN6311-AHRG	(HR)	Hi-Eff Red	635	30	5	85	2.1	3.0	20	100	5	10400	20	1
	(G)	Green	567	30	5	85	2.1	3.0	20	100	5	9000	20	1
MTAN6411-CHRG	(HR)	Hi-Eff Red	635	30	5	85	2.1	3.0	20	100	5	10400	20	2
	(G)	Green	567	30	5	85	2.1	3.0	20	100	5	9000	20	2

Operating Temperature: -25~+85, Storage Temperature: -25~+100. Other face/epoxy colors are available.

Dot Matrix Displays

## PACKAGE DIMENSIONS AND PIN FUNCTIONS



### PINOUT 1

COLUMN ANODE

PIN NO. FUNCTION

1. CATHODE ROW 7 (G)
2. CATHODE ROW 7 (HR)
3. ANODE COLUMN 1
4. ANODE COLUMN 2
5. ANODE COLUMN 3
6. ANODE COLUMN 4
7. ANODE COLUMN 5
8. CATHODE ROW 6 (G)
9. CATHODE ROW 6 (HR)
10. NO CONNECTION
11. CATHODE ROW 5 (G)
12. CATHODE ROW 5 (HR)
13. CATHODE ROW 4 (G)
14. ANODE ROW 4 (HR)
15. CATHODE ROW 3 (G)
16. CATHODE ROW 3 (HR)
17. CATHODE ROW 2 (G)
18. CATHODE ROW 2 (HR)
19. CATHODE ROW 1 (G)
20. CATHODE ROW 1 (HR)

### PINOUT 2

COLUMN CATHODE

PIN NO. FUNCTION

1. ANODE ROW 7 (G)
2. ANODE ROW 7 (HR)
3. CATHODE COLUMN 1
4. CATHODE COLUMN 2
5. CATHODE COLUMN 3
6. CATHODE COLUMN 4
7. CATHODE COLUMN 5
8. ANODE ROW 6 (G)
9. ANODE ROW 6 (HR)
10. NO CONNECTION
11. ANODE ROW 5 (G)
12. ANODE ROW 5 (HR)
13. ANODE ROW 4 (G)
14. ANODE ROW 4 (HR)
15. ANODE ROW 3 (G)
16. ANODE ROW 3 (HR)
17. ANODE ROW 2 (G)
18. ANODE ROW 2 (HR)
19. ANODE ROW 1 (G)
20. ANODE ROW 1 (HR)

1. ALL DIMENSIONS ARE IN mm, TOLERANCE IS ±0.25mm UNLESS OTHERWISE SPECIFIED.
2. THE SLOPE ANGLE OF ANY PIN MAY BE ±5.0° MAX.



5 Hemlock Street • Latham, New York 12110

Toll Free: (800) 98-4LEDS • Fax: (518) 786-6599

All specifications subject to change.

5799655 0001611 031