16×16 dots large-sized liquid crystal display unit RCM1990U-A

Thanks to the high contrast and wide viewing angle of the RCM1990U-A, which is provided by its unique design technology, this module brings forth new applications in brand new LCD fields. ROHM large-sized LCD units are perfect displays for information or sign boards. As a media for informational display, large-sized LCD units must possess high visibility, wide viewing angles, and other such superior qualities. ROHM large-sized LCDs boast an excellent track record and possess guaranteed functionality for assured satisfaction in a variety of situations.


Applications

Public displays such as airport displays, train station displays, information boards, and billboards.


Features

- 1) Wide viewing angle, high contrast, and fast response.
- 2) Compact and light weight for easy assembly.
- 3) Low power consumption.

●External dimensions (Unit : mm)



●Block diagram



●Pin functions

Upper board

Input (CN3)

Pin No.	Symbol	IN/OUT	Function
1	FLM	IN	Frame start signal
2	VO	-	Liquid crystal drive power supply
3	VDD	-	5 volts
4	М	IN	AC conversion signal for liquid crystal drive output
5	CL1	IN	Data latch signal, displays at rise / fall edge
6	CL2	IN	Shift register shift signal, reads data at rise / fall
7	DI	IN	Display data signal (1 : On, 0 : Off)
8	GND	_	Ground potential

Output (CN4)

Pin No.	Symbol	IN/OUT	Function
1	FLM	OUT	Frame start signal
2	VO	-	Liquid crystal drive power supply
3	V _{DD}	-	5 Volts
4	М	OUT	AC conversion signal
5	CL1	OUT	Data latch signal
6	CL2	OUT	Shift register shift signal
7	DI	OUT	Display data signal
8	GND	_	Ground potential

●Absolute maximum ratings (Ta=25°C)

Parar	neter	Symbol	Limits	Unit
Power supply voltage	Logic circuit	V_{DD}	-0.3 to +7.0	V
	LCD drive	VDD-VEE	-0.3 to +7.0	V
Input voltage		Vin	-0.3 to VDD+0.3	V
Operating ter	mperature	Topr	0 to +50	°C
Storage temp	orage temperature T _{stg}		-10 to +60	°C


●Electrical characteristics (Ta=25°C, VDD=5.0V±0.25V)

Parameter	Symbol	Min.	Тур.	Max.	Unit	Conditions
High level input voltage	ViH	3.5	_	-	V	
Low level input voltage	VIL	-	_	1.5	V	
High level output voltage	Vон	4.6	-	-	V	Iон=-0.4mA
Low level output voltage	Vol	-	-	0.4	V	Iон=+0.4mA
Recommended LCD drive voltage	VLCD	-	5.0	-	V	Ta=25°C
Current dissipation	IDD	-	1.0	3.0	mA	fcL=1MHz, fм=70Hz

●AC characteristics (Ta=25°C, VDD=5.0)

Parameter	Symbol	Applicable terminal	Min.	Тур.	Max.	Unit
Shift frequency	fcL	CL2	-	_	1	MHz
High level lock width	tсwн	CL1, CL2	470	-	-	ns
Low level lock width	tcwL	CL2	470	_	-	ns
Data setup time	tsu	DI	120	-	-	ns
Clock setup time 1	tsL	CL2	220	_	-	ns
Clock setup time 2	tus	CL1	220	-	-	ns
Data hold time	tон	DI	120	_	-	ns
FLM setup time	tros	FLM	120	_	-	ns
FLM hold time	tгрн	FLM	120	-	-	ns
Clock rise / fall time	t ct	CL1, CL2	_	-	50	ns
Output delay time	t pd	DO	-	-	250	ns
AC conversion signal	fм	М	-	70	_	Hz


Timing characteristics




●Optical characteristics (Ta=25°C)

No.	Parameter		Symbol	Temperature (°C)	Min.	Тур.	Max.	Unit	Note	
	1 Response speed		Tr	25	_	65	130		(Note 2)	
1			"	0	_	400	800	ms		
'			Td	25	1	45	100			
			Tu	0	-	150	300		1	
2	Viouing angle	Front-back	θ	25	0	-	60	deg	(Note 3)	
2		Right-left	ф	25	90	-	270	ueg	K≥3	
3	Contrast ratio		К	25	20	40	_		φ=180° θ=10°	

(Note 1) Drive waveform Static drive




(Note 2) Definition of response speed



Tr: Time for segment to darken 90% after selective waveform switches to non-selective waveform.

Td: Time for segment to darken 90% after selective waveform switches to non-selective waveform.

(Note 3) Definition of viewing angle (ϕ, θ)



- (1) ϕ : Angle subtended by the Y-Y'-axis and the observer's position projected onto the XY-plane.
- (2) θ : Angle subtended by observer and the normal Z-Z'axis. (X-axis and Y-axis are positive)
- (3) Maximum viewing angle: The direction with highest contrast expressed at the time axis (refer to above table).

(Note 4) Definition of contrast ratio


<Definition>

Except, n=1 with positive display and n=-1 with negative display.

< Measurement conditions >

Drive conditions : As per specifications Viewing angle : ϕ =180°, θ =10°

(Note 5) Principles of optical measuring equipment



Constant temperature chamber

● Data format (data and display mapping)

D1	D17	D33	D49	D65	D81	 	 	-	D177	D193	D209	D225	D241	
D2	D18	D34	D50	D66	D82		 -		D178	D194	D210	D226	D242	
D3	D19	D35	D51	D67	D83		 -		D179	D195	D211	D227	D243	
D4	D20	D36	D52	D68	D84	 	 		D180	D196	D212	D228	D244	
D5													D245	
D6													D246	
D7													D247	
D8													D248	
D9	_												D249	
D10													D250	
D11													D251	
D12													D252	
D13	D29	D45	D61	D77	D93	 	 	-	D189	D205	D221	D237	D253	
D14	D30	D46	D62	D78	D94	 	 		D190	D206	D222	D238	D254	
D15	D31	D47	D63	D79	D95	 	 		D191	D207	D223	D239	D255	
D16	D32	D48	D64	D80	D96			-	D192	D208	D224	D240	D256	

FIRST DATA ← D250 D252 D254 D256

COM.2 DATA


D1 D3 D5 D7

COM.1 DATA

LAST DATA

D250 D252 D254 D256

D249 D251 D253 D255



Operation notes

- (1) Attention points in handling
- Protect the module from strong shocks as they can cause damage or defective operation.
- The polarizing plate on the surface of the module is soft and can easily be scratched. Wipe away dirt and dust using an alcohol-based cleanser.
- If the liquid crystal panel is damaged and liquid crystal contacts your clothing or body, wash immediately with soap and water.
- If the module is to be used for long periods subjected to direct sunlight, employ a filter to block the ultraviolet rays.
- Do not store the module in areas of high temperature or high humidity. Do not store the module in locations exposed to direct sunlight or fluorescent light.

(2) Precautions during operation

- Do not connect or disconnect the module while the power supply is turned on.
- Input the input signal after the module power supply is turned on. When turning it off, turn off the input signal first. Otherwise the IC may be damaged by the latchup phenomenon.

(3) Precautions during installation

- Be careful to avoid damage from static electricity. A CMOS-IC is used in the modules circuitry that can be easily damaged by static electricity.
- Do not remove the liquid crystal panel from the unit.
- Do not touch the back side of the liquid crystal panel.

(4) Precautions during unit assembly

• In order to protect the polarizing plate from dirt or scratches, it is recommended to use a protective cover on the front surface.

Notes

- No technical content pages of this document may be reproduced in any form or transmitted by any
 means without prior permission of ROHM CO.,LTD.
- The contents described herein are subject to change without notice. The specifications for the
 product described in this document are for reference only. Upon actual use, therefore, please request
 that specifications to be separately delivered.
- Application circuit diagrams and circuit constants contained herein are shown as examples of standard use and operation. Please pay careful attention to the peripheral conditions when designing circuits and deciding upon circuit constants in the set.
- Any data, including, but not limited to application circuit diagrams information, described herein are intended only as illustrations of such devices and not as the specifications for such devices. ROHM CO.,LTD. disclaims any warranty that any use of such devices shall be free from infringement of any third party's intellectual property rights or other proprietary rights, and further, assumes no liability of whatsoever nature in the event of any such infringement, or arising from or connected with or related to the use of such devices.
- Upon the sale of any such devices, other than for buyer's right to use such devices itself, resell or
 otherwise dispose of the same, no express or implied right or license to practice or commercially
 exploit any intellectual property rights or other proprietary rights owned or controlled by
- ROHM CO., LTD. is granted to any such buyer.
- Products listed in this document are no antiradiation design.

The products listed in this document are designed to be used with ordinary electronic equipment or devices (such as audio visual equipment, office-automation equipment, communications devices, electrical appliances and electronic toys).

Should you intend to use these products with equipment or devices which require an extremely high level of reliability and the malfunction of with would directly endanger human life (such as medical instruments, transportation equipment, aerospace machinery, nuclear-reactor controllers, fuel controllers and other safety devices), please be sure to consult with our sales representative in advance.

About Export Control Order in Japan

Products described herein are the objects of controlled goods in Annex 1 (Item 16) of Export Trade Control Order in Japan.

In case of export from Japan, please confirm if it applies to "objective" criteria or an "informed" (by MITI clause) on the basis of "catch all controls for Non-Proliferation of Weapons of Mass Destruction.

