

SHINDENGEN

Schottky Rectifiers (SBD)

Dual

SF20SC9

90V 20A


FEATURES

- $T_j 150^{\circ}\text{C}$
- P_{RRSM} avalanche guaranteed
- Fully Isolated Molding
- High current capacity with Small Package
- Dielectric strength 2kV guaranteed

APPLICATION

- Switching power supply
- DC/DC converter
- Home Appliances, Office Equipment
- Telecommunication

OUTLINE DIMENSIONS



RATINGS


- Absolute Maximum Ratings (If not specified, $T_c=25^{\circ}\text{C}$)

Item	Symbol	Conditions	Ratings	Unit
Storage Temperature	T_{stg}		-55~150	$^{\circ}\text{C}$
Operating Junction Temperature	T_j		150	$^{\circ}\text{C}$
Maximum Reverse Voltage	V_{RM}		90	V
Repetitive Peak Surge Reverse Voltage	V_{RRSM}	Pulse width 0.5ms, duty 1/40	100	V
Average Rectified Forward Current	I_o	50Hz sine wave, R-load, Rating for each diode $I_o/2$, $T_c=100^{\circ}\text{C}$	20	A
Peak Surge Forward Current	I_{FSM}	50Hz sine wave, Non-repetitive 1 cycle peak value, $T_j=25^{\circ}\text{C}$	200	A
Repetitive Peak Surge Reverse Power	P_{RRSM}	Pulse width 10 μ s, Rating of per diode, $T_j=25^{\circ}\text{C}$	660	W
Dielectric Strength	V_{dis}	Terminals to case, AC 1 minute	2	kV
Mounting Torque	TOR	(Recommended torque : $0.3N \cdot m$)	0.5	$N \cdot m$


- Electrical Characteristics (If not specified, $T_c=25^{\circ}\text{C}$)

Item	Symbol	Conditions	Ratings	Unit
Forward Voltage	V_F	$I_F=10A$, Pulse measurement, Rating of per diode	Max.0.75	V
Reverse Current	I_R	$V_R=90V$, Pulse measurement, Rating of per diode	Max.10	mA
Junction Capacitance	C_j	$f=1MHz$, $V_R=10V$ Rating of per diode	Typ.370	pF
Thermal Resistance	θ_{jc}	junction to case	Max.2.0	$^{\circ}\text{C}/W$


SF20SC9 Forward Voltage




SF20SC9 Forward Power Dissipation




$T_j = 150^\circ\text{C}$




SF20SC9 Peak Surge Forward Capability




SF20SC9 Reverse Current




SF20SC9 Reverse Power Dissipation



$T_j = 150^\circ\text{C}$




SF20SC9 Junction Capacitance



SF20SC9

Derating Curve



$V_R = 45V$

