

21-0132

Α

	INCHES		MILLIMETERS	
POS	MIN	MAX	MIN	MAX
Α	.396	.406	10.05	10.31
В	.326	.336	8.28	8.53
С	.170	.180	4.31	4.57
D	.026	.036	0.66	0.91
E	.045	.055	1.14	1.40
G	.067 REF		1.70 REF	
Н	.580	.620	14.73	15.75
K	.055	.066	1.40	1.68
L	.000	.010	0.00	0.25
М	.098	.108	2.49	2.74
N	.017	.023	0.43	0.58
Р	.090	.110	2.29	2.79
R	0°	8*	0°	8*
S	.095	.105	2.41	2.67
U	.256 REF		6.50 REF	
V	.305 REF		7.75 REF	
W	.010		.25	

NOTE:

- 1. PACKAGE OUTLINE EXCLUSIVE OF MOLD FLASH & METAL BURR.
- 2. PACKAGE OUTLINE INCLUSIVE OF PLATING THICKNESS.
- 3. FOOT LENGTH MEASURED AT INTERCEPT POINT BETWEEN DATUM A & LEAD SURFACE.
- 4. MEETS JEDEC SPEC TS-005.



TITLE:

PACKAGE OUTLINE, 5L, DDPAK

approval document control no. 21-0132

A 2/2

This datasheet has been downloaded from:

www. Data sheet Catalog.com

Datasheets for electronic components.