
## **ECM Surface Mount VCTCXO**




## **ECVT8120**

- Surface Mount 5.0 x 3.2mm
- Low Profile
- Low Current Consumption
- Excellent Stability
- 3V Supply



Parameter	ECVT8120	
Frequency Range	12.80MHz to 19.68MHz	Specify
Temperature		
Stability	+/-2.5ppm -30° to +75°C	
Stability vs Supply	+/-0.3ppm	
Supply Voltage	+3V	
Supply Current	2.0mA	
Output Level	0.8V p-p (min)	
Output Waveform	Clipped Sine Wave DC	
Output Load	10KΩ//10pF	
Pulling Range	+/-4ppm (min) Positive	
Control Voltage	+1.5V +/-1.0V DC	
Phase Noise		
1kHz offset	-130dBc / Hz (max)	
Aging	+/-1ppm / yr	

Environmental & Mechanical							
Humidity	+40°C +/-2°C						
	90% RH for 200Hours						
Thermal Shock	+85°C for 30 mins						
	-30°C for 30 mins						
Vibration	10 - 55Hz 2mm amplitude						
	2 hours XYZ axis						
Soldering	235 +/-5°c						
Condition	2 Seconds +/-0.5 S						



## Part Numbering ECVT8120 Z 12.80M



Туре	А	В	С	D		Е	F	G	Н	ı	J
All	5.0	3.2	1.5	0.	8	3.71	1.4	4.0	2.5	1.5	1.8
Dimensions in mm											
Pin	1	2		3	4						
	VCON	г G	ND	O/P	Vcc	;					

ECM Electronics Limited, Penmaen House, Ashington, West Sussex, RH20 3JR, UK Tel: +44(0)1903 892810: Fax: +44(0)1903 892738. Email: sales@ecmelectronics.co.uk