





### L-3541XX 3.0mm Dia LOW PROFILE LED LAMP



Part No.	Chip		Lens Color	Wave Length $\lambda$ p(nm)	Electro-Optical Characteristics			View Angle (deg)
	Raw Material	Emitted Color			Vf(V)20mA		Iv(mcd)10mA	
					Typ.	Max.	Typ.	
L-3541HD	GaP	Red	Red Diffused	700	2.1	2.8	6.0	60
L-3541GD	GaP	Green	Green Diffused	565	2.1	2.8	12.5	60
L-3541YD	GaAsP/GaP	Yellow	Yellow Diffused	585	2.1	2.8	12.5	60
L-3541ED	GaAsP/GaP	Hi. effi Red	Red Diffused	635	2.0	2.8	20.0	60
L-3541SRD	GaAlAs	Super Red	Red Diffused	660	1.8	2.4	100.0	60

### L-3N4XX 3.0mm Dia CYLINDRICAL LED LAMP



Part No.	Chip		Lens Color	Wave Length $\lambda$ p(nm)	Electro-Optical Characteristics			View Angle (deg)
	Raw Material	Emitted Color			Vf(V)20mA		Iv(mcd)10mA	
					Typ.	Max.	Typ.	
L-3N4HD	GaP	Red	Red Diffused	700	2.1	2.8	6.0	60
L-3N4GD	GaP	Green	Green Diffused	565	2.1	2.8	12.5	60
L-3N4YD	GaAsP/GaP	Yellow	Yellow Diffused	585	2.1	2.8	12.5	60
L-3N4ED	GaAsP/GaP	Hi. effi Red	Red Diffused	635	2.0	2.8	20.0	60
L-3N4SRD	GaAlAs	Super Red	Red Diffused	660	1.8	2.4	100.0	60

1. All dimension are in millimeters (inches).
2. Tolerance is  $\pm 0.25$  mm (0.01") unless otherwise specified.