



THE DRAWING ON THIS PRINT AND INFORMATION THEREON ARE PROPRIETARY TO VARRITRONIX AND SHALL NOT BE USED IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION OF VARRITRONIX.



DOT SIZE FOR CUSTOMER REFERENCE

PRELIMINARY

DISPLAY TYPE	1.5" 26K COLOR OLED PANEL, PASSIVE
DISPLAY RESOLUTION	128 X RGB X 128
MUX RATIO	1/128 DUTY
LCD CONTROLLER	SSD1339
LOGIC VOLTAGE	3.0V
OPERATING TEMPERATURE	-20°C TO +60°C
STORAGE TEMPERATURE	-50°C TO +80°C
REMARK	ANTI-GLARE FRONT POLARIZER

PIN ASSIGNMENT:

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
NC	VCC	VCOMH	VDDIO	VSL	D17	D16	D15	D14	D13	D12	D11	D10	D9	D8	D7	D6	D5	D4	D3
Z1	Z2	Z3	Z4	E	R/W	BS0	BS1	BS2	CS	D/C	RES	IRF	VBREF	RESE	FB	YDD	GDR	VSS	NC

CONTACT SIDE (FOR JAE-JACS-10142 CONNECTOR)

STIFFENER

NOTES:

- 1 ◇ : SPECIAL CHARACTERISTIC
- 2 + : SAFETY CHARACTERISTIC
- 3 ∇ : CRITICAL DIMENSION
- 4 (.) : REFERENCE DIMENSION



VARRITRONIX LIMITED

TITLE: MODULE SPECIFICATION	±0.2
PROJECT NO.: OLM-0150CNG-02	ANGULAR: ±1°
CUSTOMER REF.: IN	FINISH: N/A
TOLERANCE UNLESS OTHERWISE SPECIFIED:	SCALE: DO NOT ON SCALE OVERALL THK: N/A
DIMENSIONS IN MM	THIRD ANGLE PROJECTION
MATERIAL: N/A	NAME
DRAWN: XH CHEN	SIGN
CHECKED: WONG TIM YT	DATE
APPROVED: CRUS CHEUNG	
ITEM NO.: OLM-0150CNG-02	
DESCRIPTION:	
FILE NO:	REV: 0
SHEET 1 OF 1	