



SURFACE MOUNT LED

1111C Series



Flat Lens Type 1.6X0.8mm

Absolute Maximum Ratings

T_a = 25°C

		Pure Green	Green	Yellow		Orange	Red	Units
		BG	PG	PY	AY	AA	BR	
Power Dissipation	Pd	70	70	70	70	70	57.5	mW
Forward Current	I _F	25	25	25	25	25	25	mA
Peak Forward Current	I _{FM}	60	60	60	60	60	60	mA
Reverse Voltage	V _R	4	4	4	4	4	4	V
Operating Temp.	T _{opr}	-30~+85	-30~+85	-30~+85	-30~+85	-30~+85	-30~+85	°C
Storage Temp.	T _{stg}	-40~+100	-40~+100	-40~+100	-40~+100	-40~+100	-40~+100	°C
Derating *	ΔI _F	0.36						mA/°C

* The current derating for operation applies when temperature is above 25°C.

• I_{FM} Condition : t_w ≤ 1ms, Duty ≤ 1/20


Electro-Optical Characteristics

T_a = 25°C

Part No.	Chip		Lens Color	Luminous Intensity		Wavelength				Forward Voltage		Reverse Current				
	Material	Emitted Color		I _v MIN	I _v TYP	I _F	λ _d TYP	λ _p TYP	Δλ TYP	I _F	V _F TYP	V _F MAX	I _F	I _R MAX	V _R	
BG1111C	GaP	Pure Green	White	1.4	2.4	20	558	555	30	20	2.1	2.8	20	100	4	
PG1111C	GaP	Green		3.8	6.4	20	567	560	30	20	2.1	2.8	20	100	4	
PY1111C	GaP	Yellow		7.0	11.7	20	572	570	30	20	2.1	2.8	20	100	4	
AY1111C	GaAsP			2.0	3.4	20	590	580	30	20	2.2	2.8	20	100	4	
AA1111C	GaAsP	Orange		2.0	3.4	20	605	605	30	20	2.2	2.8	20	100	4	
BR1111C	GaAlAs	Red		7.0	11.7	20	647	660	30	20	1.7	2.3	20	100	4	
Units				mcd	mcd	mA	nm	nm	nm	mA	V	V	mA	μA	V	


Package Dimensions

Unit : mm




※The dimension of BR type is defined the chip position of the symmetry at the center line (C.L.)

Spatial Distribution



Taping Specification

Unit : mm




* Quantity 4,000 pcs/Reel




SURFACE MOUNT LED

BG1111C


■ Power Dissipation vs. Ambient Temperature




■ Ambient Temperature vs. Maximum Forward Current




■ Pulse Duration vs. Maximum Tolerable Peak Current




■ Forward Voltage vs. Forward Current




■ Forward Current vs. Relative Intensity



■ Ambient Temperature vs. Relative Intensity



■ Spectral Distribution







SURFACE MOUNT LED

PG1111C


■ Power Dissipation vs. Ambient Temperature




■ Ambient Temperature vs. Maximum Forward Current




■ Pulse Duration vs. Maximum Tolerable Peak Current




■ Forward Voltage vs. Forward Current




■ Forward Current vs. Relative Intensity



■ Ambient Temperature vs. Relative Intensity



■ Spectral Distribution







SURFACE MOUNT LED

PY1111C


■ Power Dissipation vs. Ambient Temperature




■ Ambient Temperature vs. Maximum Forward Current




■ Pulse Duration vs. Maximum Tolerable Peak Current




■ Forward Voltage vs. Forward Current




■ Forward Current vs. Relative Intensity



■ Ambient Temperature vs. Relative Intensity



■ Spectral Distribution







SURFACE MOUNT LED

AY1111C


■ Power Dissipation vs. Ambient Temperature




■ Ambient Temperature vs. Maximum Forward Current




■ Pulse Duration vs. Maximum Tolerable Peak Current




■ Forward Voltage vs. Forward Current




■ Forward Current vs. Relative Intensity



■ Ambient Temperature vs. Relative Intensity



■ Spectral Distribution







SURFACE MOUNT LED

AA1111C


■ Power Dissipation vs. Ambient Temperature




■ Ambient Temperature vs. Maximum Forward Current




■ Pulse Duration vs. Maximum Tolerable Peak Current




■ Forward Voltage vs. Forward Current




■ Forward Current vs. Relative Intensity



■ Ambient Temperature vs. Relative Intensity



■ Spectral Distribution







SURFACE MOUNT LED

BR1111C


■ Power Dissipation vs. Ambient Temperature




■ Ambient Temperature vs. Maximum Forward Current




■ Pulse Duration vs. Maximum Tolerable Peak Current




■ Forward Voltage vs. Forward Current



■ Forward Current vs. Relative Intensity



■ Ambient Temperature vs. Relative Intensity



■ Spectral Distribution

