


# SAW Bandpass Filter 260601B



## 1. Features

- IF Bandpass Filter
- High Attenuation
- Single-Ended Operation
- DIP Package
- Maximum Storage Temperature Range : -40°C ~ 85°C
- Electrostatics Sensitive Device (ESD)

## 2. Package Dimension



Package : D3512

Dimensions shown are nominal in millimeters


Base : Fe(SPCC), Au plating over Ni plated

Cap : Cu & Cr Alloy, Ni Plated

Termination : Kovar, Au Plated

### Pin Configuration

1	Input
4	Output
2, 5	Ground
3, 6	Case ground

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260601B	
		Rev. Date	2006-07-12	
		Rev.	NW6006-CS01	1/5

# SAW Bandpass Filter 260601B



## 3. Specifications

Fo = 210.0 MHz


Terminating source impedance : 50Ω and matching network

Terminating load impedance : 50Ω and matching network

		Minimum	Typical	Maximum
Center Frequency	MHz	209.92	210.0	210.08
Insertion Loss	dB	-	25.5	27.5
1.5dB Bandwidth	MHz	6.2	6.23	-
30dB Bandwidth	MHz	-	6.88	7.0
45dB Bandwidth	MHz	-	7.03	7.4
Amplitude Ripple (Fo +/- 3.1 MHz)	dB	-	0.6	1.0
Group Delay Variation (Fo +/- 3.1 MHz)	nsec	-	210	-
Absolute Delay	usec	-	4.0	5.0
Relative attenuation				
2.0 +/- 0.4 MHz	dB	25	30	
2.0 +/- 0.6 MHz	dB	42	50	
Temperature Coefficient of Frequency	ppm/°C <sup>2</sup>	-	-0.03	-

### Notes :

- 1) All specifications are based on the matching schematic shown below
- 2) All specifications are measured by Agilent Network analyzer and full 2 port calibration at room temperature
- 3) All attenuation measurements are measured relative to insertion loss


	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260601B	
		Rev. Date	2006-07-12	
		Rev.	NW6006-CS01	2/5

# SAW Bandpass Filter 260601B



## 4. Matching Schematic

( Actual matching values may vary due to PCB layout and parasitics )



L1 = L4 = 18 nH  
L2 = 10 nH, L3 = 12 nH

## 5. Marking Configuration

ITF<sup>1)</sup> 06A001<sup>2)</sup>  
260601B<sup>3)</sup>



- 1) Manufacturer name
- 2) Lot Number
- 3) Part Number

	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260601B	
		Rev. Date	2006-07-12	
		Rev.	NW6006-CS01	3/5

# SAW Bandpass Filter 260601B







## 6. Typical Performance ( at +25°C )



	<b>ITF Co., Ltd.</b> 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809	Part No.	260601B	
		Rev. Date	2006-07-12	
		Rev.	NW6006-CS01	4/5

# SAW Bandpass Filter 260601B



**ITF Co., Ltd.**  
 102-901, Bucheon Technopark 364, Samjeong-Dong, Ojeong-Gu, Bucheon-City, Gyeonggi-Do, Korea 421-809

Part No.	260601B	
Rev. Date	2006-07-12	
Rev.	NW6006-CS01	5/5