

KR 2489 Lowpass Filter

General Description


KR 2489 is a group delay equalized lowpass filters. The filter's flat passband response and group delay equalization make it a good choice for video applications.

Features


- Flat passband response
- Group delay equalized

Typical Performance

Passband Amplitude & Group Delay
(0.25 dB/div & 5 nsec/div) 100 KHz to 36 MHz



Overall Response
(5 dB/div) 100 KHz to 500 MHz



KR Electronics, Inc.
91 Avenel Street
Avenel, NJ 07001


Web www.krfilters.com
Email sales@krfilters.com
Phone (732) 636-1900
Fax (732) 636-1982

KR Series 2489

Specifications

Parameter	Specification
Filter type	Lowpass
Insertion Loss	< 1 dB
End of Passband (< 1 dB)	33 MHz
< 3 dB Frequency	36 MHz
Attenuation at 45 MHz	> 30 dB
Group Delay Ripple to 33 MHz	< 5 nsec
Source and Load	50 Ω

Physical Dimensions



Other configurations available on request

All dimensions in inches

KR Electronics, Inc.
 91 Avenel Street
 Avenel, NJ 07001

Web www.krfilters.com
 Email sales@krfilters.com
 Phone (732) 636-1900
 Fax (732) 636-1982