www.molexkits.com



General Informatio	n				
Part Number:	76650-0128				
Manufacturer:	Molex / Waldom				
Title:	PicoBlade Deluxe Connector Kit				
Description:	Friction Lock Plug and Receptacle and SMT Header				
Product Family:	PicoBlade™				
Certificates:	(Molex Parts within this kit) - UL and CSA				
Country of Origin:	Kit assembled in U.S.A.				
Specifications					
Design Configuration:	(Wire-to-Board) and (Wire-to-Wire)				
Pitch:	1.25mm (.049")				
Connector Type:	Headers, Receptacles and Plugs				
Mounting Orientation:	Right Angle and Vertical				
Circuit Sizes:	4, 6, 8 and 10				
Current Rating:	1 Amp				
Voltage:	125 Volts				
Wire size:	32-28 AWG				
Product Highlights					
	1.25mm (.049") pitch PicoBlade™ system is designed for high-density harness applications. PicoBlade provides the same 1.0 amperes of current as similar				

1.25mm (.049") pitch PicoBlade[™] system is designed for high-density harness applications. PicoBlade provides the same 1.0 amperes of current as similar 2.00mm (.079") pitch systems, but in a more compact design. PicoBlade[™] is offered in wire-to-board and wire-to-wire options. The system saves about 45% of PCB space compared to typical 2.00mm wire-to-board systems. It is a single row system, available in 2 to 15 circuits, with both surface mount and through-hole headers.

Features and Benefits	Applications
 Reliable terminal for solid electrical connection Friction lock for good mating retention Polarizing features ensures proper mating orientation Two solder tabs for better connection to the PCB 	 Car Radios Process controls Cash dispensers Patient monitors Alarm systems Set top boxes Dvd players



Bill of Materials for Part No. 76650-0128							
Molex Part No.	Country of Origin	Description	Quantity in Kit				
51047-0400	Japan	1.25mm (.049") Pitch PicoBlade™ Plug, 4 Circuits	5				
51047-0600	Japan	1.25mm (.049") Pitch PicoBlade™ Plug, 6 Circuits	5				
51047-0800	Japan	1.25mm (.049") Pitch PicoBlade™ Plug, 8 Circuits	5				
51047-1000	Japan	1.25mm (.049") Pitch PicoBlade™ Plug, 10 Circuits	5				
51021-0400	Japan	1.25mm (.049") Pitch PicoBlade™ Receptacle, 4 Circuits	5				
51021-0600	Japan	1.25mm (.049") Pitch PicoBlade™ Receptacle, 6 Circuits	5				
51021-0800	Japan	1.25mm (.049") Pitch PicoBlade™ Receptacle, 8 Circuits	5				
51021-1000	Japan	1.25mm (.049") Pitch PicoBlade™ Receptacle, 10 Circuits	5				
53261-0471	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Right Angle, 4 Circuits	5				
53261-0671	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Right Angle, 6 Circuits	5				
53261-0871	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Right Angle, 8 Circuits	5				
53261-1071	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Right Angle, 10 Circuits	5				
53398-0471	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Vertical, 4 Circuits	5				
53398-0671	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Vertical, 6 Circuits	5				
53398-0871	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Vertical, 8 Circuits	5				
53398-1071	Japan	1.25mm (.049") Pitch PicoBlade™ Header, Surface Mount, Vertical, 10 Circuits	5				
50133-8100	Japan	PicoBlade™ Crimp Terminal, Male, 32-28 AWG	100				
50058-8000	Korea	PicoBlade™ Crimp Terminal, Female, 32-28 AWG	100				

1

Recommended Molex Tool(s) for Part No. 76650-0128*

Molex Part No.	Country of Origin		Description	
63819-0400*	Sweden	Hand Crimp Tool		
11-03-0043 *	USA	Extraction Tool		

*Tool(s) not included in kit. Tool(s) ordered separately.