

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0310731011](#)
Status: **Active**
Overview: [hdac_64_single_row](#)
Description: 2.54mm (.100") H-DAC 64™, 6 Way Receptacle Assembly, Single-Row, Polarization B


Documents:
[Drawing \(PDF\)](#)
[Application Specification \(PDF\)](#)
[Product Specification PS-31067-0001 \(PDF\)](#)
[Product Specification PS-31100-0001 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Crimp Housings
Series	31073
Comments	Polarization Option B, Gray
Overview	hdac_64_single_row
Product Name	H-DAC 64™
Physical	
Circuits (maximum)	6
Circuits Detail	6
Color - Resin	Gray, White
Gender	Female
Glow-Wire Compliant	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Modified Polystyrene, Polyester
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.100 In
Pitch - Mating Interface (mm)	2.54 mm
Pitch - Term. Interface (in)	0.100 In
Pitch - Term. Interface (mm)	2.54 mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No
Temperature Range - Operating	-40°C to +100°C

Electrical	
Current - Maximum per Contact	11A, 9A

Material Info

Reference - Drawing Numbers	
Application Specification	AS-31067-100
Packaging Specification	PK-30907-737, PK-31301-076
Product Specification	PS-31067-0001, PS-31100-0001
Sales Drawing	SD-31109-003



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Halogen-Free



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[31073Series](#)

Mates With
H-DAC 64™, 6 Way Male Housing
Assembly [310731041](#) , [310731071](#)

Use With
See Product Spec

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M

L

K

J

I

H

G

F

E

D

C

B

A

M

L

K

J

I

H

G

F




E

D

C



B

A




OVERALL MATED LENGTH


MALE AND FEMALE ASSEMBLY
PASS THRU VIEW
(CAD GENERATED)




MATING SIDE



SECTION A-A
SCALE 4:1



TPA IN PRELOAD
(AS SHIPPED)




WIRE SIDE

- NOTES:
1. MATERIAL: HOUSING: SPS GLASS FILLED, COLOR SEE CHART.
TPA: PBT.
 2. PRODUCT SPECIFICATIONS - IN-LINE MATING INTERFACE: PS-31067-0001.
- DIRECT CONNECT MATING INTERFACE: PS-31100-0001.
 3. PACKAGING SPECIFICATION: DRAWING PK-30907-737.
 4. MATES WITH: SEE SALES DRAWINGS SD-31110-003 (MALE IN-LINE),
SD-31197-003 (RIGHT ANGLE HEADER), SD-31101-114 (VERTICAL
"WINGED" HEADER), AND SD-31206-003 (VERTICAL HEADER).
 5. TERMINAL PLATING: TIN (Sn) OVERALL, BRITTE FINISH.
THICKNESS = 15 MICROMETER MINIMUM,
NICKEL (Ni) UNDERPLATE OVERALL.
 6. PACKAGING: PLEASE REFERENCE MOLEX SPECIFICATION PS-34646-001,
AVAILABLE AT WWW.MOLEX.COM. (REFERENCE: TPAs THAT ARE FOUND IN
SEATED (FINAL LOCK) POSITION)
 7. APPLICATION SPECIFICATION: AS-31067-100.


ENTER DESCRIPTION EC NO: UAU2008-0767 DRAWN BY: MACHUGA 2008/07/08 CHECKED BY: CHYKOBLOCK 2008/07/09 APPROVED BY: SHARCEAU 2008/07/09	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DATE		TITLE			
		4 PLACES ±		---	±	---	B01C0K01' 6/22/2007		FEMALE ASSEMBLY		
		3 PLACES ±		---	±	---	CHECKED BY DATE DILLON 6/22/2007		CHARTED SALES DRAWING		
		1 PLACE ±		0.13	±	---	APPROVED BY DATE		MOLEX INCORPORATED		
REV G1	DESCRIPTION	ANGULAR ±1/2°				MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		SD-31109-003		1 OF 4	
		SIZE D				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

FEMALE VIEWED FROM MATING SIDE


3 WAY
POLARIZATION 'A'




3 WAY
POLARIZATION 'B'




3 WAY
POLARIZATION 'C'




4 WAY
POLARIZATION 'A'




4 WAY
POLARIZATION 'B'




4 WAY
POLARIZATION 'C'




5 WAY
POLARIZATION 'A'




5 WAY
POLARIZATION 'B'




5 WAY
POLARIZATION 'C'




6 WAY
POLARIZATION 'A'



6 WAY
POLARIZATION 'B'



6 WAY
POLARIZATION 'C'



BILL OF MATERIALS							MATING ASSEMBLIES PART NUMBERS				
ASSEMBLY PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION	COLOR	DIM 'D'	DIM 'E'	INLINE MALE ASSEMBLY W/O XMAS SLOT	INLINE MALE ASSEMBLY W/ XMAS SLOT	RIGHT ANGLE MALE HEADER ASSEMBLY	VERTICAL MALE HEADER ASSEMBLY	VERTICAL MALE WINGED HEADER ASSY
31067-1010	3 WAY FEMALE ASSEMBLY POLARIZATION 'A'	31111-0030	FEMALE HOUSING	BLACK	9.80	16.76	31067-1040	31067-1070	31100-0030 NOT TOOLED	31101-0030 NOT TOOLED	TBD
		31113-0030	TPA	NATURAL (WHITE)							
31067-1011	3 WAY FEMALE ASSEMBLY POLARIZATION 'B'	31111-0031	FEMALE HOUSING	GRAY	9.80	16.76	31067-1041	31067-1071	31100-0031 NOT TOOLED	31101-0031 NOT TOOLED	TBD
		31113-0030	TPA	NATURAL (WHITE)							
31067-1012	3 WAY FEMALE ASSEMBLY POLARIZATION 'C'	31111-0032	FEMALE HOUSING	BROWN	9.80	16.76	31067-1042	31067-1072	31100-0032 NOT TOOLED	31101-0032 NOT TOOLED	TBD
		31113-0030	TPA	NATURAL (WHITE)							
31068-1010	4 WAY FEMALE ASSEMBLY POLARIZATION 'A'	31157-0040	FEMALE HOUSING	BLACK	12.34	18.25	31068-1040	31068-1070	31100-0040	31101-0040	31101-1140
		31158-0040	TPA	NATURAL (WHITE)							
31068-1011	4 WAY FEMALE ASSEMBLY POLARIZATION 'B'	31157-0041	FEMALE HOUSING	GRAY	12.34	18.25	31068-1041	31068-1071	31100-0041	31101-0041	31101-1240
		31158-0040	TPA	NATURAL (WHITE)							
31068-1012	4 WAY FEMALE ASSEMBLY POLARIZATION 'C'	31157-0042	FEMALE HOUSING	BROWN	12.34	18.25	31068-1042	31068-1072	31100-0042	31101-0042	31101-1340
		31158-0040	TPA	NATURAL (WHITE)							
31072-1010	5 WAY FEMALE ASSEMBLY POLARIZATION 'A'	31160-0050	FEMALE HOUSING	BLACK	14.88	20.25	31072-1040	31072-1070	31100-0050 NOT TOOLED	31101-0050 NOT TOOLED	TBD
		31161-0050	TPA	NATURAL (WHITE)							
31072-1011	5 WAY FEMALE ASSEMBLY POLARIZATION 'B'	31160-0051	FEMALE HOUSING	GRAY	14.88	20.25	31072-1041	31072-1071	31100-0051 NOT TOOLED	31101-0051 NOT TOOLED	TBD
		31161-0050	TPA	NATURAL (WHITE)							
31072-1012	5 WAY FEMALE ASSEMBLY POLARIZATION 'C'	31160-0052	FEMALE HOUSING	BROWN	14.88	20.25	31072-1042	31072-1072	31100-0052 NOT TOOLED	31101-0052 NOT TOOLED	TBD
		31161-0050	TPA	NATURAL (WHITE)							
31073-1010	6 WAY FEMALE ASSEMBLY POLARIZATION 'A'	31163-0060	FEMALE HOUSING	BLACK	17.42	22.75	31073-1040	31073-1070	31100-0060 NOT TOOLED	31101-0060 NOT TOOLED	TBD
		31164-0060	TPA	NATURAL (WHITE)							
31073-1011	6 WAY FEMALE ASSEMBLY POLARIZATION 'B'	31163-0061	FEMALE HOUSING	GRAY	17.42	22.75	31073-1041	31073-1071	31100-0061 NOT TOOLED	31101-0061 NOT TOOLED	TBD
		31164-0060	TPA	NATURAL (WHITE)							
31073-1012	6 WAY FEMALE ASSEMBLY POLARIZATION 'C'	31163-0062	FEMALE HOUSING	BROWN	17.42	22.75	31073-1042	31073-1072	31100-0062 NOT TOOLED	31101-0062 NOT TOOLED	TBD
		31164-0060	TPA	NATURAL (WHITE)							

ENTER DESCRIPTION IEC NO: UAU2008-0767 DRAWN BY: CHYKBOICK CHECKED BY: CHYKBOICK APPR: SHARCAU DATE: 2008/07/08 DATE: 2008/07/09 DATE: 2008/07/09	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table> <tr> <th></th><th>mm</th><th>INCH</th></tr> <tr> <td>4 PLACES ±</td><td>---</td><td>---</td></tr> <tr> <td>3 PLACES ±</td><td>---</td><td>---</td></tr> <tr> <td>2 PLACES ±</td><td>0.13</td><td>---</td></tr> <tr> <td>1 PLACE ±</td><td>0.25</td><td>---</td></tr> </table> ANGULAR ±1/2°		mm	INCH	4 PLACES ±	---	---	3 PLACES ±	---	---	2 PLACES ±	0.13	---	1 PLACE ±	0.25	---	DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	mm	INCH																			
4 PLACES ±	---	---																			
3 PLACES ±	---	---																			
2 PLACES ±	0.13	---																			
1 PLACE ±	0.25	---																			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: BDICK01 DATE: 6/22/2007 CHECKED BY: CDILLON DATE: 6/22/2007 APPROVED BY:	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-31109-003	SHEET NO. 2 OF 4																
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			




CIRCUIT SIZE	DIM 'A'	DIM 'B'	DIM 'C'	DIM 'D'
3	8.89	10.05	10.19	10.11
4	11.20	12.59	12.73	12.65
5	13.74	15.13	15.27	15.19
6	16.28	17.67	17.81	17.73


ENTER DESCRIPTION EC NO: UAZ2008-0767 DRAWN: PACHUGA 2008/07/08 CHKD: DITCK 2008/07/09 APPR: SMARTER 2008/07/09 G1	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY BDCIK01	DATE 6/22/2007	FEMALE ASSEMBLY CHARTED SALES DRAWING		
		4 PLACES	±.01	±.0005	CHECKED BY CDILLON	DATE 6/22/2007			
		2 PLACES	±.013	±.0005	APPROVED BY	DATE			
		1 PLACE	±.025	±.001	ANGULAR ± 1/2°		 MOLEX INCORPORATED		MATERIAL NO. SEE CHART
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

REFERENCE ONLY


3 WAY
POLARIZATION "A"




3 WAY
POLARIZATION "B"




3 WAY
POLARIZATION "C"




4 WAY
POLARIZATION "A"




4 WAY
POLARIZATION "B"




4 WAY
POLARIZATION "C"




5 WAY
POLARIZATION "A"




5 WAY
POLARIZATION "B"




5 WAY
POLARIZATION "C"




6 WAY
POLARIZATION "A"



6 WAY
POLARIZATION "B"



6 WAY
POLARIZATION "C"



ENTER DESCRIPTION EC NO. 1442008-0767 DRAWN: TMACHIGA 2008/07/08 CHKD: BDIK 2008/07/09 APPR: SMARCEAU 2008/07/09 G1		QUALITY SYMBOLS ▽=0 ▽=0 DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><thead><tr><th></th><th>mm</th><th>INCH</th></tr></thead><tbody><tr><td>4 PLACES ±</td><td>---</td><td>---</td></tr><tr><td>3 PLACES ±</td><td>---</td><td>---</td></tr><tr><td>2 PLACES ±</td><td>0.13</td><td>---</td></tr><tr><td>1 PLACE ±</td><td>0.25</td><td>---</td></tr></tbody></table> ANGULAR ±1/2°			mm	INCH	4 PLACES ±	---	---	3 PLACES ±	---	---	2 PLACES ±	0.13	---	1 PLACE ±	0.25	---	DIMENSION STYLE MM ONLY DRAWN BY DATE BDIK01 6/22/2007 CHECKED BY DATE CDILLON 6/22/2007 APPROVED BY DATE	SCALE 4:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION TITLE FEMALE ASSEMBLY CHARTED SALES DRAWING MOLEX MOLEX INCORPORATED
	mm	INCH																			
4 PLACES ±	---	---																			
3 PLACES ±	---	---																			
2 PLACES ±	0.13	---																			
1 PLACE ±	0.25	---																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE CHART SIZE THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DOCUMENT NO. SD-31109-003 SHEET NO. 4 OF 4																	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION