

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1300950297](#)
Status: **Active**
Overview: [brad wire mesh grips](#)
Description: Pulling Grips for Fiber Optics, Closed Mesh, Rotating Eye, Bale Length 5.00, Cable Diameter 5.33-8.89mm (.210-.350")

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Cable Grips
Series	130095
Eye Type	Rotating eye
Insulated	No
O-Ring	No
Overview	brad wire mesh grips
Product Name	Fiber Optic
Type	Pulling Grips
Woodhead	Yes

Physical


Approximate Break Strength	1,500 lbs
Bale Length	0.120m (4.75")
Body Style	N/A
Cable Diameter	5.33-8.89mm (.210-.350")
Color - Grommet	N/A
Gender	N/A
Material - Body	Aluminum
Material - Grip	Galvanized Steel
Mesh Length	0.357m (1.17')
Number of Holes	N/A
Strain Relief Force	35 lbs
Thread Size	N/A

Material Info

Old Part Number 36661

Reference - Drawing Numbers

Sales Drawing SD-130095-001



EU RoHS

**ELV and RoHS
Compliant**
**REACH SVHC
Not Reviewed**
**Halogen-Free
Status
Not Reviewed**

China RoHS





**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[130095Series](#)

PART NUMBER	OLD PART NUMBER	CABLE RANGE	BREAK STRENGTH (LBS)	"L" (REF)	"A" (REF)
1300950297	36661	.210-.350/5.3-8.9	1500	14.00/355.6	5.50"/139.7
1300950298	36662	.320-.480/8.1-12.1	2200	18.00/457.2	6.00"/152.4
1300950299	36663	.420-.610/10.6-15.4	2800	21.00/533.4	6.00"/152.4
1300950300	36664	.530-.740/13.4-18.7	3300	24.00/609.6	6.50"/165.1
1300950301	36665	.640-.875/16.2-22.2	4700	27.00/685.8	6.50"/165.1



COMPONENT	MATERIAL	FINISH
.031 WIRE 1X7 LH LAY MESH	STEEL	GALVANIZED
COMPONENT	ALUMINUM	NONE
.125 WIRE 7X9 LH LAY BALE	STEEL	GALVANIZED
FLAT WASHER	NYLON 6/6	BLACK
FERRULE	ALUMINUM	NONE
BALE NOSE	CARBON STEEL	ZINC PLATED

ENTER DESCRIPTION EC NO: WNA2009-0583 DRWNSGARCIA 2009/03/31 CHKDB: WOODMAN APPR: JF MURPHY 2009/04/01	QUALITY SYMBOLS ▼=0 ▽=0
	DESCRIPTION REV: A

GENERAL TOLERANCES (UNLESS SPECIFIED)																
	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .0004</td> </tr> <tr> <td>3 PLACES</td> <td>± .003</td> <td>± .0002</td> </tr> <tr> <td>2 PLACES</td> <td>± .002</td> <td>± .0001</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.001</td> <td>± .00005</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± .005	± .0004	3 PLACES	± .003	± .0002	2 PLACES	± .002	± .0001	1 PLACE	± 0.001	± .00005
	mm	INCH														
4 PLACES	± .005	± .0004														
3 PLACES	± .003	± .0002														
2 PLACES	± .002	± .0001														
1 PLACE	± 0.001	± .00005														
ANGULAR ±1/2°																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																

DIMENSION STYLE IN/MM	
DRAWN BY S. G.	DATE 2009/03/11
CHECKED BY B. WOODMAN	DATE 2009/03/16
APPROVED BY JOE MURPHY	DATE 2009/03/20
MATERIAL NO.	
SEE CHART	

SCALE 1:5	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
TITLE FIBER OPTIC PULLING GRIP		
MOLEX INCORPORATED		SHEET NO. 1 OF 1
DOCUMENT NO. SD-130095-001		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		