

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0192030063](#)
Status: **Active**
Description: VersaKrimp™ Temp-Term Ring Tongue Terminal for 14 to 16 AWG Wire, Stud Size 10

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

UL E32244

General

Product Family Ring and Spade Terminals
 Series [19203](#)
 Comments 650°F (343°C)
 Crimp Quality Equipment Yes
 Mil-Spec N/A
 Product Name Temp-Terms, VersaKrimp™
 Type Ring

Physical

Barrel Type Closed - Brazed
 Insulation None
 Material - Plating Mating Tin
 Packaging Type Bag
 Stud Size 10 (M5)
 Wire Size AWG 14, 16
 Wire Size mm² 1.00 - 2.50

Material Info

Old Part Number BB-T-337-10

Reference - Drawing Numbers

Sales Drawing BBTCD30101



*Series
image - Reference only*

EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Halogen-Free

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of
 Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
 non-product compliance questions.

Search Parts in this Series

[19203Series](#)

Application Tooling | [FAQ](#)

*Tooling specifications and manuals are
 found by selecting the products below.
 Crimp Height Specifications are then
 contained in the Application Tooling
 Specification document.*

Global

| Description | Product # |
|--|----------------------------|
| Hand Crimp Tool | 0640030100 |
| Crimp Head for the AT-200™ Pneumatic Hand Tool | 0640070100 |

NOTES:

① MAT'L: COPPER (STOCK TKN. $\frac{.031}{.79}$)


PLATING: ELECTRO-NICKEL

② BRAZED SEAM

STUD SIZES: ($\pm .005$)

- 02 = .094 413 = .413
- 04 = .119 209 = .209
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

FILE NO. BB-T-CD-301-01



ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

650° F
343° C

WIRE SIZE: 16-14 AWG
1.0-2.5 MM²

| PART NUMBER | "W" | "C" | "L" | AVAILABLE STUD SIZES |
|-------------|----------------------|----------------------|-----------------------|----------------------|
| | $\pm .010$ | MIN. | MAX. | |
| BB-T-318- | $\frac{.534}{13.56}$ | $\frac{.554}{14.07}$ | $\frac{1.036}{26.31}$ | 10,14,56,38,413 |
| BB-T-323- | $\frac{.250}{6.35}$ | $\frac{.209}{5.31}$ | $\frac{.560}{14.22}$ | 02,04,06,08 |
| BB-T-325- | $\frac{.467}{11.86}$ | $\frac{.388}{9.86}$ | $\frac{.837}{21.26}$ | 10,14,56 |
| BB-T-337- | $\frac{.312}{7.92}$ | $\frac{.285}{7.24}$ | $\frac{.645}{16.38}$ | 04,06,08,10 209 |
| BB-T-339- | $\frac{.342}{8.69}$ | $\frac{.310}{7.87}$ | $\frac{.696}{17.68}$ | 04,06,08,10 |

| | | | | | |
|---|-------|-----------|------------|------------|---|
| DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED | | REFERENCE | SCALE: NTS | DATE | TITLE: 650° TEMP-TERMS RING TONGUE TERMINAL VERSAKRIMP 300-SERIES |
| FRAC. | DEC. | ANG. | CHKD. BY: | APPRD. BY: | DWG. NO. A CUSTOMER DWG. |
| \pm | \pm | \pm | EDENH | 11-14-90 | |

