## Directional Coupler

# **CP261**

Application

• RF Sub-Systems

Repeater Base Station

# **RFHIC**

RoHS

### **Product Features**


- Passive Integration on Silicon
- Low Insertion Loss
- High Isolation
- Solder Pad
- Low Cost

#### Description

The CP Series is a monolithic directional coupler for low cost wireless applications.

### Specifications at 25 $^{\circ}$ C, 50 $^{\circ}$ in/out impedance

PARAMETER	Units	Min	Тур	Max
Frequency Range	MHz	2500		2700
Insertion Loss	dB		0.3	0.5
Input Return Loss	dB	20	26	
Output Return Loss	dB	20	26	
Coupling	dB	14	15	16
Coupling Return Loss	dB	10	14	
Isolation	dB	20	25	
Remarks	MHz		2600	



**Block Diagram & Pin Out** 

### **Absolute Maximum Ratings**

Parameter	Value		
Input Power	1 W		
Operating Temperature	-40~+85°C		
Storage Temperature	-65 ~ + 150 ℃		

• Tel : 82-31-250-5011


rfsales@rfhic.com


Version 1.0


<sup>•</sup> All specifications may change without notice.

# **RFHIC**


## Typical Performance Data at 25℃ (SOT23-6L Package)








Coupling vs. Frequency






• Tel : 82-31-250-5011

rfsales@rfhic.com


- All specifications may change without notice.
- Version 1.0



Package Dimensions (Type: SOT23-6L)



#### **PCB Evaluation Board Layout Pattern**



PCB material (FR4), PCB thickness (0.8t), Via hole ( $\phi$ 0.7)

RFHIC Corporation (RFHIC) reserves the right to make changes to any products herein or to discontinue any product at any time without notice. RFHIC do not assume any liability for the suitability of its products for any particular purpose, and disclaims any and all liability, including without limitation consequential or incidental damages. The product specifications herein expressed have been carefully checked and are assumed to be reliable. However, RFHIC disclaims liability for inaccuracies and strongly recommends buyers to verify that the information they are using is current before placing purchase orders. RFHIC products are not intended for use in life support equipment or application where malfunction of the product can be expected to result in personal injury or death. Buyer uses or sells such products for any such unintended or unauthorized application, buyer shall indemnify, protect and hold RFHIC and its directors, officers, stockholders, employees, representatives and distributors harmless against any and all claims arising out of such use. RFHIC's liability under or arising out of damages, claims of whatsoever kind and nature which RFHIC products could cause shall be limited in amount to the net purchase price of the products sold to buyer by RFHIC.

• Tel : 82-31-250-5011

rfsales@rfhic.com

All specifications may change without notice.