

Datasheet for 76650-0019

General Informatio	n		
Part Number:	76650-0019		
Manufacturer:	Molex / Waldom		
Title:	.062" Power Connector Kit Panel Mount Plug and Receptacle, with Extraction and Universal Crimp Tool, 5A		
Description:	250V		
Product Family:	Standard .062"		
Certificates:	(Molex parts within this kit) - EU and China RoHS, UL, CSA and TUV		
Country of Origin:	Kit assembled in U.S.A.		
Specifications			
Design Configuration:	Wire to Wire		
Pitch:	3.68mm (.145 "), Except for 36 Circuit is 4.19mm (.165") Pitch		
Connector Type: Mounting	Plug and Receptacle		
Orientation:	Panel Mount and Free-hanging		
Circuit Sizes:	1, 2, 3, 4, 5, 6, 9, 12, 15 and 36		
Current Rating:	5 Amps, Except for 36 Circuit is 4 Amps		
Voltage:	250 Volts		
Wire size:	24-18 AWG		
Product Highlights			

The Standard .062" is a durable and economical power or signal connector, capable of carrying up to 5.0 amps per circuit. Tough Nylon housings and robust terminal design create a durable, long lasting product. The Standard .062" products are reliable and offer high value in features and price. These products are an excellent choice for power or signal interconnect applications.

Features and Benefits	Applications
 Male and female terminals may be used in either plug or receptacle housings Free hanging or panel mount housing version available Round terminals may be oriented in any direction for fast assembly Passive (friction lock) 	 Power Supplies Appliances Gaming Machines Vending Machines Refrigerators Washing Machines Copy Machines



Datasheet for 76650-0019

Bill of Materials for Part No. 76650-0019

Molex Part No.	Country of Origin	Description	Quantity in Kit
02-06-1103	USA	.062" Dia. Female Crimp Terminals, 24-18 AWG	100
02-06-2103	USA	.062" Dia. Male Crimp Terminals, 24-18 AWG	100
03-06-1011	USA	1-Circuit Free-hanging Nylon Connector Receptacle	15
03-06-1022	USA	2-Circuit Panel Mount Nylon Connector Receptacle	5
03-06-1038	USA	3-Circuit Panel Mount Nylon Connector Receptacle	5
03-06-1041	USA	4-Circuit Panel Mount Nylon Connector Receptacle	3
03-06-1055	USA	5-Circuit Panel Mount Nylon Connector Receptacle	4
03-06-1061	USA	6-Circuit Panel Mount Nylon Connector Receptacle	4
50-36-1871	USA	9-Circuit Panel Mount Nylon Connector Receptacle Prebent	3
03-06-1121	USA	12-Circuit Panel Mount Nylon Connector Receptacle	2
03-06-1361	USA	36-Circuit Panel Mount Nylon Connector Receptacle	1
03-06-2011	USA	1-Circuit Free-hanging Nylon Connector Plug	15
03-06-2024	USA	2-Circuit Panel Mount Nylon Connector Plug	5
03-06-2033	USA	3-Circuit Panel Mount Nylon Connector Plug	5
03-06-2041	Singapore	4-Circuit Panel Mount Nylon Connector Plug	3
03-06-2054	USA	5-Circuit Panel Mount Nylon Connector Plug	4
03-06-2062	USA	6-Circuit Panel Mount Nylon Connector Plug	4
03-06-2091	USA	9-Circuit Panel Mount Nylon Connector Plug	3
03-06-2121	USA	12-Circuit Panel Mount Nylon Connector Plug	2
03-06-2151	USA	15-Circuit Panel Mount Nylon Connector Plug	1
03-06-2361	USA	36-Circuit Panel Mount Nylon Connector Plug	1
03-06-6155	USA	15-Circuit Panel Mount Nylon Connector Receptacle	1
W-HT-1921^	Taiwan	Standard Crimping Tool, Crimps 24-14 AWG	1
W-HT-2023^	USA	Extraction Tool	1

^ = Tool Provided by Waldom



Datasheet for 76650-0019

Recommended Molex Tool(s) for Part No. 76650-0019*

Molex Part No.	Country of Origin	Description	
63811-1000 *	Sweden	Hand Crimp Tool	
11-03-0002 *	Sweden	Extraction Tool	
11-02-0001 *	Sweden	Insertion Tool	

*Tool(s) not included in kit. Tool(s) ordered separately.