



NOTE 1. NO PLATING ON THE SHEARED EDGES OF CONTACT.  
 NOTE 2. CRIMP TYPE ARE MARKED AS INDICATED.

TABLE 1

CRIMP TYPE	APPLICABLE WIRE		DIMENSIONS			
	WIRE SIZE	INSULATION OUTER DIA.	A	B	C	D
C 1	AWG#18~22 (0.8mm~0.3mm)	$\phi$ 2.3MAX.	28.43	5.81	3.92	2.49
C 2	AWG#22~26 (0.3mm~0.13mm)	$\phi$ 1.0~ $\phi$ 1.7	29.04	6.42	4.53	2.7

1	#20 SOCKET CONTACT	1	COPPER ALLOY	SILVER PLATING		
ITEM	DESCRIPTION	Q'TY	MATERIAL	FINISH	REMARKS	
UNLESS OTHERWISE SPECIFIED: T700142		DATE	TITLE		JAE-CONNECTOR.COM Reference Only JAPAN AVIATION ELECTRONICS INDUSTRY, LTD. MUSASHINO, AKISHIMA-SHI TOKYO, JAPAN DWG. NO. SJ025421-E	
DIMENSIONS ARE IN MILLIMETERS		13. Mar. '95	ST-JL05-20S-01			
TOLERANCES ON : (INCHES)		DRAWN	S. NANO			
FRACTIONS	DECIMALS	ANGLES	CHECKED	T. MORITA		
			APP'D	M. Takagi		
			APP'D		SERIES	SCALE
					JL05	3/1