

**Micro Commercial Components** 

Micro Commercial Components 20736 Marilla Street Chatsworth

CA 91311

Phone: (818) 701-4933 Fax: (818) 701-4939

## **SRV05-4L**

## **Features**

- Lead Free Finish/RoHS Compliant ("P" Suffix designates RoHS Compliant. See ordering information)
- Case Material: Molded Plastic. UL Flammability Classification Rating 94V-0 and MSL Rating 1
- Small package saves board space
- Protects four(4) I/O lines
- Low clamping voltage
- Low capacitance: 1.5pF
- ESD protection to over 8kV contact discharge
- Can handle multiple ESD strikes


# **Maximum Ratings**

• Operating Junction &StorageTemperature: -55°C to +150°C

Paramete	er	Symbol	Limits	unit
IEC61000-4-2(ESD)	Air		±15	10.7
	Contact		$\pm$ 8	KV
IEC61000-4-4 (EFT): @ 5/50ns			40	Α


# 5 Volts ESD Protection Device

## SOT23-6L



DIMENSIONS					
	INCHES		MM		
DIM	MIN	MAX	MIN	MAX	NOTE
Α	.013	.020	0.35	0.50	
В	.060	.066	1.52	1.68	
С	.106	.114	2.70	2.90	
D	.037		0.95BSC		
G	.074		1.90BSC		
Н	.111	.117	2.82	2.98	
J	.002	.006	0.05	0.15	
K	.035	.051	0.90	1.30	
Ĺ	.013	.021	0.35	0.55	
M	.003	.008	0.08	0.22	

# **PinConfiguration**





### **Micro Commercial Components**

Electrical characteristics per line@25°C(unless otherwise specified)

Parameter	Symbol	Conditions	Min.	Тур.	Max.	Units
Reverse stand-off voltage	$V_{RWM}$				5	V
Reverse Breakdown voltage	$V_{BR}$	I <sub>t</sub> = 1mA	6			V
Reverse Leakage Current	I <sub>R</sub>	V <sub>RWM</sub> = 5V T=25°C			1	μA
Junction Capacitance	C <sub>j</sub>	V <sub>R</sub> =0V f = 1MHz		1.5		pF



## **Ordering Information**

Device	Packing
(Part Number)-TP	Tape&Reel3Kpcs/Reel

#### \*\*\*IMPORTANT NOTICE\*\*\*

Micro Commercial Components Corp. reserves the right to make changes without further notice to any product herein to make corrections, modifications, enhancements, improvements, or other changes.
Micro Commercial Components Corp. does not assume any liability arising out of the application or use of any product described herein; neither does it convey any license under its patent rights, nor the rights of others. The user of products in such applications shall assume all risks of such use and will agree to hold Micro Commercial Components Corp. and all the companies whose products are represented on our website, harmless against all damages.

#### \*\*\*APPLICATIONS DISCLAIMER\*\*\*

Products offer by *Micro Commercial Components Corp* . are not intended for use in Medical,

Aerospace or Military Applications.