

Product Brief

CP2203 V1.1

Audio Power Amplifier Series

1.25 W, Mono, Fully Differential Audio Power Amplifier

www.datasheet General Description

The CP2203 is a fully differential audio power amplifier designed for demanding audio applications. It is capable of delivering 1.25 watt of continuous average power to an 8Ω BTL load with less than 1% distortion (THD+N) from a 5V battery voltage. It operates from 2.2V to 5.5V.

Features like -90dB PSRR at 217Hz, improved RF-rectification immunity, the space-saving CSP8 package, the advanced pop & click circuitry, a minimal count of external components and low-power shutdown mode make the CP2203 ideal for wireless handsets.



The CP2203 is unity-gain stable, and the gain can be configured by external resistors.

Features

- Fully differential amplifier
- Improved PSRR at 217Hz (VDD>3.0V) -90dB (typ)
- Power output at 5.0V & 1% THD
 1.25W (typ)
- Power output at 3.6V & 1% THD
 0.6W (typ)
- Ultra low shutdown current 0.01µA (typ)
- Improved pop & click circuitry eliminates noises during turn-on and turn-off transitions
- Thermal overload protection circuitry
- · No output coupling capacitors, bootstrap capacitors required
- Unity-gain stable
- External gain configuration capability
- Space-saving CSP8 package
- RoHS compliant and 100% lead(Pb)-free

Applications

- Wireless handsets
- · Portable audio devices
- PDAs
- Notebook computers




Product Brief

1.25 W, Mono, Fully Differential Audio Power Amplifier

www.datasheet4PinnConfigurations

CSP8 Package (Top View)




CSP8 Marking



XY- Manufacture Date Dode A6G - CP2203GITLX

1.25 W, Mono, Fully Differential Audio Power Amplifier

Typical Application



Contact with Chiphomer

4F, Building D, 1618 Yishan Road Shanghai, 201103, P.R.C.

Tel: (86)21-64014543 64058488

Fax: (86)21-64050030 Sale: sales@chiphomer.com

Technical support: support@chiphomer.com

Web site: www.chiphomer.com

Shenzhen Office:

10D, Building 2, Dushi Yangguang Garden CheGongMiao, Futian District, Shenzhen, 518048,

P.R.C.

Tel: (86)755-82046706 82047789

Fax: (86)755-8204670