SAFETY DATA SHEET Ref. No. 36020

<u>.</u>

PRODUCT AND COMPANY IDENTIFICATION

ROCOL Kilopoise 0001G&S; 0031G&S; 0868G, S & Extra Heavy (Grease Grades)

Manufacturer/Supplier **ROCOL Lubricants** ROCOL House,

Swillington, Leeds,

LS26 8BS

Emergency Phone Number Phone Number +44 (0) 113 2322700 ENGLAND +44 (0) 113 2322760 +44 (0) 113 2322600

COMPOSITION/INFORMATION ON THE COMPONENTS

Ņ

Hazardous Components in Product for EC

NO CONSTITUENTS NEED TO BE SPECIFIED **Component Name** Codes Concentration R Phrases Classification

ယ HAZARD IDENTIFICATION

Health Effects - Skin Not classified as hazardous.

4.

FIRST AID MEASURES Repeated and/or prolonged contact may lead to dermatitis

Wash skin with soap and water. If material proves difficult to remove, use suitable skin Wash out eye with plenty of water. Obtain medical attention if soreness or redness persists.

Do not induce vomiting. Obtain medical attention. cleanser (not solvent). Apply a reconditioning skin cream.

First Aid - Ingestion FIRE FIGHTING MEASURES

First Aid - Skin First Aid - Eyes

Ģ

Extinguishing Media Use foam, dry chemical or carbon dioxide

Special Hazards of Product Unsuitable Extinguishing Media Do not use water jet.

Wear self contained breathing apparatus. This product may give rise to hazardous fumes in a fire.

Protective Equipment for Fire-Fighting ACCIDENTAL RELEASE MEASURES

Personal Precautions

<u>ე</u>

Material can create slippery conditions underfoot.

HANDLING AND STORAGE Transfer into suitable containers for recovery or disposal.

Handling No special precautions necessary.

Storage temperature should be controlled to between 1 and 40 °C.

Ω **Engineering Control Measures EXPOSURE CONTROLS/PERSONAL PROTECTION** No specific measures necessary.

Eye Protection **Hand Protection**

PVC or rubber gloves.

Body Protection

No specific measures necessary. Normal work wear.

ဖ Physical State PHYSICAL AND CHEMICAL PROPERTIES

Paste.

Solubility in Water (kg/m3) Flash Point (PMCC) (°C) Colour White. Exceeds 120. Odourless.

0.91. (measured as kg/litre) Above 150. Insoluble.

<u> 1</u>0. Auto-flammability (°C) Density (kg/m3)

STABILITY AND REACTIVITY Stable under normal conditions.

Materials to Avoid

Conditions to Avoid

No specific measures necessary

Hazardous Decomposition Products Strong oxidising agents.

Acute Toxicity Low order of acute toxicity

<u></u>

TOXICOLOGICAL INFORMATION Combustion will generate: smoke, possibly thick and choking, resulting in zero visibility.

12. **ECOLOGICAL INFORMATION**

Bio-accumulation Persistence/Degradability

<u>3</u>

DISPOSAL

Product Disposal

Container Disposal

The product is expected to be resistant to biodegradation. The product is involatile and insoluble and will accumulate in the ground. If released to water the product will float.

Product is not expected to bioaccumulate.

No specific measures necessary Incineration or landfill. Dispose of in accordance with all applicable local and national

4. TRANSPORT INFORMATION

Not classified

UN Class

IMDG - Class ADR/RID - Class IATA - Class Not classified Not classified. Not classified

REGULATORY INFORMATION

Information Labelling

R phrases

None.

S phrases
OTHER INFORMATION

Product Use

<u>1</u>6.

MSDS first issued MSDS data revised

Revisions Highlighted
17. NATIONAL LEGISLATION

EC Legislation

None.

For industrial use only. Lubricant.

6 November 1997

COMPLETELY REVISED 10/97

EC Directive 91/155/EEC defining the laying down and detailed arrangements for the system of specific information relating to dangerous preparations.

EC Directive 88/379/EEC relating to the classification, packaging and labelling of dangerous preparations.

To the best of our knowledge, the information contained herein is accurate. Although certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user.