



<b>LA5112N</b>	monolithic linear IC	CIRCUIT DRAWING No.2094
POWER SUPPLY CONTROLLER FOR COLOR TV		 3017B


**Features**

- Excellent ripple rejection at low input voltage
- Excellent temperature characteristic of output voltage
- On-chip protector

<b>LA5310M</b>	monolithic linear IC	CIRCUIT DRAWING No.2095
VOLTAGE DIVIDER FOR LCD APPLICATIONS		 3032B

**Features**

- Power supply for 1/9 bias LCD applications
- 5 OP amps. producing 5 voltage outputs
- Low current dissipation (1.0mA max.)
- Miniflat package


<b>LA5511,5512</b>	monolithic linear IC	CIRCUIT DRAWING No.2096
COMPACT DC MOTOR SPEED CONTROLLER		 3027A

**Applications**

- Ideally suited for speed control of compact DC motor for cassette tape recorder, radio cassette, 8mm motion-picture camera, record player, etc.

**Features**

- Packaged in 4-pin transistor case (equivalent to TO126), thereby enabling easy mounting.
- Variable reference voltage making it possible to meet requirements for various types of motor.
- Excellent stability of each characteristic against ambient temperature.
- Minimum number of external parts required.
- Shunt ratio comes in 2 kinds: k=25 (LA5512) and k=50 (LA5511). LA5511 (k=50) is small in loss current ( $I_M/k$ ) due to shunt current. Since motor speed is controlled by varying reference voltage, loss current ( $I_S$ ) due to speed control is minimized.
- Contains kickback voltage absorber.

<b>LA5521D,5522</b>	monolithic linear IC	CIRCUIT DRAWING No.2097
LOW-VOLTAGE DC MOTOR SPEED CONTROLLER		 3001A(LA5521D),3031A(LA5522)

**Use**

- Speed control of general-purpose low-voltage compact DC motor for microcassette tape recorder, radio cassette, and the equivalent.

**Features**

- Wide operating voltage range: 1.8 to 8V.
- Capable of making the applicable set compact because of minimum number of external parts required and compact package.
- Easy to adjust speed.
- Built-in stable low reference power meeting the requirements for 2 speeds.
- $V_{ref}=0.2V$  (LA5521D),  $V_{ref}=0.5V$  (LA5522).