











PLUG



RECEPTACLE



RECEPTACLE HOUSING

PLUG HOUSING

REDRAWN ON CAD
EC NO. LUCP2003-2578
DRWN: BSYNNOTT 6/10/03
CHK: BWIRKLUS 6/13/03
APPR: BWIRKLUS 6/16/03
REV H

DESCRIPTION
MAJOR
CRITICAL

GENERAL TOLERANCES: (UNLESS SPECIFIED)
4 PLACES ±0.--- ±.
3 PLACES ±0. ±.010
2 PLACES ±0.25 ±.014
1 PLACE ±0.35 ±.
ANGULAR: ± 1°
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE 4 : 1
DESIGN UNITS <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH
DRAWN BY & DATE JBS 6/10/03
CHECKED BY & DATE BW 6/13/03
APPROVED BY & DATE BW 6/16/03
CAD FILENAME SD1625IX1.DGN

DIMENSIONS: <input type="checkbox"/> mm <input checked="" type="checkbox"/> INCH <input type="checkbox"/> mm ONLY	
THIRD ANGLE PROJECTION	REVISE ON CAD ONLY
TITLE: PLUG & RECEPTACLE HOUSINGS I CIRCUIT, .062/(1.57) DIA. SERIES	
MOLEX INCORPORATED	
MATERIAL NO. SEE CHART	DRAWING NO. SD-1625-1*-*
SHEET NO. 1 OF 2	SIZE C

DWG. NO. SD-1625-IP

E


D

C

B

A

ALL DIMENSIONS IN METRIC DO NOT SCALE DRAWING



注記
NOTE

材質:ナイロン66, 94V-2
MATERIAL:NYLON66,94V-2

03-06-2011	1625-IP
PART NO.	ENG.NO.

材料 MATERIAL		図中参照 REFER TO DRAWING		moLEX MOLEX-JAPAN CO.,LTD. 日本モレックス株式会社	
仕上げ FINISH		—		REVISE ONLY ON CAD SYSTEM	
適用電線範囲 WIRE RANGE		—		TITLE 名称	
被覆外径 INS. RANGE		—		.062 DIA. 1 CIRCUIT PLUG HOUSING	
DRAWN BY '96/07/08 H.IIJIMA		CHK'D BY '96/07/08 M.FUKUSHIMA		DWG. NO.	
APP'D BY '96/07/08 M.ENOMOTO		尺 寸 SCALE 4 : 1		SD-1625-IP	
REV B		再作図 REDRAWN (JC70302)		DR. M.F.	
記号 LTR		変更内容 REVISION RECORD		DR. 日付 CHK. DATE	
角度 ANGLE		±3°			
30°以上 OVER		±0.3			
10°以上 OVER		±0.25			
10°未満 UNDER		±0.2			
一般公差 GENERAL TOLERANCES					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX(JAPAN) AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
本図面は日本モレックス(株)の所有する情報を含むもので 当社の許可なく複製を禁止する。
EN-01C(032)MXJ-32

F

E

D

C

B

A

1625-51

8

7

6

5

4

3

2

1