

Precision N Female to 7/16 DIN Female Adapter Low PIM, Low VSWR



PE91033

N Female to 7/16 DIN Female Low PIM, Low VSWR Precision Adapters

- PIM levels <-165 dBc
- Low VSWR levels up to 7.5 GHz.
- · Tri-metal Albaloy coating
 - durable surface with good corrosion protection
 - abrasion resistance
 - superior electrical contact properties.
- · Available is various connector combinations
- 7/16 DIN in-series
- Type N in-series
- 7/16 DIN to Type N and SMA in-between series
- 4-hole flange and bulkhead-mounted styles available
- · Ideal choice for use in portable PIM testing

Configuration

Connector 1	N Female
Connector 2	7/16 DIN Female
Adapter Design	Precision
Body Style	Straight

Electrical Specifications

Frequency Range (GHz)	DC to 8
Impedance (Ohms)	50
VSWR, Max	1.222:1
Dielectric Withstanding Voltage (Vrms)	1000
Passive Intermodulation ((<-) dBc @ 2 x 20 Watts)	-165

Frequency 1

Frequency (GHz)	DC to 1
VSWR	1.032:1
Return Loss (dB)	36

Frequency 2

Frequency (GHz)	1 to 4
VSWR	1.119:1
Return Loss (dB)	25

Frequency 3

Frequency (GHz)	4 to 8
VSWR	1.222:1
Return Loss (dB)	20

Click the following link for the additional product information: Precision N Female to 7/16 DIN Female Adapter Low PIM, Low VSWR PE91033

Version C - Revision - © 2011 Pasternack Enterprises All Rights Reserved.





Precision N Female to 7/16 DIN Female Adapter Low PIM, Low VSWR



PE91033

Mechanical Specifications

 Weight (lbs)
 0.19

 Length (inches)
 1.95

 Width/Dia. (inches)
 1.142

 Dielectric Type
 PTFE

Connector 1

Mating Cycles Inner Conductor Material and Plating Outer Conductor Material and Plating

Connector 2

Mating Cycles Inner Conductor Material and Plating Outer Conductor Material and Plating

N Female

500 Beryllium Copper, Silver, 5µm Brass, Tri Metal – Albaloy, 2.54µm

7/16 DIN Female

500

Beryllium Copper, Silver, 5µm Brass, Tri Metal – Albaloy, 2.54µm

Compliance Certifications (visit www.Pasternack.com for current document) RoHS Compliant Yes, by exemption

Other Data

URL: http://www.pasternack.com/n-female-7-16-female-straight-adapter-pe91033-p.aspx

Precision N Female to 7/16 DIN Female Adapter Low PIM, Low VSWR from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Version C - Revision - © 2011 Pasternack Enterprises All Rights Reserved.



Sales@Pasternack.com • Techsupport@Pasternack.com

