

SMA Male to UHF Female Adapter



**PE9400** 

## **TECHNICAL DATA SHEET**

SMA Male to UHF Female Adapter	
Configuration Connector 1 Impedance 1 Connector 2 Impedance 2 Adapter Design Body Style	SMA Male 50 Ohms UHF Female 50 Ohms Standard Straight
Mechanical Specifications	
<b>Size</b> Length, in [mm] Width/Dia., in [mm]	1.28 [32.51] 0.67 [17.02]
<b>Connector 1</b> Type Inner Conductor Material and Plating Coupling Nut Material and Plating Hex Size, in. Torque, in-lbs [Nm] Body Material and Plating Dielectric Type	SMA Male Brass, Gold Brass, Nickel 5/16 5 [0.57] Brass, Nickel Teflon
<b>Connector 2</b> Type Inner Conductor Material and Plating Body Material and Plating Dielectric Type	UHF Female Brass, Gold Brass, Nickel Teflon
Compliance Certifications (visit www.Pasternack.com for or RoHS Compliant	current document) Yes
Plotted and Other Data	

Notes:

Values at 25 °C, sea level

URL: http://www.pasternack.com/sma-male-uhf-female-straight-adapter-pe9400-p.aspx

SMA Male to UHF Female Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



## PE9400 CAD Drawing

SMA Male to UHF Female Adapter

