

3 dB Fixed Attenuator, TNC Male To TNC Female Rated To 5 Watts Up To 18 GHz



PE7052-3

TECHNICAL DATA SHEET

3 dB Fixed Attenuator, TNC Male To TNC Female Rated To 5 Watts Up To 18 GHz	
Configuration	
Design	Fixed, Bidirectional Attenuator
Connector 1	TNC Male
Connector 2	TNC Female
Electrical Specifications	
Frequency Range, GHz	DC to 18
Impedance, Ohms	50
Attenuation Value, dB	3
Maximum Input Power, Watts	5
Maximum VSWR	1.35:1
Frequency 1	
Range, GHz	DC to 18
VSWR	1.35:1
Attenuation Accuracy, dB	0.3
Mechanical Specifications Temperature	
Size	
Length, in [mm]	2.06 [52.32]
Width, in [mm]	0.625 [15.88]
Connector 1	
Туре	TNC Male
Connector Specification	MIL-STD-348
Connector 2	
Туре	TNC Female
Connector Specification	MIL-STD-348
Connector Specification	WIIL-31D-340
Compliance Certifications (visit www.Pastern RoHS Compliant	nack.com for current document) Yes
Plotted and Other Data	
Notes:	Values at 25 °C, sea level
URL: http://www.pasternack.com/3db-fixed-tn	c-male-tnc-female-5-watts-attenuator-pe7052-3-p.aspx
one. http://www.pastornaok.com/oub-lixeu-th	


3 dB Fixed Attenuator, TNC Male To TNC Female Rated To 5 Watts Up To 18 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



1



PE7052-3 CAD Drawing 3 dB Fixed Attenuator, TNC Male To TNC Female Rated To 5 Watts Up To 18 GHz