



No.	PART NAME	MATERIAL	FINISH
①	PLUG HOUSING	LCP (ZENITE-6I30), GLASS FILLED, NATURAL(WHITE), UL94V-0	—
②	PLUG PIN	PHOSHOR BRONZE	△



00		
94	95.98	192
46	47.98	96
22	23.98	48
10	11.98	24
B	A	PIN


NOTE : △ GOLD OVER Ni or Sn OVER Ni (PRESS-FIT AREA)
 Au: AFTER CLASSIFICATION OVER: 2.0μm NI MIN. (CONTACT AREA)
 2. RECOMMENDED P.C.B. THICKNESS : >1.4mm
 3. APPLICABLE RECEPTACLE : 54625-xxxx
 △ MATERIAL NO. & YEAR/WEEK (ENG. NO.)
 5. ARRANGEMENT AND MATERIAL NUMBER SEE SD-85801-009

PRE-RELEASE
 REFERENCE
 USE ONLY

REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
			mm	INCH	MM ONLY	MM ONLY	METRIC	□	⊙	
D	CHANGE TO PURE Sn EC NO: E2006-0755 DRAWN: GRADY 2006/03/22 CHKD: 2006/03/22 APPR: EDMAHONY 2006/03/22	▽=0 ∇=0	4 PLACES ± ---	± ---	DRAWN BY T.MARTIN	DATE 00/04/14	TITLE MFB B/B HEADER FB+ 4 ROWS	MOLEX INCORPORATED	DOCUMENT NO. SD-85801-007	SHEET NO. 1 OF 1
			3 PLACES ± ---	± ---	CHECKED BY KNOLLER	DATE 00/04/14				
			2 PLACES ± 0.05	± ---	APPROVED BY F.BORDRON	DATE 00/04/14				
			1 PLACE ± 0.1	± ---	MATERIAL NO. SEE NOTE					
			ANGULAR ±1/2°		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							

7 6 5 4 3 2 1

VIEW ON MATING SIDE



VIEW ON MATING SIDE							
ROW	1	2	3	4	5	6	PIN
D	A	A	A	A	A	A	6
C	A	A	A	A	A	A	6
B	A	A	A	A	A	A	6
A	A	A	A	A	A	A	6
PIN QUANTITY							=24

MARKING	STANDARD
PERFORMANCE LEVEL	0.4um Au OVER Ni TERMIN. TIN
FLUX PROOF	NO
LUBRICATION	NO
DIMENSIONS	SEE SD-85801-007
TECHNICAL DATA	PS-85801-002

CONTACT	CONTACT POS. NUMBER
D	
C	
B	
A	A1-A6/B1-B6/C1-C6/D1-D6

	L1	L2	QUAN.
D			
C			
B			
A	5.0	4.3	24

EC NO: MG2003-0536 DRWN: TMARTIN 2003/04/23 CHKD: FCARABE 2003/04/23 APPR: KNOLLER 2003/04/24	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY														
		▽ = 0 ∇ = 0	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </tbody> </table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± ---	± ---	DIMENSION STYLE MM ONLY DRAWN BY: TMARTIN CHECKED BY: FCARABET APPROVED BY: KNOLLER	DATE DATE DATE	TITLE 24 PIN CONN. 4 ROW MFB+ CONTACT ARRANGEMENT
	mm	INCH																			
4 PLACES	± ---	± ---																			
3 PLACES	± ---	± ---																			
2 PLACES	± ---	± ---																			
1 PLACE	± ---	± ---																			

6 5 4 3 2 1