

## MARKETING SALES DRAWING

**Electrical Testing** per Tusonix standard test plans and Mil-Std-202 Test Methods.

## **DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING DIMENSIONS IN METRIC - [ ]**





## NOTES:

1. TUSONIX STANDARD PART

NUMBER: 4100-033.

TUSONIX RoHS COMPLIANT PART

NUMBER: 4100-033 LF.

CUSTOMER MUST SPECIFY STANDARD OR RoHS PART NUMBER WHEN ORDERING.

2. LEAD FINISH: STANDARD PART #: SILVER PLATED.

RoHS PART #: SILVER PLATED.

3. EYELET FINISH: STANDARD PART #: 60/40 SOLDER PLATED.

RoHS PART #: SILVER PLATED.

4. PART MARKING: STANDARD, NO MARKING.

WORKING

RoHS PART: GREEN DOT ON INSULATION BAND,

I.R.

TYPICAL LOCATION.

	,	MIN. CAP.(pf)				E (WVDC)		I.R. MIN. @ 100 (VDC.)	DW		(dB) AT 25°C PER MIL-STD-220						
					5°C	125 °C			(VD	C)	10 MHz	100 MHz		1 GHz	10 GHz		
		1500			50	125	10 A	10 G	500		6	45		70	70		
RECORD	0	FMT & SIONS.	90809-1-02	ED NOTES, DWV & IR. 06-07-05	-0/-0 <b>526</b>						TOLERANCE Unless Otherw Specified CIMAL ± .031 [	ise	Title	EYELET EMI FI	LTER		
١z		OMP MEN.							L	ANGLES ± ///		Drawn	S.M. 08-10-99	Sca	le 4 X		
Rev-0 VISION	\v \sigma \sum_	RDWN TO C REVISED DII S.M. 08-10-9								TUSONIX TUCSON, ARIZONA			Approve	Approved E.F. 08-10-99			
X-2015 Rev-0 REVISIO	Original C.O. <b>9</b>												Α	410	0-033		

MINIMUM NO LOAD INSERTION LOSS