





LOC	DIST	REVISIONS				
		REV	LYR	DESCRIPTION	DATE	OWN
DF	Z0		G	REV PER 063D-0286-00	11-00	CT
						DN



- 1 THESE DIMENSIONS PERTAIN TO CAVITY CENTERLINES ONLY, NOT TO CONTACT LOCATIONS.
- 2 WHEN PART IS PHYSICALLY TOO SMALL FOR THIS INFORMATION (SMALLER THAN 10 POSN) MARK AS FOLLOWS:
2,3 & 4 POSN - "AMP" ONLY
5 THRU 9 POSN - MILITARY PART NO ONLY
- 3 MARK .062±.015 (1.57±0.38) HIGH CHARACTERS AS SHOWN.
4. QUALITY CONFORMANCE INSPECTION PER MIL-C-55302. GROUP A,B & C.
5. PACKAGED PER MIL-C-55302.
- 6 TOLERANCE NON-CUMULATIVE.
7. MARK "CSA" LOGO ON PART.
- 8 MILITARY PART NUMBER (SEE TABLE), AMP AND DATE CODE MARKED .062±.015 (1.57±0.38) HIGH CHARACTERS IN APPROXIMATE AREA SHOWN.
- 9 HOUSING MATERIAL: DIALLYL PHTHALATE, COLOR: BLUE.
CONTACT MATERIAL: PHOSPHOR BRONZE.
- 10 CONTACT FINISH: .000050 [0.00127] GOLD OVER .000050 [0.00127] - .000100 [0.00254] NICKEL.



RECOMMENDED P.C. BOARD HOLE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. ALEXANDER 6-17-96	AMP AMP Incorporated Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES [mm]		CHK G. ALTEMOSE 11-8-96	NAME HOUSING ASSEMBLY, MOD II, SINGLE ROW, .100 ϕ	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. ALTEMOSE 11-8-96	SIZE A1	
0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±.010 [0.25] 4 PLC ±- ANGLES		PRODUCT SPEC — APPLICATION SPEC —	CAGE CODE 00779	
MATERIAL △		WEIGHT —	DRAWING NO C-102275	
FINISH △10		CUSTOMER DRAWING	SCALE 5:1	
			SHEET 1 OF 2	
			REV G	

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

.19

© COPYRIGHT 19

BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC

DF

DIST

Z0

REV

LYR

DESCRIPTION

DATE

OWN

APVD

-

SEE SHEET 1

-

-

-

M55302/127-363B	3.640 [92.46]	3.500 [88.90]	36	3-102275-5
M55302/127-353B	3.540 [89.92]	3.400 [86.36]	35	3-102275-4
M55302/127-343B	3.440 [87.38]	3.300 [83.82]	34	3-102275-3
M55302/127-333B	3.340 [84.84]	3.200 [81.28]	33	3-102275-2
M55302/127-323B	3.240 [82.30]	3.100 [78.74]	32	3-102275-1
M55302/127-313B	3.140 [79.76]	3.000 [76.20]	31	3-102275-0
M55302/127-303B	3.040 [77.22]	2.900 [73.66]	30	2-102275-9
M55302/127-293B	2.940 [74.68]	2.800 [71.12]	29	2-102275-8
M55302/127-283B	2.840 [72.14]	2.700 [68.58]	28	2-102275-7
M55302/127-273B	2.740 [69.60]	2.600 [66.04]	27	2-102275-6
M55302/127-263B	2.640 [67.06]	2.500 [63.50]	26	2-102275-5
M55302/127-253B	2.540 [64.52]	2.400 [60.96]	25	2-102275-4
M55302/127-243B	2.440 [61.98]	2.300 [58.42]	24	2-102275-3
M55302/127-233B	2.340 [59.44]	2.200 [55.88]	23	2-102275-2
M55302/127-223B	2.240 [56.90]	2.100 [53.34]	22	2-102275-1
M55302/127-213B	2.140 [54.36]	2.000 [50.80]	21	2-102275-0
M55302/127-203B	2.040 [51.82]	1.900 [48.26]	20	1-102275-9
M55302/127-193B	1.940 [49.28]	1.800 [45.72]	19	1-102275-8
M55302/127-183B	1.840 [46.74]	1.700 [43.18]	18	1-102275-7
M55302/127-173B	1.740 [44.20]	1.600 [40.64]	17	1-102275-6
M55302/127-163B	1.640 [41.66]	1.500 [38.10]	16	1-102275-5
M55302/127-153B	1.540 [39.12]	1.400 [35.56]	15	1-102275-4
M55302/127-143B	1.440 [36.58]	1.300 [33.02]	14	1-102275-3
M55302/127-133B	1.340 [34.04]	1.200 [30.48]	13	1-102275-2
M55302/127-123B	1.240 [31.50]	1.100 [27.94]	12	1-102275-1
M55302/127-113B	1.140 [28.96]	1.000 [25.40]	11	1-102275-0
M55302/127-103B	1.040 [26.41]	.900 [22.86]	10	102275-9
M55302/127-093B	.940 [23.88]	.800 [20.32]	9	102275-8
M55302/127-083B	.840 [21.34]	.700 [17.78]	8	102275-7
M55302/127-073B	.740 [18.80]	.600 [15.24]	7	102275-6
M55302/127-063B	.640 [16.27]	.500 [12.70]	6	102275-5
M55302/127-053B	.540 [13.72]	.400 [10.16]	5	102275-4
M55302/127-043B	.440 [11.18]	.300 [7.62]	4	102275-3
M55302/127-033B	.340 [8.64]	.200 [5.08]	3	102275-2
M55302/127-023B	.240 [6.10]	.100 [2.54]	2	102275-1
MILITARY PART NUMBER	B	A	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. ALEXANDER	6-17-96
DIMENSIONS: INCHES		CHK G. ALTEMOSE	11-8-96

- _____

Click to activate links to all other products

.100 & .150 Centerline Receptacle Assemblies, End Stackable

Active

Previous	Next		Sales Information	AMP ACES	Step Search Screen
				Related Documents	General Information
				Pricing	Product Availability

■ **Customer Drawing:** 102275, Rev. G
Document Title: HOUSING ASSEMBLY, MOD II, SINGLE ROW,
.100 CL

213169.pdf

Searchable Features:	
Brand:	AMP
No. of Positions:	2
No. of Rows:	Single
Profile:	Standard
Mount Angle:	Right Angle
Mounting Pattern (mm [in]):	2.54 x 7.87 [.100 x .310]
Contact Type:	Dual Tine
Military Qualification:	Yes
Centerline, Matrix (mm [in]):	2.54 [.100]
Military Part Number:	M55302/127-023B
Contact Mating Area Plating:	Gold (50) over Nickel
Closed Entry:	Yes

Other Properties:	
Housing Material:	Diallyl Phthalate
Housing Color:	Blue
Contact Material:	Phosphor Bronze
PCB Thickness (mm [in]):	3.18 [0.125]
Keying Plug Number:	102188-1
Military Specification:	MIL-C-55302

Side Stackable:	No
High Temperature Compatible:	No
Connector Series:	Mod. II
Termination Post Length (mm [in]):	4.45 [0.175]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [eCatalog](#) | [Brands](#) | [Industries](#) | [eCommerce](#) | [Customer Service](#) | [About](#) | [Home](#)