

PRODUCT NUMBER

XXXXX-YYY HTLF

LEAD FREE OPTION
(SEE NOTES 1)


PACKAGING OPTIONS
(SEE NOTE 1)

HIGH TEMPERATURE PLASTIC
(SEE NOTE 1)


NO OF
POSITIONS
(SEE NOTE 1)

PIN PLATING
(SEE SHEET 2)


BASE PART NO.




TOP VIEW



RECOMMENDED HOLE PATTERN



SIDE VIEW



END VIEW

⊕ Ø.020/.51 (M) U (M) V (S)

NOTE 4

□ .025±.001
0.64±.03 TYP

□ .013
0.33 MAX TYP

25°±5° TYP
4 SIDES

DETAIL P
TYP BOTH ENDS

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101	projection INCH/MM	product family BERGSTIK		
ltr	ecn	no	dr	date		tolerances unless otherwise specified		title		
CH	V21800	TAB	12/16/02	12/29/04		angles	linear	BERGSTIK® II HEADER		
CJ	M04-0234	MHT	12/29/04	5/03/05		0°±2'		.100/2.54cc SR STRAIGHT		
CK	M05-0072	MHT	5/03/05	1/18/06		dr	T.BREWBAKER	01/05/95	sheet 1 of 8	
CL	M06-0039	MHT	1/18/06	7/17/06		enr	T.HANNA	01/05/95	size A3	
CM	M06-0268	MHT	7/17/06	9/04/06		chr	J.MURPHY	01/05/95	type Product Customer Drawing	
CN	M06-0346	MHT	9/04/06	2/16/07		appd	T.HANNA	01/05/95		
CP	M07-0118	AGS	2/16/07							
sheet	revision	CP	CP	CP	CP	CP	CP	CP		
index	sheet	1	2	3	4	5	6	7	8	

PIN PLATING CODES:	
XXXX-1YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXX-2YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXX-3YY	50u"/1.27u MIN Au OVER 50u"/1.27u MIN Ni
XXXX-4YY	100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 14)
XXXX-4YYHLF	
XXXX-5YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXX-6YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXX-7YY	30u"/0.76u MIN Au OVER 50u"/1.27u MIN Ni
XXXX-8YY	15u"/0.38u MIN Au OVER 50u"/1.27u MIN Ni
XXXX-9YY	15u"/0.38u MIN GXT OVER 50u"/1.27u MIN Ni
XXXX-0YY	30u"/0.76u MIN GXT OVER 50u"/1.27u MIN Ni

NOTES

1. PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMP. MATERIAL:

FOR HIGH-TEMPERATURE APPLICATIONS, SPECIFY AN "H" AT THE END OF THE PART NUMBER.

NUMBER OF POSITIONS :

ANY NUMBER OF POSITIONS FROM 1 THRU 36.
-X00H INDICATES BERGSTRIK PRODUCT. SEE PAGE 3 FOR SPECIAL GEOMETRY OF THIS CONTINUOUS STRIP PRODUCT.
AUTOMATED REELS WILL CONTAIN 36,000 PINS.
SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

PACKAGING :

NO INDICATOR IS STANDARD PACKAGING IN POLY BAGS.
EIGHT DIGIT PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
EIGHT DIGIT PART NUMBERS FOLLOWED BY A "C" ARE PACKAGED IN TUBES WITH PICKUP CAP APPLIED. (NOT TOOLED)

BERGSTRIK™ PART NUMBERS FOLLOWED BY A "B" ARE BULK PRICED.

LEAD FREE :

ADD "HLF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION, NOT AVAILABLE FOR -5YY, -5YYH, -6YY & -6YYH

2. BODY MATERIAL :
BERGSTRIK: MANUFACTURER'S OPTION OF NYLON OR PCT, GLASS FIBER REINFORCED, FLAME RETARDANT PER UL-94V-0.
COLOR : BLACK
BERGSTRIK™: PRODUCED WITH HIGH TEMPERATURE LCP THERMOPLASTIC, FLAME RETARDANT PER UL-94V-0.
COLOR : BLACK
PART NUMBERS WITH "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.

PART NUMBERS WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR WAVE SOLDER PROCESS.





3. PIN MATERIAL : PHOS-BRONZE.
4. MEASURED WITH PART IN RESTRAINED CONDITION.
5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.
6. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.
7. PIN CANNOT PROTRUDE PAST EDGE OF HOUSING. MUST BE .005±.005/.13±.13 FROM END OF HOUSING HOLE.
8. MILITARY BERGSTRIK HEADER
P/N XXXXX-YYY-MIL.
NOT AVAILABLE.
9. ±.010/0.25 TOL APPLIES TO ALL "G" TAILS EXCEPT INDICATED PARTS ON TABLE WHERE +.010/0.25 -.000/0.00 APPLIES.
10. INDICATED PART NUMBERS ARE PRODUCED AND SOLD IN THE TAIWAN/SINGAPORE AREAS. THESE ARE NOT AVAILABLE IN BERGSTRIK™ CONTINUOUS STRIP.
11. NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.
12. THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
13. PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.
14. "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS."

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family BERGSTRIK
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title
CP					angles linear 0°±2'	.XX±.01/0.3 .XXX±.005/0.13 .XXXX±.0020/0.051	BERGSTRIK® II HEADER
					dr	T.BREWBAKER 01/05/95	.100/2.54cc SR STRAIGHT
					engr	T.HANNA 01/05/95	dwg no
					chr	J.MURPHY 01/05/95	sheet 2 of 8
					appd	T.HANNA 01/05/95	size
sheet	revision						A3
index	sheet						type Product Customer Drawing

1 2 3 4 5 6

BERGSTRIPTM HEADER

REEL PACKING DIMENSIONS



mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101	projection INCH/MM	product family BERGSTIK	
ltr	ecn	no	dr	date	tolerances unless otherwise specified			title	
CP					angles	linear	.XX±.01/0.3	BERGSTIK® II HEADER	
					0°±2'		.XXX±.005/0.13	.100/2.54cc SR STRAIGHT	
							.XXXX±.0020/0.051	scale 1:1	
					dr	T.BREWBAKER	01/05/95	dwg no	
					enr	T.HANNA	01/05/95	sheet 3 of 8	
					chr	J.MURPHY	01/05/95	size	
					appd	T.HANNA	01/05/95	A3	
sheet	revision							type	
index	sheet							Product Customer Drawing	

1				2				3				4				5				6																																																																																																																																																																																																																																																																									
PRODUCT NUMBER		TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH						BERGSTRIPTM		LF																																																																																																																																																																																																																																																																															
		DIM F		DIM G		DIM H						AVAILABLE		OPTION																																																																																																																																																																																																																																																																															
		ENGLISH		METRIC		ENGLISH		METRIC		PACKAGING		NOTES																																																																																																																																																																																																																																																																																	
55492-XYH		0.315		8.00		0.095		2.41		0.120		3.05		POLY BAGS		-		NO		NOTE 1,12																																																																																																																																																																																																																																																																									
60017-XYH		0.640		16.26		0.210		5.33		0.310		7.87		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
60018-XYH		0.660		16.76		0.250		6.35		0.310		7.87		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
63334-XYH		0.435		11.05		0.095		2.41		0.240		6.10		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68000-XY		0.425		10.80		0.095		2.41		0.230		5.84		POLY BAGS		-		YES																																																																																																																																																																																																																																																																											
68001-XY		0.450		11.43		0.120		3.05		0.230		5.84		POLY BAGS/TUBES		-		YES																																																																																																																																																																																																																																																																											
68002-XY		0.480		12.19		0.150		3.81		0.230		5.84		POLY BAGS		-		YES																																																																																																																																																																																																																																																																											
68003-XY		0.525		13.34		0.195		4.95		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68004-XY		0.525		13.34		0.107		2.72		0.318		8.08		POLY BAGS		-		YES																																																																																																																																																																																																																																																																											
68024-XY		0.568		14.43		0.150		3.81		0.318		8.08		POLY BAGS		-		YES																																																																																																																																																																																																																																																																											
68031-XY		0.513		13.03		0.183		4.65		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68032-XY		0.543		13.79		0.213		5.41		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68033-XY		0.708		17.98		0.473		12.01		0.135		3.43		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68415-XY		0.615		15.62		0.115		2.92		0.400		10.16		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68416-XY		0.813		20.65		0.483		12.27		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68418-XY		0.730		18.54		0.400		10.16		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68422-XY		0.631		16.03		0.213		5.41		0.318		8.08		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68443-XY		0.755		19.18		0.425		10.80		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68456-XY		0.825		20.96		0.115		2.92		0.610		15.49		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68457-XY		0.548		13.92		0.130		3.30		0.318		8.08		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68465-XY		0.925		23.50		0.595		15.11		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68466-XY		0.925		23.50		0.128		3.25		0.697		17.70		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68472-XY		0.913		23.19		0.413		10.49		0.400		10.16		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68479-XY		0.718		18.24		0.388		9.86		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68483-XY		0.835		21.21		0.417		10.59		0.318		8.08		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68487-XY		0.705		17.91		0.110		2.79		0.495		12.57		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68489-XY		1.095		27.81		0.765		19.43		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68490-XY		1.025		26.04		0.695		17.65		0.230		5.84		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68497-XY		0.612		15.54		0.085		2.16		0.427		10.85		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68603-XY		0.555		14.10		0.120		3.05		0.335		8.51		POLY BAGS		-		NO																																																																																																																																																																																																																																																																											
68604-XY		0.600		15.24		0.120		3.05		0.380		9.65		POLY BAGS		-		NO		NOTE 1,12																																																																																																																																																																																																																																																																									
<table><tr><td colspan="4">mat'l. code</td><td colspan="4">surface</td><td colspan="4">tolerance</td><td colspan="4">projection</td><td colspan="4">product family</td></tr><tr><td colspan="4">SEE NOTES 2 & 3</td><td colspan="4">ISO 1302 ✓</td><td colspan="4">ISO 406</td><td colspan="4">INCH/MM</td><td colspan="4">BERGSTIK</td></tr><tr><td colspan="4">ltr</td><td colspan="4">ecn no</td><td colspan="4">dr</td><td colspan="4">date</td><td colspan="4">tolerances unless otherwise specified</td></tr><tr><td colspan="4">CP</td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">.XX±.01/0.3</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">linear .XXX±.005/0.13</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">.XXXX±.0020/0.051</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">scale 1:1</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">T.BREWBAKER 01/05/95</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">T.HANNA 01/05/95</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">J.MURPHY 01/05/95</td></tr><tr><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4"></td><td colspan="4">T.HANNA 01/05/95</td></tr><tr><td colspan="2">sheet</td><td colspan="2">revision</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">index</td><td colspan="2">sheet</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>																						mat'l. code				surface				tolerance				projection				product family				SEE NOTES 2 & 3				ISO 1302 ✓				ISO 406				INCH/MM				BERGSTIK				ltr				ecn no				dr				date				tolerances unless otherwise specified				CP																.XX±.01/0.3																				linear .XXX±.005/0.13																				.XXXX±.0020/0.051																				scale 1:1																				T.BREWBAKER 01/05/95																				T.HANNA 01/05/95																				J.MURPHY 01/05/95																				T.HANNA 01/05/95				sheet		revision																				index		sheet																			
mat'l. code				surface				tolerance				projection				product family																																																																																																																																																																																																																																																																													
SEE NOTES 2 & 3				ISO 1302 ✓				ISO 406				INCH/MM				BERGSTIK																																																																																																																																																																																																																																																																													
ltr				ecn no				dr				date				tolerances unless otherwise specified																																																																																																																																																																																																																																																																													
CP																.XX±.01/0.3																																																																																																																																																																																																																																																																													
																linear .XXX±.005/0.13																																																																																																																																																																																																																																																																													
																.XXXX±.0020/0.051																																																																																																																																																																																																																																																																													
																scale 1:1																																																																																																																																																																																																																																																																													
																T.BREWBAKER 01/05/95																																																																																																																																																																																																																																																																													
																T.HANNA 01/05/95																																																																																																																																																																																																																																																																													
																J.MURPHY 01/05/95																																																																																																																																																																																																																																																																													
																T.HANNA 01/05/95																																																																																																																																																																																																																																																																													
sheet		revision																																																																																																																																																																																																																																																																																											
index		sheet																																																																																																																																																																																																																																																																																											
<table><tr><td colspan="4">1</td><td colspan="4">2</td><td colspan="4">3</td><td colspan="4">4</td><td colspan="4">5</td><td colspan="4">6</td></tr><tr><td colspan="2">form: A3</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>																						1				2				3				4				5				6				form: A3																																																																																																																																																																																																																																															
1				2				3				4				5				6																																																																																																																																																																																																																																																																									
form: A3																																																																																																																																																																																																																																																																																													



FCIconnect.com

Copyright FCI

D

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH				BERGSTRIPTM	LF
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			AVAILABLE	OPTION
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING	NOTES		
68629-YYY	0.621	15.77	0.203	5.16	0.318	8.08	POLY BAGS	—	NO	NOTE 1,12
68630-YYY	0.603	15.32	0.273	6.93	0.230	5.84	POLY BAGS	—	NO	
68631-YYY	0.703	17.86	0.203	5.16	0.400	10.16	POLY BAGS	—	NO	
68632-YYY	0.743	18.87	0.413	10.49	0.230	5.84	POLY BAGS	—	NO	
68633-YYY	0.643	16.33	0.225	5.72	0.318	8.08	POLY BAGS	—	NO	
68634-YYY	1.013	25.73	0.683	17.35	0.230	5.84	POLY BAGS	—	NO	
68642-YYY	0.913	23.19	0.583	14.81	0.230	5.84	POLY BAGS	—	NO	
68652-YYY	1.470	37.34	0.670	17.02	0.700	17.78	POLY BAGS	—	NO	
68653-YYY	0.735	18.67	0.095	2.41	0.540	13.72	POLY BAGS	—	NO	
68654-YYY	1.050	26.67	0.670	17.02	0.280	7.11	POLY BAGS	—	NO	
68655-YYY	0.708	17.98	0.290	7.37	0.318	8.08	POLY BAGS	—	NO	
68656-YYY	1.113	28.27	0.613	15.57	0.400	10.16	POLY BAGS	—	NO	
68657-YYY	0.588	14.94	0.368	9.35	0.120	3.05	POLY BAGS	—	NO	
68658-YYY	0.820	20.83	0.130	3.30	0.590	14.99	POLY BAGS	—	NO	
68659-YYY	0.608	15.44	0.398	10.11	0.110	2.79	POLY BAGS	—	NO	
68686-YYY	1.016	25.81	0.458	11.63	0.458	11.63	POLY BAGS	—	NO	
68689-YYY	0.913	23.19	0.213	5.41	0.600	15.24	POLY BAGS	—	NO	
68705-YYY	0.395	10.03	0.095	2.41	0.200	5.08	POLY BAGS	—	NO	
68717-YYY	0.615	15.62	0.285	7.24	0.230	5.84	POLY BAGS	—	NO	
68730-YYY	0.555	14.10	0.225	5.72	0.230	5.84	POLY BAGS	—	NO	
68731-YYY	0.880	22.35	0.440	11.18	0.340	8.64	POLY BAGS	—	NO	
68735-YYY	1.016	25.81	0.520	13.21	0.396	10.06	POLY BAGS	—	NO	
68755-YYY	1.166	29.62	0.533	13.54	0.533	13.54	POLY BAGS	—	NO	
68760-YYY	0.803	20.40	0.353	8.97	0.350	8.89	POLY BAGS	—	NO	
68762-YYY	0.588	14.94	0.213	5.41	0.275	6.99	POLY BAGS	—	NO	
68771-YYY	0.470	11.94	0.100	2.54	0.270	6.86	POLY BAGS	—	NO	
68781-YYY	0.691	17.55	0.273	6.93	0.318	8.08	POLY BAGS	—	NO	NOTE 1,12

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK	
ltr ecn no dr date				tolerances unless otherwise specified							
CP				angles		linear .XX±.01/0.3		INCH/MM		title BERGSTIK® II HEADER	
				0°±2'		.XXX±.005/0.13		scale 1:1		.100/2.54cc SR STRAIGHT	
				dr T.BREWBAKER		01/05/95				dwg no sheet5 of 8 size	
				enr T.HANNA		01/05/95				68000 A3	
				chr J.MURPHY		01/05/95					
				appd T.HANNA		01/05/95				type Product Customer Drawing	
sheet index		revision sheet									

form: A3



PRODUCT NUMBER		TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH				BERGSTRIPT™		LF							
		DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			AVAILABLE		OPTION							
		ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING		NOTES									
A	68795-YYY	0.500	12.70	0.062	1.57	0.338	8.59	POLY BAGS		—		NO		NOTE 1,12					
	68796-YYY	0.633	16.08	0.423	10.74	0.110	2.79	POLY BAGS		—		NO							
	68797-YYY	0.413	10.49	0.213	5.41	0.100	2.54	POLY BAGS		—		NO							
	69148-YYY	0.442	11.43	0.000	0.00	0.350	8.89	POLY BAGS		—		NO							
	69152-YYY	0.720	18.29	0.120	3.05	0.500	12.70	POLY BAGS/TUBES		—		NO							
	69173-YYY	0.530	13.46	0.135	3.43	0.295	7.49	POLY BAGS		—		NO							
	69188-YYY	0.751	19.08	0.333	8.46	0.318	8.08	POLY BAGS		—		NO							
	69751-YYY	0.440	11.18	0.170	4.32	0.170	4.32	POLY BAGS		NOTE 10		NO							
	71417-YYY	0.664	16.87	0.115	2.92	0.449	11.40	POLY BAGS		NOTE 10		NO							
	72260-YYYH	0.930	23.62	0.090	2.29	0.740	18.80	POLY BAGS		—		NO							
B	72323-YYYH	1.200	30.48	0.100	2.54	1.000	25.40	POLY BAGS		—		NO							
	72457-YYYH	1.100	27.94	0.090	2.29	0.910	23.11	POLY BAGS		—		NO							
	73698-YYYH	1.100	27.94	0.120	3.05	0.880	22.35	POLY BAGS		—		NO							
	74464-YYYH	1.028	26.11	0.610	15.49	0.318	8.08	POLY BAGS		—		NO							
	78240-YYY	0.663	16.84	0.333	8.46	0.230	5.84	POLY BAGS		—		NO							
	78287-YYY	0.678	17.22	0.120	3.05	0.458	11.63	POLY BAGS		—		NO							
	78290-YYY	1.250	31.75	0.500	12.70	0.650	16.51	POLY BAGS		—		NO							
	78511-YYY	0.538	13.67	0.120	3.05	0.318	8.08	POLY BAGS/TUBES		—		YES							
	78595-YYY			NOT AVAILABLE						—		—							
	78931-YYY			NOT AVAILABLE						—		—							
C	78958-YYY			NOT AVAILABLE						—		—							
	78959-YYY			NOT AVAILABLE						—		—							
	78977-YYY			NOT AVAILABLE						—		—							
	78998-YYY	0.430	10.92	0.155	3.94	0.175	4.45	POLY BAGS		—		NO							
	78999-YYY			NOT AVAILABLE						—		—							
	79428-YYY	0.695	17.65	0.120	3.05	0.475	12.07	POLY BAGS		—		NO							
	79849-YYY	0.620	15.75	0.120	3.05	0.400	10.16	POLY BAGS		—		NO							



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH				BERGSTRIPTM	LF OPTION	
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			AVAILABLE		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING	NOTES			
84918-XYH	0.340	8.64	0.120	3.05	0.120	3.05	POLY BAGS	—	YES	NOTE 1,12	
84921-XYH	0.370	9.40	0.150	3.81	0.120	3.05	POLY BAGS	—	YES		
86506-XY	0.440	11.18	0.120	3.05	0.220	5.59	POLY BAGS	—	YES		
86579-XY	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS	NOTE 9	NO		
86634-XY		NOT	AVAILABLE					—	—		
86635-XY		NOT	AVAILABLE					—	—		
86636-XY		NOT	AVAILABLE					—	—		
86637-XY		NOT	AVAILABLE					—	—		
86638-XY		NOT	AVAILABLE					—	—		
86793-XY	0.900	22.86	0.100	2.54	0.700	17.78	POLY BAGS	NOTE 10	NO		
86899-XY	1.020	25.91	0.120	3.05	0.800	20.32	POLY BAGS	—	NO	NOTE 1,12	
87185-XY	1.238	31.45	0.095	2.41	1.043	26.49	POLY BAGS	NOTE 10	NO		
87204-XY	0.895	22.73	0.120	3.05	0.675	17.15	POLY BAGS	—	NO		
87241-XY	1.000	25.40	0.120	3.05	0.780	19.81	POLY BAGS	—	NO		
87502-XYH	1.130	28.70	0.110	2.79	0.920	23.37	POLY BAGS	—	NO		
87827-XY	0.380	9.65	0.120	3.05	0.160	4.06	POLY BAGS	—	NO		
87916-XY	1.058	26.87	0.128	3.25	0.830	21.08	POLY BAGS	—	NO		
88005-XY	0.536	13.61	0.095	2.41	0.341	8.66	POLY BAGS	NOTE 10	NO		
88706-XY	0.900	22.86	0.100	2.54	0.700	17.78	POLY BAGS	—	NO		
89232-XY	0.325	8.26	0.000	0.00	0.230	5.84	POLY BAGS	NOTE 7	NO		

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK					
ltr		ecn no		dr		date		tolerances unless otherwise specified				title			
CP								INCH/MM		BERGSTIK® II HEADER					
								scale 1:1		.100/2.54cc SR STRAIGHT					
				dr		T.BREWBAKER		01/05/95		dwg no		sheet 7 of 8		size	
				enrg		T.HANNA		01/05/95				68000		A3	
				chr		J.MURPHY		01/05/95							
				appd		T.HANNA		01/05/95							
sheet index		revision sheet													



form: A3



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH				BERGSTRIPT™	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			AVAILABLE	
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING		NOTES	
90522-YYY	0.668	16.97	0.135	3.43	0.433	11.00	POLY BAGS		NOTE 10	NOTE 1,12
90547-YYY	0.508	12.90	0.095	2.41	0.313	7.95	POLY BAGS		NOTE 10	
90719-YYY	0.384	9.75	0.106	2.69	0.178	4.52	POLY BAGS		—	
90726-YYY	0.440	11.18	0.110	2.79	0.230	5.84	POLY BAGS		—	
91276-YYY	1.225	31.12	0.225	5.72	0.900	22.86	POLY BAGS		—	
92020-YYY	0.372	9.45	0.094	2.39	0.178	4.52	POLY BAGS		—	
92418-YYY	0.572	14.53	0.118	3.00	0.354	8.99	POLY BAGS		—	
93167-YYY	0.394	10.01	0.059	1.50	0.235	5.97	POLY BAGS		—	
93287-YYYH	0.585	14.86	0.085	2.16	0.400	10.16	POLY BAGS		—	
93944-YYY	0.941	23.90	0.130	3.30	0.711	18.06	POLY BAGS		—	
93992-YYYH	0.415	10.54	0.085	2.16	0.230	5.84	POLY BAGS		—	
94063-YYY	0.376	9.55	0.138	3.51	0.138	3.51	POLY BAGS		NOTE 10	
94094-YYY	0.592	15.04	0.314	7.98	0.178	4.52	POLY BAGS		—	
94544-YYY	0.550	13.97	0.130	3.30	0.330	8.38	POLY BAGS		NOTE 10	
94611-YYYH	0.320	8.13	0.095	2.41	0.125	3.18	POLY BAGS		—	
95017-YYYH	0.560	14.22	0.060	1.52	0.400	10.16	POLY BAGS		—	
95103-YYY	1.064	27.03	0.433	11.00	0.531	13.49	POLY BAGS		NOTE 10	
95104-YYY	0.370	9.40	0.126	3.20	0.144	3.66	POLY BAGS		NOTE 10	
95648-YYYH	0.655	16.64	0.155	3.94	0.400	10.16	POLY BAGS		—	
95655-YYY	1.164	29.57	0.095	2.41	0.969	24.61	POLY BAGS		NOTE 10	
98001-YYYH	0.610	15.49	0.420	10.67	0.090	2.29	POLY BAGS		—	
98136-YYYH	0.475	12.07	0.095	2.41	0.280	7.11	POLY BAGS		—	
10004394-YYYH	0.290	7.37	0.095	2.41	0.095	2.41	POLY BAGS		—	
10076764-XXYH	0.379	9.65	0.114	2.9	0.265	6.75	POLY BAGS		—	NOTE 1,12

mat'l. code SEE NOTES 2 & 3				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family BERGSTIK			
ltr		ecn		no		dr		date		tolerances unless otherwise specified			
CP										title			
										BERGSTIK® II HEADER			
										.100/2.54cc SR STRAIGHT			
										scale 1:1			
													
										dwg no		sheet 8 of 8 size	
										68000		A3	
										type		Product Customer Drawing	
sheet index		revision sheet											

form: A3