

DC - 18 GHz High Performance

- DC-2, DC-4, DC-8, and DC-12.4 units also available
- 0 - 30 dB Attenuation Values
- Rugged Stainless Steel Construction
- Any Male/Female combination available
- Small Size - Lightweight



Midwest Microwave's SMA Ultraminiature series of fixed coaxial attenuators provide temperature stable, ruggedly built, precision performance in a very small light weight package size. Attenuation values up through 30 dB in 1 dB increments are available with any of the units described and with any combination of female or male SMA connectors.

SPECIFICATIONS - HIGH PERFORMANCE

Frequency: DC - 18.0, DC - 12.4, DC - 8.0 GHz
DC - 4.0, DC - 2.0 GHz

Attenuation Accuracy: 1-6 dB ± 0.3 dB
7-20 dB ± 0.5 dB
21-30 dB ± 1.0 dB

VSWR: 1.07+ .015 (f GHz) max.


Power: 2 Watts average @ +25 °C derated linearly to .5 watts @ +125 °C

Peak Power: 200 Watts

Operating Temperature Range: - 65 to + 125 °C


Finish: Passivated Stainless Steel

DC - 18 GHz		275 Series	Model Numbers
Male/Female	Female/Female		Male/Male
ATT-0275-XX-SMA-02	ATT-275F-XX-SMA-02		ATT-275M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)			
HIGH PERFORMANCE			




Attenuation Value	Length A
1-12 dB	0.750
13-30 dB	0.875

DC - 12.4 GHz		276 Series	Model Numbers
Male/Female	Female/Female		Male/Male
ATT-0276-XX-SMA-02	ATT-276F-XX-SMA-02		ATT-276M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)			
HIGH PERFORMANCE			



Attenuation Value	Length A
1-12 dB	0.700
13-30 dB	0.825

DC - 8.0 GHz		277 Series	Model Numbers
Male/Female	Female/Female		Male/Male
ATT-0277-XX-SMA-02	ATT-277F-XX-SMA-02		ATT-277M-XX-SMA-02
XX = Attenuation Value: Select 01-30dB in 1dB increments (.5 dB increments available)			
HIGH PERFORMANCE			



Attenuation Value	Length A
1-12 dB	0.875
13-30 dB	1.00

Note: * U.S. Patent No. 3,824,506 applies to all " Fixed Attenuators.



- [Shopping Cart](#)
- [Order Status](#)
- [Help Desk](#)
- [About Midwest](#)
- [Contact Midwest](#)
- [Authorized Distributors & Sales Representatives](#)
- [Distributors Only](#)

[Customer Login](#) United States

Try our New Search! [Go](#)

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Ultraminiature SMA Fixed Attenuators								
ATT-275M-01-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	1	More Details
ATT-275M-02-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	2	More Details
ATT-275M-03-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	3	More Details
ATT-275M-04-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	4	More Details
ATT-275M-05-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	5	More Details
ATT-275M-06-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	6	More Details
ATT-275M-07-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	7	More Details
ATT-275M-08-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	8	More Details
ATT-275M-09-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	9	More Details
ATT-275M-10-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	10	More Details
ATT-275M-11-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	11	More Details
ATT-275M-12-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	12	More Details
ATT-275M-13-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	13	More Details
ATT-275M-14-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	14	More Details
ATT-275M-15-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	15	More Details

We also have

Attenuator

BUY NOW Our Price: **\$222.00**



ATT-0640-06-29M-02
6 dB DC-40 Ghz Attenuator
Subminiature Minipad
2.9mm/2.9mm 1 watt
Passivated

[Click for More Info](#)

Termination

BUY NOW Our Price: **\$73.50**



OPN-2186-F0-BNC-10
DC-4 Ghz Termination Open
Circuit Female BNC Nickel

[Click for More Info](#)

ATT-275M-16-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	16	More Details
ATT-275M-17-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	17	More Details
ATT-275M-18-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	18	More Details
ATT-275M-19-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	19	More Details
ATT-275M-20-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	20	More Details
ATT-275M-21-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	21	More Details
ATT-275M-22-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	22	More Details
ATT-275M-23-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	23	More Details
ATT-275M-24-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	24	More Details
ATT-275M-25-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	25	More Details
ATT-275M-26-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	26	More Details
ATT-275M-27-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	27	More Details
ATT-275M-28-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	28	More Details
ATT-275M-29-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	29	More Details
ATT-275M-30-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	30	More Details
ATT-275M-70-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	0.5	More Details
ATT-275M-71-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	1.5	More Details
ATT-275M-72-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	2.5	More Details
ATT-275M-73-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	3.5	More Details
ATT-275M-74-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	4.5	More Details

ATT-275M-75-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	5.5	More Details
ATT-275M-76-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	6.5	More Details
ATT-275M-77-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	7.5	More Details
ATT-275M-78-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	8.5	More Details
ATT-275M-79-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	9.5	More Details
ATT-275M-80-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	10.5	More Details
ATT-275M-81-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	11.5	More Details
ATT-275M-82-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	12.5	More Details
ATT-275M-83-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	13.5	More Details
ATT-275M-84-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	14.5	More Details
ATT-275M-85-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	15.5	More Details
ATT-275M-86-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	16.5	More Details
ATT-275M-87-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	17.5	More Details
ATT-275M-88-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	18.5	More Details
ATT-275M-89-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	19.5	More Details

[Matches 1-50 of 60 found.](#)
[1](#) [2](#) [Next](#)

All rights reserved. ©2002 Midwest Microwave



- [Shopping Cart](#)
- [Order Status](#)
- [Help Desk](#)
- [About Midwest](#)
- [Contact Midwest](#)
- [Authorized Distributors & Sales Representatives](#)
- [Distributors Only](#)

[Customer Login](#) United States

Try our New Search! [Go](#)

[< Return to Product Categories](#)

SKU	Product	Frequency	Power	Body	Interface	Gender	dB	
Ultraminiature SMA Fixed Attenuators								
ATT-275M-90-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	20.5	More Details
ATT-275M-91-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	21.5	More Details
ATT-275M-92-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	22.5	More Details
ATT-275M-93-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	23.5	More Details
ATT-275M-94-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	24.5	More Details
ATT-275M-95-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	25.5	More Details
ATT-275M-96-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	26.5	More Details
ATT-275M-97-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	27.5	More Details
ATT-275M-98-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	28.5	More Details
ATT-275M-99-SMA-02	Attenuator	18	2	STD	SMA/SMA	M/M	29.5	More Details

Matches 51-60 of 60 found.
[Previous](#) [1](#) [2](#)

We also have

Attenuator
[BUY NOW](#) Our Price: **\$222.00**



ATT-0640-06-29M-02
 6 dB DC-40 Ghz Attenuator
 Subminiature Minipad
 2.9mm/2.9mm 1 watt
 Passivated

[Click for More Info](#)

QPL Termination
[BUY NOW](#) Our Price: **\$135.00**



M39030/3-05N
 DC-18 Ghz QPL Termination
 Gold Female SMA 2 watt

[Click for More Info](#)

All rights reserved. ©2002 Midwest Microwave