




# ATS Extrusion Profiles

**ATS PART # ATS470073025-EXL32-R0**

## Features & Benefits


- » Aluminum extrusions are the most cost-effective solution for the majority of electronic cooling applications
- » This extrusion profile has 24 fins
- » Extrusion type is straight fin, AL-6063
- » Surface area (in<sup>2</sup>/in) is 48.20



*\*Image above is for illustration purposes only.*

## Thermal Performance

### HEAT SINK THERMAL RESISTANCE



## Product Details

| LENGTH | WIDTH    | HEIGHT  | FIN SPACING | BASE THICKNESS | FINISH |
|--------|----------|---------|-------------|----------------|--------|
| 470 mm | 73.25 mm | 25.4 mm | 3.15 mm     | 2.54 mm        | NONE   |

### NOTES:

- 1) Thermal curve based on 76 mm length.
- 2) Thermal performance data are provided for reference only. Actual performance may vary by application.
- 3) ATS reserves the right to update or change its products without notice to improve the design or performance.
- 4) Contact ATS to learn about custom options available.



**ATS** ADVANCED THERMAL SOLUTIONS, INC.  
Innovations in Thermal Management®

**For more information, to find a distributor or to place an order, visit [www.Qats.com](http://www.Qats.com) or call: 781.769.2800 (North America); +31 (0) 3569 84715 (Europe).**