BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin





ATS010010013-PF-1L

ATS Part#:
Description:

10.00 x 10.00 x 13.00 mm BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin



Heat Sink Type: Custom Pin Fin

Heat Sink Attachment: N/A Equivalent Part Number: N/A

*Image above is for illustration purpose only.

Features & Benefits

- High efficiency pin fin design provides low pressure drop characteristics
- · Large surface area increases heat sink performance
- · Fabricated from extruded aluminum, which minimizes thermal resistance from the base to the fins, reduces weight and keeps costs low
- · Comes standard without interface material or with most common pressure sensitive thermal tapes as a custom option

Thermal Performance

| AIR VELOCITY | | @200 LFM 1.0 M/S | @300 LFM 1.5 M/S | @400 LFM 2.0 M/S | @500 LFM 2.5 M/S | @600 LFM 3.0 M/S | @700 LFM 3.5 M/S | @800 LFM 4.0 M/S |
|--------------------|---------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| THERMAL RESISTANCE | Unducted Flow | 26.11 °C/W | 21.7 °C/W | 19 °C/W | 17.2 °C/W | 15.8 °C/W | 14.8 °C/W | 13.9 °C/W |
| | Ducted Flow | 19.1 | 16.2 | 14.3 | 13.1 | 12.1 | 11.3 | 10.7 |

Product Detail





