BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin



ATS Part#:

Description:

 Heat Sink Type:
 Custom Pin Fin

 Heat Sink Attachment:
 N/A

Equivalent Part Number: N/A

*Image above is for illustration purpose only.

Features & Benefits

- High efficiency pin fin design provides low pressure drop characteristics
- Large surface area increases heat sink performance
- · Fabricated from extruded aluminum, which minimizes thermal resistance from the base to the fins, reduces weight and keeps costs low

ATS019019004-PF-6C

19.00 x 19.00 x 4.00 mm BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin

· Comes standard without interface material or with most common pressure sensitive thermal tapes as a custom option

Thermal Performance

| AIR VELOCITY | | @200 LFM 1.0 M/S | @300 LFM 1.5 M/S | @400 LFM 2.0 M/S | @500 LFM 2.5 M/S | @600 LFM 3.0 M/S | @700 LFM 3.5 M/S | @800 LFM 4.0 M/S |
|--------------------|---------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| THERMAL RESISTANCE | Unducted Flow | 39.88 °C/W | 32 °C/W | 27.7 °C/W | 24.9 °C/W | 22.8 °C/W | 21.2 °C/W | 19.9 °C/W |
| | Ducted Flow | 19.5 | 16.4 | 14.4 | 13.1 | 12.1 | 11.3 | 10.6 |

Product Detail

| Schematic Image | Dimension A | Dimension B | Dimension C | Dimension D | тім | Finish |
|--|--|---|--|--|--------------------|----------------|
| ring | 19.00 mm | 19.00 mm | 4.00 mm | 19 mm | N/A | BLACK-ANODIZED |
| 'Inage above is for illustration purpose only. | Dimensior Dimensior Thermal p application ATS reser performan ATS certif | D is fin tip to fin tip performance data are n. ves the right to update vec. | e provided for refere ate or change its pro k assembly is RoHS | m of the base to the nce only. Actual perf ducts without notice i-6 and REACH com ble. | formanc to impr | e may vary by |

For more information, to find a distributor or to place an order, please contact us at 781-769-2800 (North America), sales@gats.com or www.gats.com.



© 2013 Advanced Thermal Solutions, Inc. | 89-27 Access Road | Norwood MA | 02062 | USA