





4 3 2 1

PRODUCT NO										REVIEWS			
POS.	SIZE	A	B	C	D	F	G	FINISH	REV	DESCRIPTION	BY	DATE	
68153-904	4	7.62 / .300	14.62 / .576	12.7 / .500					A	RELEASED FOR J8344	#	11-18-86	
-905	5	10.16 / .400	17.16 / .676	15.24 / .600	2.54 / .100				B	ADDED -3xx RCR#J8428	#	2-25-87	
-906	6	12.7 / .500	19.7 / .776	17.78 / .700	5.08 / .200								
-907	7	15.24 / .600	22.24 / .876	20.32 / .800	7.62 / .300								
-908	8	17.78 / .700	24.78 / .976	22.86 / .900	10.16 / .400								
-909	9	20.32 / .800	27.32 / 1.076	25.4 / 1.000	12.7 / .500								
-910	10	22.86 / .900	29.86 / 1.176	27.94 / 1.100	15.24 / .600								
-911	11	25.4 / 1.000	32.4 / 1.276	30.48 / 1.200	17.78 / .700	0.25 / .008	0.2 / .008	REF. SEE NOTE ④					
-912	12	27.94 / 1.100	34.94 / 1.376	33.02 / 1.300	20.32 / .800								
-913	13	30.48 / 1.200	37.48 / 1.476	35.56 / 1.400	22.86 / .900								
-914	14	33.02 / 1.300	40.02 / 1.576	38.1 / 1.500	25.4 / 1.000								
-915	15	35.56 / 1.400	42.56 / 1.676	40.64 / 1.600	27.94 / 1.100								
-916	16	38.1 / 1.500	45.1 / 1.776	43.18 / 1.700	30.48 / 1.200								
-917	17	40.64 / 1.600	47.64 / 1.876	45.72 / 1.800	33.02 / 1.300								
-918	18	43.18 / 1.700	50.18 / 1.976	48.26 / 1.900	35.56 / 1.400								
-919	19	45.72 / 1.800	52.72 / 2.076	50.8 / 2.000	38.1 / 1.500								
68153-920	20	48.26 / 1.900	55.26 / 2.176	53.34 / 2.100	40.64 / 1.600								

68153-304 4 7.62 / .300 14.62 / .576 12.7 / .500

-305 5 10.16 / .400 17.16 / .676 15.24 / .600 2.54 / .100

-306 6 12.7 / .500 19.7 / .776 17.78 / .700 5.08 / .200

-307 7 15.24 / .600 22.24 / .876 20.32 / .800 7.62 / .300

-308 8 17.78 / .700 24.78 / .976 22.86 / .900 10.16 / .400

-309 9 20.32 / .800 27.32 / 1.076 25.4 / 1.000 12.7 / .500

-310 10 22.86 / .900 29.86 / 1.176 27.94 / 1.100 15.24 / .600

-311 11 25.4 / 1.000 32.4 / 1.276 30.48 / 1.200 17.78 / .700

-312 12 27.94 / 1.100 34.94 / 1.376 33.02 / 1.300 20.32 / .800

-313 13 30.48 / 1.200 37.48 / 1.476 35.56 / 1.400 22.86 / .900

-314 14 33.02 / 1.300 40.02 / 1.576 38.1 / 1.500 25.4 / 1.000

-315 15 35.56 / 1.400 42.56 / 1.676 40.64 / 1.600 27.94 / 1.100

-316 16 38.1 / 1.500 45.1 / 1.776 43.18 / 1.700 30.48 / 1.200

-317 17 40.64 / 1.600 47.64 / 1.876 45.72 / 1.800 33.02 / 1.300

-318 18 43.18 / 1.700 50.18 / 1.976 48.26 / 1.900 35.56 / 1.400

-319 19 45.72 / 1.800 52.72 / 2.076 50.8 / 2.000 38.1 / 1.500

68153-320 20 48.26 / 1.900 55.26 / 2.176 53.34 / 2.100 40.64 / 1.600

THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE BE MADE BY YOU TO OTHER THAN BERG PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM BERG ELECTRONICS. DO NOT SCALE PRINT

CUSTOMER COPY  
CODE IDENT 22526  
DATE 11/10/86  
TITLE RELIFLEX-2.54 CONN. (R/A)  
SCALE SIZE DWG NO 68153  
CAP. CUST SHEET 3

SHEET INDEX  
ISSUE SH NO I  
LEVELS  
DO NOT SCALE DRAWING  
TOLERANCE UNLESS OTHERWISE NOTED MM/INCH  
0.00+0.25/-0.00+0.01 0.01  
0.00+0.13/-0.00+0.05  
0.00+0.051/-0.00+0.020  
HATL  
DR H. NARITA  
CHK  
ENGR  
APPD  
FINISH  
ANGLES 2-90°

THIRD ANGLE PROJECTION  
MM INCH  
TABULATION SHEETS REQUIRED YES NO

NOTE: Refer print to the property of and under the copyright of the design of BERG ELECTRONICS SYSTEMS, Division of E.L. du Pont de Nemours & Co., Inc. All rights reserved. No part of this design shall be reproduced or transmitted in any form or by any means without the written permission of BERG ELECTRONICS SYSTEMS. Copyright 1986.