


SFP-3611 Version: 3

1.25G SMF SFP Transceiver, 80km, 1550nm

LevelOne SFP-3611 is a high performance and cost-effective single-mode SFP transceiver. Intended for use with Gigabit Ethernet, it provides up to 1.25 Gbps bi-directional data transfer rate on a single duplex fiber core. For use with 9 micron fiber cables, it can reach a distance of up to 80km. The SFP-3611 transceiver operates using a wavelength of 1550nm with a DFB Laser Diode light source and has a LC connector.



Key Features

- 1550nm DFBLD
 - Data Rate: 1.25Gbps,NRZ
 - Single +3.3V Power Supply
 - RoHS Compliant and Lead-free
 - AC/AC Differential Electrical Interface
 - Compliant with Multi-Source Agreement(MSA)
 - Duplex LC Connector
 - Compliance with specifications for IEEE-802.3z Gigabit Ethernet at 1.25Gbps
 - Compliance with ANSI specifications for Fibre Channel applications at 1.06bps
 - No configuration or installation software required
 - Eye Safety Designed to meet LASER Class 1 comply with EN60825-1
-

Works Well With



GVT-4000

10/100/1000BASE-T to 1000BASE-X SFP Converter

Specifications

System Specifications

Connectors and Cabling:

Duplex LC Connector, Single-mode fiber(SMF)

Wavelength(nm):

1550nm DFB Laser Diode

Transmit Power:

0 ~ +5 dBm

Power Budget:

23 dB

Power:

Supply Voltage: 3.3V

Max Voltage/Current: 6V/300mA

Standards & Protocols:

IEEE 802.3z Gigabit Ethernet

SFP Multi-Sourcing Agreement(MSA)

Receive Sensitivity(dBm):

-23 dBm

Features

General:

Hot-swappable

Performance

Data Transfer Rate:

1.25 Gbps Bi-directional data link

Operating Distance:

up to 80km (9/125?m)

Fiber channel up to 1.06Gbps

Environment

Temperature (°C):

Operating: 0°C ~ 70°C

Storage: -40 ~ 85°C

Humidity (Non-condensing):

5 ~ 95%

Physical Specifications

Dimensions (W x D x H mm):

13.7 x 56.5 x 8.95 mm


Weight (g):

20g

Others

Approval and Compliance:
Class 1 eye safety and comply with EN 60825-1
CE, FCC, RoHS

Diagram



Order Information

SFP-3611

No liability or responsibility for any errors or omissions in the content.
Specifications are subject to change without notice.



All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.