Data Sheet

EMIGUARD[®](EMIFIL[®] with Varistor Function) **VFS6V Series** Dimension Insertion Loss Characteristics 2 54 8.0 max (50Ω - 50Ω) Insertion Loss (dB) 2.5+0/5.0±(ø0.6 60 10.0 100.0 1000.0 (in mm) *1 There may be a hole on the top of ferrite beads, Frequency (MHz) which cause no characteristics deterioration. *2 Bottom of the ferrite beads may not be level with each other. Equivalent Circuit -0

■ Rated Value (□: lead type/packaging code)

GND

No polarity

Part Number	Rated Voltage	Varistor Voltage	Capacitance	Rated Current	Peak Pulse Current	Operating Temperature Range
VFS6VD81E221	25Vdc	50Vdc +20%-20%	220pF +20%-20%	6A	100A	-40°C to 105°C

Continued on the following page.

• This data sheet is applied for EMIGUARD[®] (EMIFIL[®] with Varistor Function) used for General Electronics equipment for your design.

[⚠] Note:

1. This datasheet is downloaded from the website of Murata Manufacturing co., ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please approve our product specifications or transact the approval sheet for product specifications before ordering.



Murata Manufacturing Co., Ltd. http://www.murata.com/

Data Sheet

Continued from the preceding page.

Packaging

Minimum Quantity

	Minimum Order Quantity (order in sets only) (Pcs.)				
Part Number	Ammo Pack	ø320mm Paper reel	Bulk (Bag)		
VFS6V Series	2000	_	250 Q55/T51 500 Q54/Q56/T41		

Lead Type/Packaging

Code	Lead Type	Lead Length*	Packaging	Series
T51B	Incrimp	25.0mm min.	Bulk	VFR3/VFS6
U31A	псттр	18.5+/-1.0mm	Ammo Pack	
Q55B	Straight	25.0mm min.	Bulk	
Q91J		20.0+/-1.0mm	Paper Reel (ø320mm)	VFS9
Q92J		16.5+/-1.0mm		
Q93J		18.5+/-1.0mm		

*Lead Distance between Reference and Bottom Planes except Bulk.

■ ① Caution (Rating)

Do not use products beyond the rated current and rated voltage as this may create excessive heat and deteriorate the insulation resistance.

• This data sheet is applied for EMIGUARD[®] (EMIFIL[®] with Varistor Function) used for General Electronics equipment for your design.

∆ Note:

1. This datasheet is downloaded from the website of Murata Manufacturing co., ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please approve our product specifications or transact the approval sheet for product specifications before ordering.



2