



AIGaAs Infrared Laser Diode

ADL-78901SX

★780nm, 90mW Reliable Operation

200mW High Power Pulse Reliable Operation



φ3.3mm Mini Package!

• Features

1. Smallest package
2. Small aspect ratio
3. High COD level

• Applications

1. Virtual keyboard
2. Super slim 40X CD-R/RW OPU



• Absolute maximum ratings

Parameter	Symbol	Condition	Rating	Unit
Light output power	P _O	CW	100	mW
	P _{op}	Pulsed*	220	
Reverse voltage(LD)	V _{RL}	-	2	V
Case temperature	T _C	-	-10~+70	°C
Storage temperature	T _S	-	-40~+85	°C

* Pulse width 0.5us, duty cycle 50%

• Electrical and optical characteristics (T_c=25 °C)

Parameter	Symbol	Min.	Typ.	Max.	Unit	Conditions (CW)
Peak wavelength	λ	775	785	795	nm	P _O =90mW
Threshold current	I _{th}	25	35	55	mA	
Operating current	I _{op}	90	115	160	mA	
Operating voltage	V _{op}	1.5	2	2.2	V	P _O =80-90mW
Differential efficiency	η	0.8	1.1	1.3	mW/mA	
Parallel divergence angle	θ	7.5	9	10	deg	P _O =90mW
Perpendicular divergence angle	θ _⊥	15	17	19	deg	
Parallel FFP deviation angle	Δθ	-2	0	+2	deg	
Perpendicular FFP deviation angle	Δθ _⊥	-3	0	+3	deg	
Emission point accuracy	Δx Δy Δz	-80	0	+80	um	

• Precautions

- * Do not operate the device above maximum ratings. Doing so may cause unexpected and permanent damage to the device.
- * Take precautions to avoid electrostatic discharge and/or momentary power spikes. A change in the characteristics of the laser or premature failure may result.
- * Proper heat sinking of the device assures stability and lifetime. Always ensure that maximum operating temperatures are not exceeded.
- * Observing visible or invisible laser beams with the human eye directly, or indirectly, can cause permanent damage. Use a camera to observe the laser.
- * No laser device should be used in any application or situation where life or property is at risk in event of device failure.
- * Specifications are subject to change without notice. Ensure that you have the latest specification by contacting us prior to purchase or use of the product



AlGaAs Infrared Laser Diode

ADL-78901SX

