molex®
one company › a world of innovation

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:	**98122-1002**
Status:	**Active**
Overview:	NSCC - New Standard Casing Contact
Description:	3.33mm / 4.20mm Pitch Hybrid Female Housing, Sealed, Right Slide Orientation, 30 Circuits, Brown

Documents:
Drawing (PDF)   RoHS Certificate of Compliance (PDF)

General

|	
Product Family	Crimp Housings
Series	98122
Application	Power, Wire-to-Wire
Application Tooling Part Link	63813-7200
Comments	The current is specified within the FCI Sicma terminal specification for 1.50mm and 2.80mm terminals.
Overview	NSCC - New Standard Casing Contact
Product Name	NSCC
UPC	822348276127

Physical

Circuits (maximum)	30
Circuits Detail	6x2.8mm 24x1.5mm female terminals
Color - Resin	Black, Natural
Gender	Female
Glow-Wire Compliant	No
Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	50.170/g
Number of Rows	3
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.33mm, 4.20mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No
Temperature Range - Operating	-40°C to +85°C

Material Info

Reference - Drawing Numbers

Sales Drawing	SD-98122-010

Series
image - Reference only

EU RoHS   **China RoHS**
ELV and RoHS Compliant
REACH SVHC Not Reviewed
Low-Halogen Status **Low-Halogen**

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
98122Series

Mates With
98761

Use With
Sicma 1.5 and 2.8mm Female Terminals from FCI

Application Tooling | **FAQ**
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.
Global

Description	Product #
Extractor Tool for 30 Circuit Hybrid Female Housing	0638137200