

# **18dBi Directional Panel Outdoor Antenna**

WAN-2181



#### **Product Overview**

The LevelOne WAN-2181 Directional Panel Outdoor Antenna provides outdoor WiFi spots, hotspots and RFID reception areas with extended wireless network access to 802.11b/g/n wireless local area networks.


## **Connect to LevelOne Access Points and Routers**

The WAN-2181 easily connects to LevelOne wireless routers and access points to provide extended wireless network coverage to outdoor areas. The directional

design of the WAN-2181 offers increased wireless signal coverage in a specific direction, allowing for improved data throughput over extended areas.

## **High-Quality Outdoor Antenna**

The WAN-2181 Outdoor Antenna is made of non-corrosion materials and is weatherproof making it suitable for all weather conditions. It can withstand wind gusts of up to 180km/h and provides lightning protection.



\*\* Antenna cable and arrestor are not included

# **Key Features**

- For IEEE 802.11b/g/n Wireless applications in 2.4G ~ 2.5GHz ISM Band
- 18dBi Directional and Multi-point operation
- Lightweight and all-weather operation
- Outdoor antenna for public hot-spots, WiFi and RFID applications
- DC Short and lightning protection
- Includes tilt and swivel mast mount brackets

#### **Works Well With**



WAB-3002 11g Outdoor PoE Wireless Access Point



WAB-7400 11a/b/g Dual Radio Outdoor Mesh PoE Wireless Access Point

## **Technical Specification**

Electrica	Shaci	treation
LIECUICA	DUCC	IIICation

**Frequency Band** 

2.4GHz-2.5GHz (2.4GHz ~2.5GHz)

Gain

18dBi

**VSWR** 

≤1.5

Polarization

Vertical

**Vertical Beam width** 

17°C

**Horizontal Beam width** 

17°C

Impedance

50Ω

Connector

Fixed N Female

**Admitted Power** 

30W

**Antenna Type** 

PCB Patch array

# **Environmental & Mechanical Characteristics**

Survival Wind Speed

180km/hr (120mph) wind gusts

**Operating Temperature** 

-20°C ~ +80°C

Antenna Size

365mm x 365mm x20mm

Weight

800g

Randome Material

**ABS Grey** 


Clamps

U-Bolt

**Mounting Pipe** 


32mm-45mm

## **Product Diagram**




WAN-2181 works with WAB-7000 for Point-to-Point wireless bridging applications

#### **Radiation Pattern**



E-Plane Co-polarization Pattern



H-Plane Co-polarization Pattern

**Order Information** 

WAN-2181: 18dBi Directional Panel Outdoor Antenna

**Package Contents** 

WAN-2181, L Type Mounting Kits

# **Optional Accessories**



ANC-4230 400 Series N plug to N plug Cable 3m



ANC-2210 200 Series N plug to N plug Cable 1m



ANC-2310 200 Series N plug to RPSMA plug Cable 1m



**ANA-6100** 6GHz Outdoor Arrestor



**ANA-3100** 3GHz Outdoor Arrestor



ANC-2330 200 Series N plug to RPSMA plug Cable 3m