

N Male to HN Male Adapter



TECHNICAL DATA SHEET

N Male to HN Male Adapter	
Configuration Connector 1 Impedance 1 Connector 2 Impedance 2 Adapter Design Body Style	N Male 50 Ohms HN Male 50 Ohms Standard Straight
Size Length, in [mm] Width/Dia., in [mm]	1.83 [46.48] 0.9 [22.86]
Connector 1 Type Inner Conductor Material and Plating Coupling Nut Material and Plating Body Material and Plating Dielectric Type Connector 2 Type Inner Conductor Material and Plating Coupling Nut Material and Plating Body Material and Plating	N Male Silver Brass, Nickel Brass, Nickel PTFE HN Male Silver Brass, Nickel Brass, Nickel
Dielectric Type	PTFE
Compliance Certifications (visit www.Pasternack.com for current document) RoHS Compliant Yes	
Plotted and Other Data	
Notes:	Values at 25 °C, sea level
URL: http://www.pasternack.com/n-male-hn-male-straight-adapter-pe9554-p.aspx	

N Male to HN Male Adapter from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 Sales@Pasternack.com • Techsupport@Pasternack.com



PE9554

PE9554 CAD Drawing

N Male to HN Male Adapter

