

X-NUCLEO-IKP01A

VL6180X explorer shield, compatible with STM32 nucleo

Data brief



Features

- VL6180X Gesture, ALS and proximity sensor.
- Slider switch controlling 2 functions:
 - Ranging measurement, up to 100mm.
 - Ambient light sensing, up to 9999 Lux.
- 4-digit display, displaying either the lux value from the ambient light sensing (ALS) or the target distance from the proximity sensor.
- Excellent ranging accuracy, whatever the reflectance of the target.
- External small PCB with VL6180X can be soldered to the shield through flying wires, in order to integrate the VL6180X in customer's application.
- Basic gesture recognition, or 2x VL6180X application can be featured, using together the sensor on the shield and an external sensor.
- Compatible with STM32 F401 Nucleo board.
- Equipped with Arduino UNO R3 connector.
- RoHS compliant.
- Full system SW supplied, download from *www.st.com/vl6180x*.

Description

The X-NUCLEO-IKP01A is an evaluation board that provides an introduction to the proximity, ranging and light sensing capabilities of the VL6180X sensor. It is the ideal companion to the STM32 F401 Nucleo board, and it is also compatible with the Arduino UNO R3 connector layout.

The VL6180X explorer shield features the VL6180X proximity sensor, based on ST's FlightSense™, Time-of-Flight, technology, and provides very accurate ranging information, as well as ambient light sensing (ALS) information. The range measurements are independent of the target reflectance.

Table 1. Ordering information

Order code	Description
X-NUCLEO-IKP01A	VL6180X explorer shield

June 2014

DocID026598 Rev 1

1/3

For further information contact your local STMicroelectronics sales office.

Revision history

Date	Revision	Changes
24-Jun-2014	1	Initial release.

Table 2. Document revision history



Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

ST PRODUCTS ARE NOT DESIGNED OR AUTHORIZED FOR USE IN: (A) SAFETY CRITICAL APPLICATIONS SUCH AS LIFE SUPPORTING, ACTIVE IMPLANTED DEVICES OR SYSTEMS WITH PRODUCT FUNCTIONAL SAFETY REQUIREMENTS; (B) AERONAUTIC APPLICATIONS; (C) AUTOMOTIVE APPLICATIONS OR ENVIRONMENTS, AND/OR (D) AEROSPACE APPLICATIONS OR ENVIRONMENTS. WHERE ST PRODUCTS ARE NOT DESIGNED FOR SUCH USE, THE PURCHASER SHALL USE PRODUCTS AT PURCHASER'S SOLE RISK, EVEN IF ST HAS BEEN INFORMED IN WRITING OF SUCH USAGE, UNLESS A PRODUCT IS EXPRESSLY DESIGNATED BY ST AS BEING INTENDED FOR "AUTOMOTIVE, AUTOMOTIVE SAFETY OR MEDICAL" INDUSTRY DOMAINS ACCORDING TO ST PRODUCT DESIGN SPECIFICATIONS. PRODUCTS FORMALLY ESCC, QML OR JAN QUALIFIED ARE DEEMED SUITABLE FOR USE IN AEROSPACE BY THE CORRESPONDING GOVERNMENTAL AGENCY.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

> ST and the ST logo are trademarks or registered trademarks of ST in various countries. Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2014 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan -Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com



DocID026598 Rev 1