

Applied Motion Products, Inc. 404 Westridge Dr. Watsonville, CA 95076, USA 1-800-525-1609 Tel (831) 761-6555 Fax (831) 761-6544

Product Datasheet

www.Applied-Motion.com

1pc. - 639.00 50pc. - 639.00

34VL005

NEMA 34 Planetary Gearhead



Product Features

- Normally available in 48 hours see Description below for details
- True planetary design
- Compact design
- Sealed ball bearings
- · Heat treated gears
- High efficiency design
- AGMA gear quality
- Other ratios available in 2-4 week lead time: 4, 7



Description

The 34VL005 planetary gearhead offers true planetary performance at an excellent price. High strength, heated treated gears provide for efficient transmission of torque and accurate speed matching.

Additional mounting hardware is required to mount this gearhead to any of the following motors: Stepper motors HT34-504, HT34-505, and HT34-506. Servo motors M0750-102-5-000, M0750-152-5-000, M0600-102-5-000, M0600-152-5-000, and all N series NEMA 34 servo motors with model format of Nxxx-xxx-C-xxx. Please note that the charge for the adaptor is \$150 and lead time will be extended by 2-4 weeks. Additional hardware is also required for the HT34-487, HT34-490, and HT34-497 stepper motors, which will extend the lead time to 2-4 weeks. An additional charge will apply for any VL series gearhead chosen for use with one of these motors.

Specifications

Part Number:	34VL005			
Frame Size:	NEMA 34			
Ratio:	5:1			
Torque, Nominal:	702 in-Ib			
Torque, Max Accel:	884 in-lb			
Length:	3.33 inches			
Weight:	5.0 lbs			
Input Speed:	5000 rpm max			
Backlash:	12			
Operating	-40 to 120 °C			
Temperature:				
IP Rating:	IP54			
Service Life:	> 10,000 hours			
Efficiency:	90%			
Inertia:	3.544E-03 oz-in-sec ²			
Quick Delivery:	Yes			

Downloads

Datasheet:	http://s3.amazonaws.com/applied-motion-pdf/34VL005.pdf		
2D Drawing:	<u> </u>		
3D Drawing:	34VL-1STG.igs		

Pricing

	34VL005 Part No. 34VL005
1рс.	\$639.00
25pc.	
50pc.	
100pc.	Request a Quote for 100+ piece pricing.

Products in the Series VL Gearheads

umber 🗘	Frame Size 🗘	Ratio 🗘	Length 🗘	Output Torque	Backlash 🗘	1рс./50рс. 🗘
<u>17VL010</u>	NEMA 17	10:1	2.41	81	12	\$442.00 / \$442.00
23VL005	NEMA 23	5:1	2.46	195	12	\$442.00 / \$442.00
23VL010	NEMA 23	10:1	2.46	140	12	\$442.00 / \$442.00
23VL015	NEMA 23	15:1	3.14	210	16	\$575.00 / \$575.00
23VL025	NEMA 23	25:1	3.14	216	16	\$575.00 / \$575.00
23VL070	NEMA 23	70:1	3.14	179	16	\$575.00 / \$575.00
<u>34VL005</u>	NEMA 34	5:1	3.33	702	12	\$639.00 / \$639.00
<u>34VL010</u>	NEMA 34	10:1	3.33	530	12	\$639.00 / \$639.00
<u>34VL015</u>	NEMA 34	15:1	4.26	756	16	\$796.00 / \$796.00
<u>34VL025</u>	NEMA 34	25:1	4.26	778	16	\$796.00 / \$796.00
<u>34VL070</u>	NEMA 34	70:1	4.26	706	16	\$796.00 / \$796.00