



AN2710

Application note

Safe GPIO port configuration in STR7xx devices

Introduction

The general purpose I/O (GPIO) ports of STR7xx devices are programmable by firmware in several modes: input, output, alternate function, output open drain, output push-pull, bidirectional weak push-pull and high impedance. It is possible to manage the analog input mode as well.

This application note describes the best way of configuring the GPIO ports.

Contents

- 1 STR71x & STR73x I/O ports 6**
 - 1.1 Functional description 6
 - 1.2 General-purpose I/O (GPIO) 7
 - 1.2.1 Alternate function I/O (AF) 8
 - 1.2.2 Input configuration 8
 - 1.2.3 Input pull-up/pull-down configuration 9
 - 1.2.4 Output configuration 9
 - 1.2.5 Alternate function configuration 10
 - 1.2.6 High impedance-analog input configuration 11

- 2 STR75x general-purpose I/O ports (GPIO) 12**
 - 2.1 Functional description 12
 - 2.1.1 General purpose I/O (GPIO) 13
 - 2.1.2 Alternate functions (AF) 13
 - 2.1.3 Input configuration 15
 - 2.1.4 Output configuration 16
 - 2.1.5 Alternate function configuration 17
 - 2.1.6 Analog input configuration 17

- 3 STR7x atomic bit set or bit reset (bit-wise write operations) 19**

- 4 Recommended configuration sequence 20**
 - 4.1 From alternate push-pull 20
 - 4.2 From alternate function open drain 21
 - 4.3 From output push-pull 22
 - 4.4 From output open drain 23
 - 4.5 From input/output 23
 - 4.6 From input 25
 - 4.7 From analog input 26

- 5 Conclusion 28**

- 6 Revision history 29**

List of tables

Table 1.	STR71x port bit configuration table	7
Table 2.	STR73x port bit configuration table	7
Table 3.	STR75x Port bit configuration table	13
Table 4.	Alternate push-pull to analog input	20
Table 5.	Alternate push-pull to input	20
Table 6.	Alternate push-pull to Input pull-up/pull-down.	20
Table 7.	Alternate push-pull to output open drain.	20
Table 8.	Alternate push-pull to output push-pull	21
Table 9.	Alternate push-pull to alternate function open drain	21
Table 10.	Alternate function open drain to analog input	21
Table 11.	Alternate function open drain to input	21
Table 12.	Alternate function open drain to Input pull-up/pull-down.	21
Table 13.	Alternate function open drain to output open drain.	21
Table 14.	Alternate function open drain to output push-pull	21
Table 15.	Alternate function open drain to alternate function push-pull	22
Table 16.	Output push-pull to analog Input.	22
Table 17.	Output push-pull to input.	22
Table 18.	Output push pull to Input pull-up/pull-down	22
Table 19.	Output push-pull to output open drain	22
Table 20.	Output push-pull to alternate function open drain.	22
Table 21.	Output push-pull to alternate function push-pull	22
Table 22.	Output open drain to analog input	23
Table 23.	Output open drain to input	23
Table 24.	Output open drain to Input pull-up/pull-down	23
Table 25.	Output open drain to output push-pull	23
Table 26.	Output open drain to alternate function open drain	23
Table 27.	Output open drain to alternate function push-pull.	23
Table 28.	Input pull-up/pull-down to analog input.	23
Table 29.	Input pull-up/pull-down to Input.	24
Table 30.	Input pull-up/pull-down to output open drain.	24
Table 31.	Alternate Input pull-up/pull-down to output open drain sequence.	24
Table 32.	Input pull-up/pull-down to output push-pull	24
Table 33.	Alternate sequence: Input pull-up/pull-down to output push-pull	24
Table 34.	Input pull-up/pull-down to alternate function open drain	24
Table 35.	Alternate sequence: Input pull-up/pull-down to alternate function open drain	24
Table 36.	Input pull-up/pull-down to alternate function push-pull	25
Table 37.	Input to analog input	25
Table 38.	Input to Input pull-up/pull-down.	25
Table 39.	Input to output open drain.	25
Table 40.	Alternate Input to output open drain sequence.	25
Table 41.	Input to output push-pull	25
Table 42.	Input to alternate function open drain	26
Table 43.	Alternate sequence: Input to alternate function open drain	26
Table 44.	Input to alternate function push-pull	26
Table 45.	Analog input to input	26
Table 46.	Analog input to Input pull-up/pull-down.	26
Table 47.	Analog input to output push-pull	26
Table 48.	Analog input to output open drain.	27

Table 49.	Analog input to alternate function open drain	27
Table 50.	Analog Input to alternate function push-pull	27
Table 51.	Document revision history	29

List of figures

Figure 1.	Basic structure of an I/O port bit	6
Figure 2.	Input configuration	8
Figure 3.	Input pull-up/pull-down configuration	9
Figure 4.	Output configuration	10
Figure 5.	Alternate function configuration	10
Figure 6.	High impedance-analog input configuration	11
Figure 7.	Basic structure of an I/O port bit	12
Figure 8.	Input floating/pull-up/pull-down configurations	15
Figure 9.	Output configuration	16
Figure 10.	Alternate function configuration	17
Figure 11.	High impedance-analog input configuration	18

1 STR71x & STR73x I/O ports

1.1 Functional description

Each of the general purpose I/O ports has three 16-bit Configuration registers (PC0, PC1, PC2) and one 16-bit Data register (PD).

Subject to the specific hardware characteristics of each I/O port listed in the “Pin description” table provided in the relevant STR7x datasheet, each port bit can be individually configured as an input, output, alternate function, etc.

Each I/O port bit is freely programmable, however the I/O port registers have to be accessed as 16-bit words. 32-bit or byte access is not allowed.

Figure 1 shows the basic structure of an I/O port bit.

Figure 1. Basic structure of an I/O port bit




Table 1. STR71x port bit configuration table⁽¹⁾

Port Configuration Registers (bit)	Values							
PC0(n)	0	1	0	1	0	1	0	1
PC1(n)	0	0	1	1	0	0	1	1
PC2(n)	0	0	0	0	1	1	1	1
Configuration	HiZ/AIN	IN	IN	IPUPD	OUT	OUT	AF	AF
Output	TRI	TRI	TRI	WP	OD	PP	OD	PP
Input	AIN	TTL	CMOS	CMOS	NA	NA	CMOS	CMOS

1. AF = alternate function, AIN = analog input, HiZ = high impedance, IN = input, IPUPD = input pull-up/pull-down, OD = open drain, OUT = output, PP = push-pull, TRI = tristate, TTL = TTL input levels, WP = weak push-pull.
NA = not applicable. In Output mode, a read access the port will get the output latch value). See [Figure 4](#).

Table 2. STR73x port bit configuration table⁽¹⁾

Port Configuration Registers (bit)	Values							
PC0(n)	0	1	0	1	0	1	0	1
PC1(n)	0	0	1	1	0	0	1	1
PC2(n)	0	0	0	0	1	1	1	1
Configuration	HiZ/AIN	IN	reserved	IPUPD	OUT	OUT	AF	AF
Output	TRI	TRI		WP ⁽²⁾	OD	PP	OD	PP
Input	-	TTL		TTL	TTL	TTL	TTL	TTL

1. AF = alternate function, AIN = analog input, HiZ = high impedance, IN = input, IPUPD = input pull-up/pull-down, OD = open drain, OUT = output, PP = push-pull, TRI = tristate, TTL = TTL input levels, WP = weak push-pull.
2. Depending on the PD(n) value, it behaves as weak pull-up (PD=1) or weak pull-down (PD=0)

1.2 General-purpose I/O (GPIO)

At reset the I/O ports are configured as general-purpose (memory mapped I/O).

When the user writes to the I/O Data register, the data are always loaded into the output latch. The output latch holds the data to be output while the input latch captures the data present on the I/O pin.

A read access to the I/O Data register reads the input latch or the output latch depending on whether the port bit is configured as an input or an output.

1.2.1 Alternate function I/O (AF)

The alternate functions for each pin are listed in the datasheet. Configuring a port bit as alternate function will disconnect the output latch and connect the pin to the output signal of an on-chip peripheral.

- For alternate function inputs, the port must be configured in Input mode and the input pin must be driven externally.

Note: It is also possible to emulate the AFI input pin by firmware by programming the GPIO controller. In this case, the port should be configured in Alternate Function Output mode. And obviously, the corresponding port should not be driven externally as it will be driven by the firmware using the GPIO controller.

- For AF output or input-output, the port bit must be in AF configuration.

External interrupts/wakeup lines

Some ports have external interrupt capability (see datasheet). To use external interrupts, the port must be configured in input mode. For more information on interrupts and wakeup lines, refer to the reference manual.


1.2.2 Input configuration

When the I/O port is programmed as Input:

- The output buffer is forced tristate
- The data present on the I/O pin are sampled into the input latch with every clock cycle
- A read access to the Data register gets the value in the input latch.

Figure 2 shows the input configuration of the I/O port bit.

Figure 2. Input configuration



1. For STR73x only.


1.2.3 Input pull-up/pull-down configuration

When the I/O port is programmed as input pull-up/pull-down:

- The output buffer is turned on in weak push-pull configuration and the firmware can write the appropriate level into the output latch to activate the weak pull-up or pull-down as required.
- The data in the output latch drive the I/O pin (a logic zero activates a weak pull-down, a logic one activates a weak pull-up).
- A read access to the I/O Data register gets the input latch value.

Figure 3 shows the Input pull-up/pull-down configuration of the I/O port.

Figure 3. Input pull-up/pull-down configuration




1.2.4 Output configuration

When the I/O port is programmed as output:

- The output buffer is turned on in open drain or push-pull configuration
- The data in the output latch drive the I/O pin
- A read access to the I/O Data register gets the output latch value.

Figure 4 shows the output configuration of the I/O port bit.

Figure 4. Output configuration




1.2.5 Alternate function configuration

When the I/O port is programmed as alternate function:

- The output buffer is turned on in open drain or push-pull configuration
- The output buffer is driven by the signal coming from the peripheral (alternate function out)
- The data present on the I/O pin are sampled into the input latch with every clock cycle
- A read access to the Data register gets the value in the Input Latch.

Figure 5 shows the Alternate function configuration of the I/O port bit.

Figure 5. Alternate function configuration




1.2.6 High impedance-analog input configuration

When the I/O port is programmed as high impedance-analog input configuration:

- The output buffer is forced tristate
- The input buffer is disabled (the alternate function input is forced to a constant value)
- The analog input can be input to an analog peripheral
- A read access to the I/O Data register gets the output latch value

Figure 6 shows the high impedance-analog input configuration of the I/O port bit.

Figure 6. High impedance-analog input configuration



Refer to the STR71x and STR73x reference manuals for the I/O port register description.

2 STR75x general-purpose I/O ports (GPIO)

2.1 Functional description

Each of the general-purpose I/O ports has three 32-bit configuration registers (PC0, PC1, PC2), a 32-bit Data register (PD) and a 32-bit mask register (PM).

Subject to the specific hardware characteristics of each I/O port listed in the datasheet, each port bit of the general-purpose I/O (GPIO) ports, can be individually configured by firmware in several modes:

- Input floating
- Input pull-up
- Input pull-down
- Analog input
- Output open-drain
- Output push-pull
- Alternate function

Each I/O port bit is freely programmable, however the I/O port registers have to be accessed as 32-bit words (half-word or byte accesses are not allowed). The purpose of the mask register is to allow atomic read/modify accesses (or bitwise write accesses) to any of the GPIO registers. In this way, there is no risk of an IRQ occurring between a read access and a modify access.

Figure 7 shows the basic structure of an I/O port bit.

Figure 7. Basic structure of an I/O port bit




Table 3. STR75x Port bit configuration table

Configuration mode		Input buffer	PxD Register		PxC2 Register	PxC1 Register	PxC0 Register
			Read access	Write access			
Input	Input floating (reset state)	Input floating	I/O pin	don't care	0	0	1
	Input floating	Input Floating	I/O pin	don't care	0	1	0
	Input pull-down	TTL Pull-Down	I/O pin	0	0	1	1
	Input pull-up	TTL Pull-Up	I/O pin	1	0	1	1
	Analog input	AIN	0	don't care	0	0	0
Output	Output open-drain	TTL floating	I/O pin	0 or 1	1	0	0
	Output push-pull	not used	last value written	0 or 1	1	0	1
	Alternate function open-drain	TTL floating	I/O pin	don't care	1	1	0
	Alternate function push-pull	TTL floating	I/O pin	don't care	1	1	1

2.1.1 General purpose I/O (GPIO)

During and just after reset the alternate functions are not active and the I/O ports are configured in Input Floating mode (PxC2=0, PxC1=0, PxC0=1).

When configured as output, the value written to the I/O Data register is loaded into the output latch. The output latch holds the data to be output. It is possible to use the output driver in Push-Pull or Open-Drain mode (only the N-MOS is activated when outputting 0).

The input latch captures the data present on the I/O pin at every APB clock cycle.

A read access to the I/O Data register reads the input latch or the output latch depending on whether the port bit is configured as input or output Open-Drain or Push-Pull.

All GPIO pins features weak internal pull-up and pull-down resistors which can or not be activated when configured as inputs.

In all low-power modes, except for the Standby mode, GPIO states are preserved. In Standby mode, all GPIOs are put in high impedance with the exception of the WKP_STDBY pin which is kept in input mode.

Note: Care must be taken when configuring an I/O port from one mode to another, because an unexpected intermediate state could disturb the application. Program the registers using only intermediate states that do not disturb your application. For instance, it is important to know that in "analog input" mode, the Schmitt trigger output is forced to '0'.

2.1.2 Alternate functions (AF)

It is necessary to program the Port Bit Configuration Register before using a default alternate function.

- For alternate function inputs, the port must be configured in Input mode (floating, pull-up or pull-down) and the input pin must be driven externally

Note: It is also possible to emulate the AFI input pin by firmware by programming the GPIO controller. In this case, the port should be configured in Alternate Function Output mode.

And obviously, the corresponding port should not be driven externally as it will be driven by the firmware using the GPIO controller.

- For alternate function outputs, the port must be configured in Alternate Function Output mode (push-pull or open-drain).
- For bidirectional alternate functions, the port bit must be configured in Alternate Function Output mode (push-pull or open-drain). In this case the input driver is configured in input floating mode

Configuring a port bit as Alternate Function Output will disconnect the output latch and connect the pin to the output signal of an on-chip peripheral.

If firmware configures a GPIO pin as Alternate Function Output, but no peripheral output alternate function exists for that pin (refer to the datasheet pin description table), its output is not specified.

Special case of SSP bidirectional alternate functions

When using the SSP, the MISO, MOSI, NSS and SCK alternate functions consist of bidirectional alternate functions. They must be configured as alternate function output through the Port Configuration register:

- When configuring the SSP in master mode, the MISO pin is automatically used as an alternate function input and the output driver is automatically disabled (even if still programmed as alternated function output in the Port Configuration registers). In addition, when configured in master mode, the MOSI pin is always driven (never left Hi-Z) even if the SSP is in idle mode (no transmission)
- When configuring the SSP in slave mode, the MOSI, SCK and NSS pins are automatically configured as alternate functions inputs and the output drivers are automatically disabled (even if still programmed as alternated function outputs in the Port Configuration registers). In addition, when configured in slave mode, the MISO pin is left Hi-Z when the NSS pin is high or when the SOD control bit (Slave Output Disable) is set.

Configuring I²C alternate functions

After reset release, the I²C is able to detect a Start condition on the SDA and SCL lines even if the I²C is not configured. (Refer to the SDA/SCL line control section in the STR75x reference manual)

Consequently, care must be taken when configuring SDA and SCL as alternate function open-drain in order not to create parasitic falling edges.

The states to avoid are:

- output 0
- input pull-down
- analog input (because the output of the Schmitt trigger goes to 0)

Consequently, the configuration must be done in the following order:

1. Reset state: PC2,1,0=001 PD=0: input floating
-> SDA=SCL = '1' due to external pull-up
2. Write PD=1: PC2,1,0=001 PD=1: input floating
-> SDA=SCL = '1' due to external pull-up
3. Write PC1=1: PC2,1,0=011 PD=1: input pull-up
-> SDA=SCL = '1' due to internal and external pup
4. Write PC0=0: PC2,1,0=010 PD=1: input floating
-> SDA=SCL = '1' due to external pull-up
5. Write PC2=1: PC2,1,0=110 PD=1: AF Open Drain
-> SDA=SCL = '1' because the I2C does not drive the line when disabled (I2C PE=0)


2.1.3 Input configuration

When the I/O port is programmed as an input:

- The output buffer is disabled
- The Schmitt trigger Input is activated
- The analog switch is disabled
- The weak pull-up and pull-down resistors are activated or not depending on the input configuration (pull-up, pull-down or floating):
- The data present on the I/O pin are sampled into the input latch with every APB clock cycle
- A read access to the Data register gets the value in the input latch.

Figure 8 shows the input configuration of the I/O port bit.

Figure 8. Input floating/pull-up/pull-down configurations




2.1.4 Output configuration

When the I/O port is programmed as an output:

- The output buffer is enabled:
 - Open Drain mode: a “0” in the output latch activates the N-MOS while a “1” in the output latch leaves the port in Hi-Z (the P-MOS is never activated)
 - Push-Pull mode: a “0” in the output latch activates the N-MOS while a “1” in the output latch activates the P-MOS
- The Schmitt trigger input is activated
- The analog switch is disabled
- The weak pull-up and pull-down resistors are disabled
- The data present on the I/O pin is sampled into the input latch with every APB clock cycle
- A read access to the I/O Data register gets:
 - the output latch value in Push-Pull mode (which corresponds to the last data written)
 - the input latch value in Open-Drain mode

Figure 9 shows the output configuration of the I/O port bit.

Figure 9. Output configuration




2.1.5 Alternate function configuration

When the I/O port is programmed as an alternate function:

- The output buffer is turned on in open drain or push-pull configuration
- The output buffer is driven by the signal coming from the peripheral (alternate function out)
- The Schmitt trigger input is activated
- The analog switch is disabled
- The weak pull-up and pull-down resistors are disabled
- The data present on the I/O pin are sampled into the input latch with every APB clock cycle
- A read access to the I/O Data register gets:
 - the output latch value in Push-Pull mode (which corresponds to the last data written)
 - the input latch value in Open-Drain mode

Figure 10 shows the alternate function configuration of the I/O port bit.

Figure 10. Alternate function configuration




2.1.6 Analog input configuration

When the I/O port is programmed as an analog input:

- The output buffer is disabled
- The Schmitt trigger input is de-activated, providing zero consumption for every analog value of the I/O pin. The output of the Schmitt trigger is forced to a constant value (0).
- The weak pull-up and pull-down resistors are disabled
- The analog switch is enabled by the ADC each time a conversion is in progress
- Read access to the I/O Data register gets the input latch value (0)

Figure 11 shows the high impedance-analog input configuration of the I/O port bit.

Figure 11. High impedance-analog input configuration



Refer to STR75x reference manual for the I/O port registers description.

3 STR7x atomic bit set or bit reset (bit-wise write operations)

The bitwise instructions proposed by the "ARM7 Instruction Set" only apply to the internal ARM7 Ri registers. Consequently, it is not possible to directly perform bitwise write operations (like a bit set or a bit clear) on an I/O Port register. Three operations are required:

- Load the whole Port Data register into an Ri register
- Modify the Ri register using the bitwise ARM7 instruction
- Store back the whole result from the Ri register into the Port Data Register

Since this is not an atomic operation, an interrupt subroutine (ISR) may happen to be served between the load access and the store access. If the ISR sets or clears some other Port register bits, the port might be corrupted when the data are stored back into the Port register. Consequently, if the interrupt subroutines are susceptible to modify the other bits of the I/O port being written, it is recommended to disable the interrupts during bitwise write operations.

With the STR75x, however, this is not needed because it features a Port Mask Register. The purpose of the Port Mask Register is to allow atomic read/modify accesses (or bitwise write operations) to any of the GPIO registers. In this case, you simply need to:

- first program the Port Mask Register (PxM) to mask the bits that you do not want modified
- then, program the port registers (PxC2, PxC1, PxC0 and PxD). The masked bits will not be modified.

This mask applies to all the Configuration and Data registers (PxC3, PxC1, PxC0 and PxD).

Note: It is recommended that each interrupt subroutine that accesses the port registers stacks the Port Mask Register. Otherwise, an interrupt occurring between the modification of the PxM register and a bit manipulation on the PxD registers might lead to a corruption of the port bits.

4 Recommended configuration sequence

It appears that the safest sequence for writing the Port Configuration registers in most situations is: PC2 - PC1 - PC0.

Exceptions to this would be in the following transitions:

1. Input/Output to Output open drain
2. Input/Output to Output push-pull
3. Input/Output to Alternate Function open drain
4. Input to Output open drain
5. Input to Alternate Function open drain

In all of these cases the safest sequence for writing the PC registers is: PC0 - PC1 - PC2.

Note: It is possible to have a level change on a pin during transition between open drain and push-pull output modes. The resulting output level may be determined by the state of the GPIO output, alternate function output and/or external pull-up/down (if any). The user needs to be aware of the output state when changing the pin configuration.

4.1 From alternate push-pull

If the port is set to alternate push-pull, use the following sequences to change modes.

Table 4. Alternate push-pull to analog input

PC2 - 0	IPUPD ⁽¹⁾
PC1 - 0	Input
PC0 - 0	No change

1. Input pull-up/pull-down.

Table 5. Alternate push-pull to input

PC2 - 0	IPUPD ⁽¹⁾
PC1 - 0	Input
PC0 - 1	No change

1. Input pull-up/pull-down.

Table 6. Alternate push-pull to Input pull-up/pull-down

PC2 - 0	IPUPD ⁽¹⁾
PC1 - 1	No change
PC0 - 1	No change

1. Input pull-up/pull-down.

Table 7. Alternate push-pull to output open drain

PC2 - 1	No change
PC1 - 0	Output push-pull
PC0 - 0	Output open drain

Table 8. Alternate push-pull to output push-pull

PC2 - 1	No change
PC1 - 0	Output push-pull
PC0 - 1	No change

Table 9. Alternate push-pull to alternate function open drain

PC2 - 1	No change
PC1 - 1	No change
PC0 - 0	Alternate function open drain

4.2 From alternate function open drain

If the port is set to alternate function open drain, use the following sequences to change modes.

Table 10. Alternate function open drain to analog input

PC2 - 0	Reserved/Input
PC1 - 0	Analog input
PC0 - 0	No change

Table 11. Alternate function open drain to input

PC2 - 0	Reserved/Input
PC1 - 0	Analog input
PC0 - 1	IN

Table 12. Alternate function open drain to Input pull-up/pull-down

PC2 - 0	Reserved/Input ⁽¹⁾
PC1 - 1	No change
PC0 - 1	IPUPD ⁽²⁾

1. Reserved for STR73x only

2. Input pull-up/pull-down.

Table 13. Alternate function open drain to output open drain

PC2 - 1	No change
PC1 - 0	Output open drain
PC0 - 0	No change

Table 14. Alternate function open drain to output push-pull

PC2 - 1	No change
PC1 - 0	Output open drain
PC0 - 1	Output push pull

Table 15. Alternate function open drain to alternate function push-pull

PC2 - 1	No change
PC1 - 1	No change
PC0 - 1	Alternate function push-pull

4.3 From output push-pull

if the port is set to output push-pull, use the following sequences to change modes.

Table 16. Output push-pull to analog Input

PC2 - 0	Input
PC1 - 0	No change
PC0 - 0	Analog input

Table 17. Output push-pull to input

PC2 - 0	Input
PC1 - 0	No change
PC0 - 1	No change

Table 18. Output push pull to Input pull-up/pull-down

PC2 - 0	Input
PC1 - 1	IPUPD ⁽¹⁾
PC0 - 1	No change

1. Input pull-up/pull-down.

Table 19. Output push-pull to output open drain

PC2 - 1	No change
PC1 - 0	No change
PC0 - 0	Output open drain

Table 20. Output push-pull to alternate function open drain

PC2 - 1	No change
PC1 - 1	Alternate function push-pull
PC0 - 0	Alternate function open drain

Table 21. Output push-pull to alternate function push-pull

PC2 - 1	No change
PC1 - 1	Alternate function push-pull
PC0 - 1	No change

4.4 From output open drain

If the port is set to output open drain, use the following sequences to change modes.

Table 22. Output open drain to analog input

PC2 - 0	Analog input
PC1 - 0	No change
PC0 - 0	No change

Table 23. Output open drain to input

PC2 - 0	Analog input
PC1 - 0	No change
PC0 - 1	Input

Table 24. Output open drain to Input pull-up/pull-down

PC2 - 0	Analog Input
PC1 - 1	Reserved/Input ⁽¹⁾
PC0 - 1	Input/Output

1. Reserved for STR73x only

Table 25. Output open drain to output push-pull

PC2 - 1	No change
PC1 - 0	No change
PC0 - 1	Output push-pull

Table 26. Output open drain to alternate function open drain

PC2 - 1	No change
PC1 - 1	Alternate function push-pull
PC0 - 0	No change

Table 27. Output open drain to alternate function push-pull

PC2 - 1	No change
PC1 - 1	Alternate function open drain
PC0 - 1	Alternate function push-pull

4.5 From input/output

if the port is set to Input/Output, use the following sequences to change modes.

Table 28. Input pull-up/pull-down to analog input

PC2 - 0	No change
PC1 - 0	Input
PC0 - 0	Analog input

Table 29. Input pull-up/pull-down to Input

PC2 - 0	No change
PC1 - 0	Input
PC0 - 1	No change

Table 30. Input pull-up/pull-down to output open drain

PC2 - 1	Alternate function push-pull ⁽¹⁾
PC1 - 0	Output push-pull ⁽²⁾
PC0 - 0	Output open drain

1. Glitch possible if the alternate function is a test function.
2. Glitch possible if OUTPUT=1 with no external pull-up.

Alternatively, the following sequence can be used:

Table 31. Alternate Input pull-up/pull-down to output open drain sequence

PC0 - 0	Reserved
PC1 - 0	Analog input
PC2 - 1	Output open drain

Table 32. Input pull-up/pull-down to output push-pull

PC2 - 1	Alternate function push-pull ⁽¹⁾
PC1 - 0	Output push-pull
PC0 - 1	No change

1. Glitch possible if alternate function is a test function.

Alternatively, the following sequence can be used:

Table 33. Alternate sequence: Input pull-up/pull-down to output push-pull

PC0 - 1	No change
PC1 - 0	Input
PC2 - 1	Output push-pull

Table 34. Input pull-up/pull-down to alternate function open drain

PC2 - 1	Alternate function push-pull ⁽¹⁾
PC1 - 1	No change
PC0 - 0	Alternate function open drain

1. Glitch possible if alternate function is a test function and if OUTPU=1 with no external pull-up.

Alternatively, the following sequence can be used:

Table 35. Alternate sequence: Input pull-up/pull-down to alternate function open drain

PC0 - 0	Reserved/Input
PC1 - 1	No change
PC2 - 1	Alternate function open drain

Table 36. Input pull-up/pull-down to alternate function push-pull

PC2 - 1	Alternate function push-pull
PC1 - 1	No change
PC0 - 1	No change

4.6 From input

If the port is set to Input, use the following sequences to change modes.

Table 37. Input to analog input

PC2 - 0	No change
PC1 - 0	No change
PC0 - 0	Analog input

Table 38. Input to Input pull-up/pull-down

PC2 - 0	No change
PC1 - 0	IPUPD
PC0 - 1	No change

Table 39. Input to output open drain

PC2 - 1	Output push-pull ⁽¹⁾
PC1 - 0	No change
PC0 - 0	Output open drain

1. Glitch possible if OUTPUT =1 with no external pull-up

Alternatively, the following sequence can be used:

Table 40. Alternate Input to output open drain sequence

PC0 - 0	Analog input
PC1 - 0	No change
PC2 - 1	Output open drain

Table 41. Input to output push-pull

PC2 - 1	Alternate function push-pull
PC1 - 0	Output push-pull
PC0 - 1	No change

Table 42. Input to alternate function open drain

PC2 - 1	Output push-pull ⁽¹⁾
PC1 - 1	Alternate function push-pull ⁽²⁾
PC0 - 0	No change ⁽³⁾

1. Glitch possible if OUTPUT differs from ALT OUTPUT value
2. Glitch possible if OUTPUT = 1 with no external pull-up
3. Glitch possible if alternate function is a test function

Alternatively, the following sequence can be used:

Table 43. Alternate sequence: Input to alternate function open drain

PC0 - 0	Analog Input
PC1 - 1	Reserved
PC2 - 1	Alternate function open drain

Table 44. Input to alternate function push-pull

PC2 - 1	Output push-pull
PC1 - 1	Alternate function push-pull
PC0 - 1	No change

4.7 From analog input

if the port is set to Analog Input, use the following sequences to change modes.

Table 45. Analog input to input

PC2 - 0	No change
PC1 - 0	No change
PC0 - 1	Input

Table 46. Analog input to Input pull-up/pull-down

PC2 - 0	No change
PC1 - 1	Reserved
PC0 - 1	IPUPD ⁽¹⁾

1. Input pull-up/pull-down.

Table 47. Analog input to output push-pull

PC2 - 1	Output open drain
PC1 - 0	No change
PC0 - 1	Output push-pull

Table 48. Analog input to output open drain

PC2 - 1	Output open drain
PC1 - 0	No change
PC0 - 0	No change

Table 49. Analog input to alternate function open drain

PC2 - 1	Output open drain
PC1 - 1	Alternate function push-pull
PC0 - 0	No change

Table 50. Analog Input to alternate function push-pull

PC2 - 1	Output push-pull
PC1 - 1	Alternate function open drain
PC0 - 1	Alternate function push-pull

5 Conclusion

This application note gives practical information on how to configure the GPIO ports in STR7xx MCUs. It also provide the safest sequences to change I/O port configurations while avoiding any unexpected intermediate state that might disturb an application.

6 Revision history

Table 51. Document revision history

Date	Revision	Changes
14-Feb-2008	1	Initial release.

Please Read Carefully:

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

UNLESS EXPRESSLY APPROVED IN WRITING BY AN AUTHORIZED ST REPRESENTATIVE, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2008 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

www.st.com