

Bussmann series FF BS88 Centre bolted tags



Product description

Eaton's Bussmann series range of British Standard C2 fuse links is specifically designed for the protection of general industrial applications e.g. power distribution and cable protection.

Standard features

- Good peak let-through current limitation
- 1:1:6 Selective coordination ratio between "minor" and "major" fuse
- Power loss values well within the limits of IEC 60269

Catalogue symbol:

- FF(Amps)

Technical data:

- Rated voltage: 550 V a.c. / 400 V d.c.
- Rated current: 450 to 630 A
- Breaking capacity: 80 kA
- Class of operation: gG
- Size: C2

Standards/Approvals:

- BS88
- IEC 60269
- Suitable for use in RoHS compliant applications


Packaging:

- MOQ 1


Table 1. Technical data

Part number	Rated voltage	Rated current (Amps)	Energy integrals I ² t (A ² S)		Watts loss	Dimensions (mm)										Product class	Weight
			Pre-arcing	Total at 415 V a.c.		W	A	B	C	D	E	F	G	H	J		
FF450	550 V a.c. 400V d.c.	450	850	1600	32	210	185	77.5	10.5	15.5	25.4	134	74	6.4	gG	1.055Kg	
FF500	550 V a.c. 400 V d.c.	500	1100	2000	38	210	185	77.5	10.5	15.5	25.4	134	74	6.4	gG	1.055Kg	
FF560	550 V a.c. 400V d.c.	560	1400	2400	43	210	185	77.5	10.5	15.5	25.4	134	74	6.4	gG	1.055Kg	
FF630	550 V a.c. 400V d.c.	630	2000	3500	50	210	185	77.5	10.5	15.5	25.4	134	74	6.4	gG	1.055Kg	

Outline drawing



Time current curve



Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

Eaton
 EMEA Headquarters
 Route de la Longeraie 7
 1110 Morges, Switzerland
 Eaton.eu

© 2015 Eaton
 All Rights Reserved
 Publication No. 4102
 June 2015