





8 7 6 5 4 3 2 1

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	
B	PROPOSAL	MAY 6'11	J.SI



**MATERIAL:**  
 CAGE: COPPER ALLOY.  
**PLATING:**  
 PLATING OPTION 2: 2.54 μm [100 μ"] NICKEL PLATING.  
 PLATING OPTION 3: 2.54 - 7.62 μm [100 - 300 μ"]  
 MATTE TIN PLATING OVER 1.27 μm [50 μ"] NICKEL.  
**PACKAGING:** TRAY PACKAGING.  
 TEMPERATURE RANGE: -40°C TO 85°C.

**AMPHENOL PART NUMBER CONFIGURATION**

U77-A1639-X001

CAGE PLATING:  
 2 = NICKEL  
 3 = MATTE TIN

PACKAGING:  
 1 = TRAY PACKAGING



**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.


<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</small> DECIMALS: X.X ± 0.15 X.XX ± 0.10 <small>ANGLES: ± 0.5°</small>	<b>APPROVALS</b>	<b>DATE</b>	<b>Amphenol Canada Corp.</b>	
	DRAWN: H.SONG	AUG26/09	TITLE	
	DESIGNED:		1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
	CHECKED: J.SI	AUG27/09		
MATERIAL AND FINISH	CA APPD			
REF.	E APPD		SIZE: A3	DWG. NO.: P-U77-A1639-X001
CODE IDENT. NO.: 03554	DWG APPD		SCALE: 3:1	PROJECT: B
				SHEET 1 OF 3

8 7 6 5 4 3 2 1

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	
B	PROPOSAL	MAY 6'11	J.SI



RECOMMENDED BEZEL DESIGN






UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		<b>APPROVALS</b>		<b>DATE</b>		<b>Amphenol Canada Corp.</b>	
DECIMALS X.X ± 0.15 X.XX ± 0.10		ANGLES ± 0.5°		DRAWN H.SONG	AUG26/09	TITLE	
MATERIAL AND FINISH		CHECKED J.SI		AUG27/09		1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
REF.		E APPD		SCALE A3		SIZE A3	DWG. NO. P-U77-A1639-X001
CODE IDENT. NO. 03554		DWG APPD		SCALE 3:1		PROJECT	REV B
						SHEET	2 OF 3

**DO NOT SCALE DRAWING**  
THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES PLATING OPTIONAL.  
 4. SEE DRAWING P-U76-A20-X00XX FOR CONNECTOR LAYOUT.

HOLE SIZES  
 ⌀ 1.55  
 ⌀ 1.05  
 ● ⌀ 0.95  
 ● ⌀ 0.85

REVISIONS			
REV	DESCRIPTION	DATE	APPRD
A	PROPOSAL	AUG27/09	
B	PROPOSAL	MAY 6'11	J.SI



**DO NOT SCALE DRAWING**  
 THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS: X.X ± 0.15, X.XX ± 0.10 ANGLES: ± 0.5°	<b>APPROVALS</b>	<b>DATE</b>	<b>Amphenol Canada Corp.</b>	
	DRAWN: H.SONG	AUG26/09	TITLE	
	DESIGNED:		1X1 SFP+ CAGE, SPRING FINGER GASKET WITH LATCH FOR LIGHT PIPE	
	CHECKED: J.SI	AUG27/09		
MATERIAL AND FINISH	QA APPD:			
REF:	E APPD:	SIZE: A3	DWG. NO.: P-U77-A1639-X001	REV: B
CODE IDENT NO.: 03554	DWG APPD:	SCALE: 3:1	PROJECT:	SHEET: 3 OF 3